الأمراض الحيوانية المصدر والأمراض السارية المشتركة بين الإنسان والحيوانات

الطبعة الثالثة

الجزء الثاني: الأمراض الناجمة عن المتدثرات، والريكتسيات، والفيروسات بيدرون. أتشا وبوريس تسيفيرس



صدرت الطبعة العربية عن منظمة الصحصة العالمية إقليم شرق المتوسط صدرت الطبعة الأنكليزية عن منظمة الصحـــــة العالمية الإقـــــــــــــايم الأمريكي

الأمراض الحيوانية المصدر والأمراض السارية المشتركة بين الإنسان والحيوانات

الطبعة الثالثة

الجزء الثانى: الأمراض الناجمة عن المتدثرات، والريكتسيات، والفيروسات بيدرو ن. آتشا وبوريس تسيفيرس



صدرت الطبعة العربية عن منظمة الصحصة العالمية إقليم شرق المتوسط صدرت الطبعة الأنكليزية عن منظمة الصحــــة العالمية الإقـــــــــــــايم الأمريكي

2006 2003

الأمراض الحيوانية المصدر والأمراض السارية المشتركة بين الإنسان والحيوانات – الطبعة الثالثة

Zoonoses and Communicable Diseases Common to Man and Animals – Third Edition

@ منظمة الصحة العالمية، 2006

جميع الحقوق محفوظة.

إن التسميات المستخدمة في هذه المنشورة، وطريقة عرض المواد الواردة فيها، لا تعبّر عن رأي الأمانة العامة لمنظمة الصحة العالمية بشأن الوضع القانوني لأي بلد، أو إقليم، أو مدينة، أو منطقة، أو لسلطات أي منها، أو بشأن تحديد حدودها أو تخومها. وتشكّل الخطوط المنقوطة على الخرائط خطوطا حدودية تقريبية قد لا يوجد بعد اتفاق كامل عليها.

كما أن ذكر شركات بعينها أو منتجات جهات صانعة معينة لا يعني أن هذه الشركات والمنتجات معتمدة، أو مُوصى بها من قِبَل منظمة الصحة العالمية، تفضيلا لها على سواها مما يماثلها ولم يرد ذكره. وفيما عدا الخطأ والسهو، تميّز أسماء المنتجات المسجّلة الملكية بوضع خط تحتها.

يمكن الحصول على منشورات منظمة الصحة العالمية من وحدة التسويق والتوزيع، المكتب الإقليمي لمنظمة الصحة العالمية الشرق المتوسط، ص. ب. (7608)، مدينة نصر، القاهرة 11371 مصر (هاتف رقم: 2535 670 2024؛ فاكس رقم: 2922 670 2024؛ عنوان البريد الإلكتروني: DSA@emro.who.int). وينبغي توجيه طلبات الحصول على الإنن باستنساخ أو ترجمة منشورات المكتب الإقليمي لمنظمة الصحة العالمية لشرق المتوسط، سواء كان ذلك لبيعها أو لتوزيعها توزيعا غير تجاري إلى المستشار الإقليمي للإعلام الصحي والطبي، على العنوان المذكور أعلاه (فاكس رقم: 410 570 2022؛ عنوان البريد الإلكتروني: HBI@emro.who.int).

ÔÔ

| ΧI | | تقديم |
|------|------|-------|
| XIII | | |
| XVII | | |
| XXI | | |
| XXV | | |
| | | |
| | ä :Ø | |
| 3 | | |
| 4 | | |
| 6 | | |
| 11 | | |
| 17 | | |
| 23 | Q | |
| 38 | Ô | |
| 41 | | |
| 45 | | |
| 54 | | |
| 61 | Ô | |
| 74 | Ô | |
| | | |
| | : Ô | |
| 81 | Ô | |
| 92 | | |
| 95 | | |

| 97 | Ô |
|-----|-----|
| 104 | |
| 110 | |
| 115 | |
| 120 | |
| 127 | |
| 127 | Ô - |
| | |
| 142 | |
| 159 | |
| 169 | |
| 177 | |
| 183 | |
| 190 | C |
| 193 | |
| 212 | (1) |
| 216 | |
| 224 | |
| 226 | |
| 252 | Ô |
| 262 | |
| 268 | |
| 276 | |
| 282 | |

| 292 | |
|-----|-----|
| 299 | |
| 303 | |
| 307 | |
| 313 | |
| 317 | |
| 329 | Ô |
| 332 | |
| 337 | |
| 339 | Ô |
| 343 | |
| 344 | |
| 349 | |
| 351 | |
| 353 | |
| 357 | |
| 358 | |
| 403 | |
| 414 | |
| 418 | |
| 434 | Ô - |
| 441 | |
| 444 | |

| 446 | |
|-----|-----|
| 446 | |
| 451 | |
| 452 | |
| 452 | |
| 456 | |
| 457 | |
| 457 | |
| 459 | |
| 463 | – – |
| 466 | |
| 476 | |
| 483 | |
| 488 | Ô |
| 505 | |
| 508 | |
| 521 | |
| 531 | |
| 535 | Ô |
| 545 | |
| 552 | |

Ø Ø

| 15 | | | | .1 |
|-----|-------------|---|----|-----|
| 30 | | - | :Q | .2 |
| 31 | | - | :Q | .3 |
| 43 | ····· – (|) | | .4 |
| 48 | | | | .5 |
| 50 | | | | .6 |
| 57 | - (|) | | .7 |
| 69 | (.) Ĉ |) | | .8 |
| | | | | |
| | | | | |
| 145 | | | | .1 |
| 143 | • | | | .1 |
| 140 | | , | | • 2 |
| 149 | | • | | |
| | · Ô | | | .3 |
| 151 | | | | |
| 191 | | C | | .4 |
| | Ô | | | .5 |
| 365 | 2000 – 1980 | | | |
| | Ô | | | .6 |
| | ô ô | | | |

| 366 | | 2000 | - 1990 |
|-----|--------------------|-------|--------|
| 371 | . 1999 .1991 .1990 | | .7 |
| 394 | | | .8 |
| | | | |
| 85 | Junín | · Ô | .9 |
| 99 | - (|) | .10 |
| 112 | | - | .11 |
| 118 | | - | .12 |
| 165 | | - | .13 |
| 192 | | C | .14 |
| 220 | | - | .15 |
| 257 | | - Ô | .16 |
| 280 | | | .17 |
| 289 | | | .18 |
| 296 | | - Ô | .19 |
| 311 | | | .20 |
| 324 | | _ | .21 |
| 335 | | | .22 |
| 342 | | - Ô | .23 |
| 356 | | - | .24 |
| 378 | | _ | .25 |
| 438 | Ô | | .26 |
| 471 | | _ | .27 |
| | | Ô | .28 |
| | .V VI I | D.E F |) |

| 495 | | (п .ш . | IV |
|-----|-----|---------|-----|
| | / | Ô | .29 |
| 497 | (I | AB C |) |
| 526 | – | A | .30 |
| 540 | - Ô | | .31 |
| 550 | | - | .32 |
| 562 | – | | .33 |

بشفالنكالج ألجين

تقديم

دور کور مرسی جبر الروزان دافرزاری الدیده نیسی نینم اصفه اصاحة مترد داخرند

شهدت العقود الأخيرة ازدياد أهمية الأمراض الحيوانية المصدر والتي يشترك في المعاناة من ويلاتها الناس والحيوانات معاً، إلى جانب ازدياد وتعقيد وسائل المواصلات، وهو أمر أدَّى في مقابل ذلك إلى تسريع وتسهيل نشر العوامل الناقلة للأمراض، وإلى تضاؤل دور التباعد في المسافات، فلم يَعدُ بمقدور أي فرد أو مجموعة أن يكون بمأمن عن الإصابة بهذه الأمراض، ورغم قطع خطوات كبيرة على درب التقدُّم العلمي والتكنولوجي في تشخيص وتصنيف هذه الأمراض، ورغم الإنجازات الكبيرة التي تحقّقت في مضمار المعالجة والوقاية منها، فإن هذه الأمراض لاتزال تشكل تهديداً خطيراً للصحة في العالم. وقد قام الزملاء في المكتب الإقليمي الأمريكي للصحة العالمية بإعداد هذا السفر حول الأمراض الحيوانية المصدر في ثلاثة أجزاء متكاملة، فلم نتردَّد في نقل فوائد هذا الجهد إلى بلدائنا، برجمته إلى اللغة العربية، وقد ساعدنا المركز العربي للتعريب والترجمة والتأليف والنشر في تحقيق ذلك، وهو أحد المراكز المتخصصة لجامعة الدول العربية، ويعمل من مقره في دمشق على توفير المواد التعليمية والتدريبية باللغة العربية الموسات الأكاديمية والمهنية وللمحامعات العربية، فحاءت الترجمة مثالاً على الاجتهاد في وضع تسميات جديدة للموسات الأكاديمية والمهنية وللمعامعات العربية، فعاءت الرجمة مثالاً على الاجتهاد في وضع تسميات جديدة الصامتين الذين ساهموا في إنجاز هذا العمل، ولا يفوتنا أن نؤكد على أن نجاح هذه الجهود ينبغي أن يترجم في حيَّز الصامتين الذين ساهموا في الختام، يرحَّب المكتب الإقليمي بتلقي أي ملاحظات لاستكمال خصوصية البلدان العربية على أوسع نطاق، وفي الختام، يرحَّب المكتب الإقليمي بتلقي أي ملاحظات لاستكمال خصوصية البلدان العربية ولغتها في هذا الصدد.

والله الحق وهو يهدي على السبيل القويم.

الدكتور حسين عبد الرزاق الجزائري المدير الإقليمي لمنظمة الصحة العالمية لشرق المتوسط

ÔÔ ÔÔ

-.

.

:

. . . - (РАНО)

safety 1951 .(PANAFTOSA) 15 (INPPAZ) 1991 .(CEPANZO) 1956 .1990 1902 Ô Ô .1986

· Ĉ

emerging

: .reemerging

MIRTA ROSES PERIAGO

Ô zoonoses · Ô 150

| | - | - | |
|---|---|------------|---------|
| | | monographs | |
| | | | |
| | | | • |
| - | - | | • |
| | | • | • |
| · | - | - | |
| | | | |
| | | • | |
| | • | | |
| | | | |
| | • | | |
| | | | Ô exoti |
| | | | |
| | | | |
| • | | | |
| | • | | |
| | | - | _ |
| | | | |

•

٥

.metazooses

PEDRO N.ACHA . . . BORIS SZYFRES

versions Ô Ô 28 148 Ô Ô

Ô

| · Ô, | | | | |
|---------|-----------|----------------|---------|-------|
| | : | . m | odels . | |
| • | I | Rickettsia pro | wazekii | |
| • | | | | 1922 |
| ı Ô | - | | | |
| kuru | | | : | |
| scrapie | • | | | |
| (|) | | | |
| Ô | pandemics | • | Ô · | |
| | : . | .(| Ô)(| Ĉ |
| Ô· | | | | |
| | . 1982 |) | Lyme | .1977 |

| D 1: | 1 1 0 . | |
|----------|-------------|--|
| Borrelia | burgdorferi | |
| Doncina | Duiguonich | |

(PAHEF)

| Rocio | | | | | |
|-------|-------|------|-----------------|--------|--------------|
| | | | | | .Oropouche |
| · | | | .Rift Valley | | |
| | • | Cr | Cryptosporidium | | Ô |
| | | - | | | - |
| | | 1986 | 1983 | • | pseudorabies |
| | .1986 | . 51 | | Ehrli | chia canis |
| • | | | | | • |
| ٥ | | | Ô | | • |
| • | | | monog | graphs | Ô |
| | | | | - | - |
| | | | | | |
| | | | | • | |
| | | | | | |
| | | | | | |

.

. .

.

· Ô

ه

•

PEDRO N.ACHA . . .
BORIS SZYFRES

Ô Ô Ô (1):

. (3) .

.

ICD 10 .

. :

.()

· Ô ·

Ô
 : '.
 : '.
 Ô

...

 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...</li

الجزء الأول أدواء المُتَدَثَّرات وأدواء الريكتُسيات

RICKETTSIACAE

| Ehrlic- | .tribes Rickettsieae | |
|----------------------|-----------------------------|--------------|
| Ô | 1986 ehrlichiosis | hieae |
| 1991 | Ehrlichia canis | J |
| (Dawson et al.,1991) | _ | _ |
| | . () | |
| | – - Rickettsiae | |
| | . Ô . | .prokaryotic |
| Rochalimaea | | eukaryotic |
|). |) axenic | |
| , | | |
| 0.3 × 0.5 | | |
| Gimenez \hat{O} | | |
| .(Weiss and N | Moulder 198; Mettler; 1991) | |
| - | Coxiella | |
| | | |
| <i>:</i> | | |
| | | |
| | | |

ÔÔ

Dawson, J.E., B.E. Anderson, D.B. Fishbein, et al. Isolation and characterization of an Ehrlichia sp. from a patient diagnosed with human ehrlichiosis. J Clin Microbiol 29:2741–2745, 1991.

Mettler, N.E. Rickettsiales. In: Carballal G., J.R. Oubiño, eds. Virología médica. Buenos. Aires: El Ateneo: 1991.

Weiss, E., J.W. Moulder. Order 1. Rickettstales Gieszczkiewicz 1939. In: Krieg, N.R., J.G. Holt, eds. Vol. 1: Bergey's Manual of Systematic Bacteriology. Baltimore: Williams & Wilkins; 1984.

ASIAN IXODO-RICKETTSIONIS

ICD-10 A77.2

ICD-10 A77.2 Spotted fever due to Rickettsia sibirica

.(Dermacentroxenus sibiricus

. Dermacentor marginatus

.R. slovaca

.(Weiss and Moulder, 1984)

| | 18 | Ô | : | • | |
|---------------|--------|----------|--------------------------|-----------|-------|
| . boutonneuse | | | : | Ô | • |
| | | | | | 7 – 2 |
| | | | : Ô | | |
| Haemaphysalis | .Dermo | acentor | : : .Rhipicephalus | r. | |
| • | Ô | | | rnation | |
| | · Ô | | | | |
| : | | : | | | |
| ٠ | | | | | |
| Ô· | ٠ | concinna | | nuttalli, | |
| ~ | | Ô· | | | |
| | | : | | | |

•

Ô Ĉ

Bosler, E.M., J.L. Coleman, J.L. Benach, D.A. Massey, J.P. Hanzahan, W. Burgdorfer, et al. Natural distribution of the Isodes dammini spirochete. Science 220:321–322, 1983.

Burgdorfer, W. North Asian tick typhus. In: Hubbert, W.T., W.F. McCulloch, P.R. Schmirtenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas: 1975.

Harwood, R.F., M.T. James. Entomology in Human and Animal Health, 7th ed. New York: McMillan; 1979.

Weiss, E., J.W. Moulder. Rickettsiales Gieszczkiewicz, 1939. In: Krieg, N.R., J.G. Holt, eds. Vol. 1: Bergey's Manual of Systematic Bucteriology. Baltimore: Williams & Wilkins; 1984.

Zdrodovskii, P.F., H.M. Golinevich. The Rickettsial Diseases. Oxford: Pergamon Press; 1960.

BOUTONNEUSE FEVER

ICD-10 A77.1

ICD-10 A77.1 Spotted fever due to Rickettsia conorii

```
Ô (
                                  ) R. conorii
                                            1982
                                                          85
Espaňa,)
   298
           %5
                                    .(Ministerio de Sanidad y Consumo, 1983
   %90
                               %20
                                                          .(Saz et al., 1993)
   1974
                    87
                                                         ) 1993
.(Mansueto et al., 1985
                                                                       1.128
.(Heisct et al., 1962)
                                               reactors
                                       (Philip et al., 1966)
                                  .(Kaschula et al., 1978)
```

```
%81.5
.(Trningali et al., 1986)
%80
                481
                                         .128:1
                                                        %45
                                                               32:1
                                       :(
                             %30
                92
                                                            .(Raoult et al., 1985)
            Ô
                                                   2.8\,\hat{\mathrm{O}}
        .(Keysary et al., 1988) (%84 – %82)
tâche
                                                                           (noire
                                                                  7 – 5
                         %5
                         7
                                                                              142
                            .(Raoult et al., 1986)
                                                      .(
                                                         24
                                                                             Ô
```

.

```
( )
                                   .(Yagupsky and Wolach, 1993) (
              (
                                     Ô
                                           .R. sharonii
Goldwasser et)
                                                              .(al., 1974
                     Ô
            H. leachi
```

ÔĈ

Benenson, A.S., ed. Common of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 1990.

Burgdorfer, W. Boutonneuse fever. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Edlinger, E. Serological diagnosis of Mediterranean spotted fever. Ann Microbiol 130:203-211, 1979.

España, Ministerio de Sanidad y Consumo. Vigilancia de la fiebre exantemática mediterránea. Bol Epidemiol Sem 588:137-138, 1983.

Goldwasser, R.A., Y. Steiman, W. Klingberg, et al. The isolation of strains of rickettsiae of the spotted fever group in Israel and their differentiation from other members of the group by immunofluorescence methods. Scand J Infect Dis 6:53-62, 1974. Heisch, R.B., W.E. Grainger, A.E.C. Harvey, G. Lister, Feral aspects of rickettsial infections in Kenya. Trans. Roy Soc Trop Med Hyg 56:272–282, 1962.

Kaschula, V.R., A.F. Van Dellen, V. de Vos. Some infectious diseases of wild vervet monkeys (Cercopithecus aethiops psgerythrus) in South Africa. J. S. Afr. Vet Assoc. 49:223–227, 1978.

Keysary, A., D.N. Torten, E.M. Gross, M. Torten. Prevalence of antibodies to Rickettia conorii in dogs in Israel and its relation to outbreaks in man. Isr J Vet Med 44: 103-107, 1988.

Leitner, M., S. Yitzhuki, S. Rzotkiewicz, A. Keysary. Polymerase chain reaction-based diagnosis of Mediterranean spotted fever in serum and tissue samples. Am J Trop Med Hyg 67(2):166–169, 2002.

Mansueto, S., G. Vitale, M. Scaline, et al. Indegini siero-epidemiologiche sulla febre bottonosa in Sicilia Occidentale. III Ricerca di anticorpi anti R. conorii in sieri umani e canini dell'isola di Ustica. Clin Ver 108:56–60, 1985.

Philip, C.B., H. Hoogstraal, R. Reiss-Gutfreund, C.M. Clifford. Evidence of rickettsial disease agents in ticks from Ethiopian cattle. Bull World Health Organ 35:127-131, 1966.

Raoult, D., B. Toga, S. Dunan, et al. Mediterranean spotted fever in the South of France; serosurvey of dogs. Trop Geogr Med 37:258–260, 1985.

Raoult, D., P. Zuchelli, P.J. Weiller, et al. Incidence, clinical observations and risk factors in the severe form of Mediterranean spotted fever among patients admitted to hospital in Marseilles 1983–1984. J Infect 12:111–116, 1986.

Saz, J.V., F. Bacellar, F.J. Merino, A. Filipe, Seroprevalencia de la infección por Costella burnetti y Rickettsia conorti en la provincia de Soria. Enferm Infece Microbiol Clin 11:469-473, 1993.

Tringali, G., V. Intonazzo, A.M. Perna, et al. Epidemiology of boutonneuse fever in west-em Sicily. Distribution and prevalence of spotted fever group ricketssial infection in dog ticks. (Rhipicephalus sanguineus). Am J Epidemiol 123:721–727, 1986.

Yagupsky, P., B. Wolach, Fatal Israeli spotted fever in children. Clin Infect Dis 17:850–853, 1993.

Zdrodovskii, P.F., E.M. Golinevich. The Rickettsial Diseases. Oxford: Pergamon; 1960.

ICD- 10 A75.2 ICD-10 A75.2 Typhus Fever due to *Rickettsia typhi*

Ø


FLEA-BORNE TYPHUS

| Ô | endemic | murine T | : | |
|----------|-------------------|--------------------|---|----------|
| | | | | .urban T |
| (R. moos | seri |) Rickettsia typhi | : | |
| Ô | .R. prowazekii | | | Ô |
| (|) R. canada | | | |
| : | .Haemaphysalis le | eporispalustris : | | |

```
12
                            <u>âæ</u>ä
                                           àããã
Myers and) %79
                      %70
                                                          .(Wisseman, 1980
                       cross-challenge
         .(Weiss and Mouleler, 1984) toxin neutralization
                        1967 1963
                  Ô
                                                                       Ô
          :1946
                              1931
                       1946
                                                   42.000
                            .(Chin, 2000)
                                                    80
                                             enzootic
                   %74
                              .1984
                                      1980
                                                           200
          .(Taylor et al., 1986)
                                             %85
1985
                                       49
       30
                                                     .(Tselentis et al., 1992)
                                  .(Graves et al., 1992)
        254
```

13

```
1985
                                                         170
                                                        8
             .(Brown et al., 1988) Rattus Exulans
                                .Exulans
                                      .Xenopsylla cheopis
       Ctenocephalides felis
                          14 - 6
                                              6 – 5
200
                   %58.1
```



enzootic

:

Neil-Mooser : .embryonated

.(

Wisseman,) G M

.(1982)

.(Elisberg and Bozeman, 1979)

Ô Ĉ

Adams, W.H., R.W. Emmons, J.E. Brooks. The changing ecology of murine (endemic) typhus in Southern California. Am J Trop Med Hyg 19:311–318, 1970.

Al-Awadi, A.R., N. Al-Kazemi, G. Ezzat, A.J. Saah, C. Shepard, T. Zaghloul, et al. Murine typhus in Kuwait in 1978. Bull World Health Organ 60:283–289, 1982.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 1990.

Brown, A.E., S.R. Meek, N. Maneechai, G.E. Lewis. Murine typhus among Klumers living at an evacuation site on the Thai-Kampuchean border. Am J Trop Med Hyg 38:168–171, 1988.

Burgdorfer, W. Murine (flea-borne) typhus fever. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas: 1975.

Chin, J., ed. Control of Communicable Diseases Manual, 17th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 2000.

Elisberg, B.L., F.M. Bozeman. The rickettsiae. In: Lennette, E.H., N.J. Schmidt, eds. Diagnostic Procedures for Viral, Rickettsial and Chlamydial Infectious. Washington, D.C.: American Public Health Association; 1979.

Graves, S.R., J. Banks, B. Dwyer, G.K. King. A case of murine typhus in Queensland. Med. J Aust. 156:650–651, 1992. Myers, W.F., C.L. Wisseman, Jr. Genetic relatedness among the typhus group of rickettsiae. Int J Syst Bacteriol 30:143–150, 1980.

Pan American Health Organization (PAHO). Reported Cases of Notifiable Diseases in the American, 1967. Washington, D.C.: PAHO; 1970. (Scientific Publication 199).

Snyder, J.C. The typhus group. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine. 15th ed. Philadelphia: Saunders; 1979.

Taylor, J.P., T.G. Betz, J.A. Rawlings. Epidemiology of murine typhus in Texas. 1980 through 1984. JAMA 255:2173–2176, 1986.

Tselentis, Y., T.L. Babalis, D. Chrysanths, et al. Clinicoepidemiological study of murine typhus on the Greek island of Evia. Eur J Epidemiol 8:268–272, 1992.

Weins, E., J.W. Moulder. Rickettsiales Gieszczkiewicz 1939. In: Krieg, N.R., J.G. Holt, eds. Vol. 1: Bergey's Manual of Systematic Bacteriology. Baltimore: Williams & Wilkins; 1984.

Wisserman, Jr., C.L. Rickettsial disease. In: Wyngaarden, J.B., L.H. Smith, Jr., eds. Cecil Textbook of Medicine, 16th ed. Philadelphia: Saunders; 1982.

Zdrodovskii, P.F., E.M. Golinevich. The Rickettsial Diseases. Oxford: Pergamon Press; 1960.

INFECTIONS CAUSED BY BARTONELLA HENSELAE

| Ва | urtonella henselae | : |
|-------------------------|-----------------------------|------------|
| • | : | • |
| | %37 %25 | : |
| .B. quintana | | • |
| | | Ô |
| • | | |
| Arvicola vole | | |
| : | | terrestirs |
| .(Weiss a | and Moulder, 1984) Pedicula | s humanus |
| | : | |
| Groves and Harrington,) | Elizabethae | Vinsonii |
| : | | .(1994 |
| 2 - 1 | bacillifom | |
| | | 0.6 - 0.5 |

```
%5
stove
               °35
                                                      %5
                    .(Welch et al., 1992; Regnery et al., 1992a)
                                                                        Ô
                  Ô
bacillary
                                   bacillary angiomatosis
                                                   .parenchymatous peliosis
                                                       .recurrent rickettsemia
                                                      .(Benenson, 1990)
                     22.000
                 2.000
                                             .(Jackson et al., 1993)
          Afipia
                                                    Ô
              .(
                                          :I
                     41
                           %88
                                     · Ô
        .(Regnery et al., 1992b)
                                                                    %25
                     1992
                                    .(García et al., 1982)
                                                                         100
```

.

```
7
                                        61
                   %41
.(
       argentic
  .(
                   .(Koehler et al., 1992; Groves et al., 1994)
                                             3
                                                                 1992
%100 %99
Koehler and Brenner,) (
                                        %70
                                                                   .(1993
```

 \hat{a} \hat{a}

anabolic

Ô :

48 42

.(1993)

recurrent rickettsemia.

.(Lucey et al., 1992) meningism . \hat{O} .

3 .(Slater *et al.*, 1994)

6

.

Groves and)
. (Harrington, 1994

•

-

```
25
(%41)
           61
                      .(Koehler et al., 1994)
           18
                          .(Regnery et al., 1992)
                                                                           12
Goves and Harrington)
                                                                        .(1994
     . tom cats \\
                                                                     .(
.(Regnery et al., 1992b)
%3
                                              41
                                                     %88
                                    107
       .(Slater et al., 1994)
```

Ô Ô

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 1990.

García, R.L., M.K. Khan, R.B. Berlin. Peliosis of the spleen with rupture. Hum Pathol 13:177-179, 1982.

Groves, M.G., K.S. Harrington. Rochalimaea henselue infections: Newly recognized auonoses transmitted by domestic cuts. J Am Ver Med Assoc 204:267–271, 1994.

Jackson, L.A., B.A. Perkins, J.D. Wenger, Cat scratch disease in the United States: An analysis of three national databases. Am J Public Health 83:1707–1711, 1993.

Koehler, J.E., D.J. Brenner. Isolation of Rochalimaea species. [Author reply]. N Engl J Med 328:1422–1423, 1993.

Koehler, J.E., C.A. Glaser, J.W. Tappero. Rochalimaea henselae infection. A new zoonosis with the domestic cat as reservoir. JAMA 271:531–535, 1994.

Koehler, J.E., F.D. Quinn, T.G. Berger, et al. Isolation of Rochalimaea species from cutaneous and osseous lesions of bacillary angiomatosis. N Engl J Med 327:1625–1631, 1992.

Leong, S.S., R.A. Cazen, G.S. Yu, et al. Abdominal visceral peliosis associated with bacillary angiomatosis. Ultrastructural evidence of endothelial destruction by bacilli. Arch Parkol Lab Med 116:866–871, 1992.

Lucey, D., M.J. Dolan, C.W. Moss, et al. Relapsing illness due to Rochalimuea henselue in immunocompetent hosts: Implication for therapy and new epidemiological associations. Clin Infect Dis 14:683–688, 1992.

Regnery, R.L., B.E. Anderson, J.E. Clarridge III, et al. Characterization of a novel Rochalimaea species, R. henselae sp. nov. isolated from blood of a febrile, human immunodeficiency virus-positive patient. J Clin Microbiol 30:265–274, 1992a.

Regnery, R.L., J.G. Olson, B.A. Perkins, W. Bibb. Serological response to Rochallmana henselan antigen in suspected cat-scratch disease. Lancer 339:1443–1445, 1992b.

Slater, L.N., J.V. Pitha, L. Herrera, et al. Rochalimuen henselae infection in acquired immunodeficiency syndrome causing inflammatory disease without angiomatosis or peliosis. Demonstration by immunocytochemistry and corroboration by DNA amplification. Arch Pathol Lab Med 118:33–38, 1994.

Slater, L.N., D.F. Welch, D. Hensel, D.W. Coody. A newly recognized fastidious gram-negative pathogen as a cause of fever and bacteremia. N Engl J Med 323:1587–1593, 1990.

Tappero, J.W., J. Mohle-Boetani, J.E. Koehler, et al. The epidemiology of bacillary angiomatosis and bacillary peliosis. JAMA 269:770–775, 1993.

Weiss, E., J.W. Moulder. The Rickettsias and Chlamydias. In: Krieg, N.R., J.G. Holt, eds. Vol. 1: Bergey's Manual of Systematic Bacteriology. Baltimore: Williams & Wilkins; 1984.

Welch, D.F., D.A. Pickett, L.N. Slater, et al. Rochalimaea henselae sp. nov., a cause of septicemia, bacillary angiomatosis, and parenchymal bacillary peliosis. J Clin Microbiol 30:275–280, 1992.

BGM

Zangwill, K.M., D.H. Hamilton, B.A. Perkins, et al. Cat scratch disease in Connecticut. Epidemiology, risk factors, and evaluation of a new diagnostic test. N Engl J Med 329:8–13, 1993.

Q FEVER Q ICD-10 A78 Pneumorickettsiosis Q Coxiellois .quadrilateral .hiberno-vernal .() Coxiella burnetii filterability Weil-Felix $0.4 - 0.2 \times 1 - 0.4$ burnetii phagolysosomes .(Weiss and Moulder, 1984) : Ô coccoid .(MaCaul and Williams, 1981)

â æääääãã 24

.(Aitken et al., 1987) morphogenesis Q S-to-R (I, II) I Π Q 51 Q Q 1970 -2.000 100 .1979 (Hunt et al., 1983) .(Heard et al., 1985) 310

.1976

360

```
1981
     46 17 25
                     1984
Ortiz Molina et al.,)
                          1976
                                                         15
                                                                       .(1982
                              %36.5)
                                           62
                         110
                                              .(Pavilanis et al., 1958)
                                                                           18
                                                      .(Buckley, 1980)
                           149
                                                        .(Blidaru et al., 1982)
                        Ô
      45
                                                  Ô
                                                         Ô
.(Blidaru et al., 1980)
                                                                         Ô
                                                   Q
                              Ô
                         1969
                  .1971
             (Spinelli et al., 1981; Meiklejohn et al., 1981; Hall et al., 1982)
:1992
                                                Q
                                                                68
             (Schneider et al., 1993)
                                         28
Gerth et)
                .Q
                                                                   .(al., 1982
```

2.000 .(Babudieri, 1959) 20.000 Q Serbezov et al.,) Ô Q 313 1.070 (2000) .(1999 parturient 32 16 Marrie et al.,) .(1989 Q 415 1983 900 - 85012 %21 5 .%93 %46 .(Dupris et al., 1987) Stoker and) 19

.(Harvey et al., 1951)

Holland et)

âæä

26

.(Marmion, 1955

.(al., 1960

```
Kumar and) B
                        _(python
                                                          .(Yadav, 1981
.(Lorbacher and Suárez, 1975)
                                                            482
                                                                   %57
    2.097
              %57 %24
                                                         1.475
                                         .(Ruppaner et al., 1982)
                    %20
                                      %15
                                                               %2.7
        (Lang, 1989) 1984
                                      1964
                              %67
Lang et al.,)
                                                                     22
                                                         103
                                                                 .(1991
                                                    - %39
        52
              %40.4
                                             %53
                   %62.5
             32
                                       42
                                                 .(Reinthaler et al., 1988)
   %6.2
                             104
                                     %19.2
Higgins and)
                                                                     97
                                 Ô
                                                          .(Marrie, 1990
   %3
                                           15
           Ô
                                                                    759
```

%1.2 .(Rieman et al., 1979) 538 %20 Yadav and Sethi) %14.3 342 Ô 91 Ô .(1980 76.5 (aurochs %10.2 47 Ô .(Ciecierski et al., 1988) 39 20 39 14 - 9remittent Q 10 Q Richardus et al.,) 16 3 18 Q 40 .(1985 Q .%1

âæä

àããã

28

1.070)

Q

(1998 – 1985

```
Palmer and Young,)
                              10
                                                     Q
                                                                    839
                     Q
                                   313
                                                259
                                                                 .(1982
.(Raoult et al., 2000)
            28
                    (1987)
                                               %89
                                      ·28 Ô
(%86)
                                                        %46
           .(%80)
                                 (%68)
                                                     (%60)
                           %39
         Q
                                             .(Fenollar et al., 2001)
                                                      Ô
                         .(Chin, 2000)
                Q
```

âæä äãã 30

-

Q :


. 21 .1974

Q 78 :

.(Crowther and Spicer, 1976)

Ô

Ô . %7 %2



```
ΙÔ
                                                     1992
34
                                         33
                                               11
                                                     .cotyledons
                                           Ô
                                                              40
                             11
                                  8
                               6
  Q
                             .(Sanford et al., 1993)
                                                            12
         .(Marrie, 1990)
                           :(3 2
       .(
                                          :3
                                    :Q
```

40 10) inert 6 á)

```
38
     Q
                                                                  Ô
                          :(
                   II
                                     Ι.
Isotypes
                               M
    M
             A
                                           .(Sawyer et al., 1987)
   .(Aitken et al., 1987) (
                                                        I
              II
                          %90
                                                                    %65
```

.(1983

: . (.)

•

:

•

.(Ascher et al., 1983)

.II

I.

. . . I

```
induration
                                                   Ô
               .(Williams et al., 1992)
                                                             I
                                                      Q
     4.000
                         .1984 - 1981
                                            8
                        .Q
(
                                                           97
                                                      .(Marmion et al., 1990)
  Ô
                         98
                                                                <sup>102</sup> Ô
                              7
                                                15
        Ô
Shapiro et al.,) Q
                                                           Q
                                                                       .(1990
                                              Q
                                                                     Ô
```

ÔÔ

Adesiyun, A.A., A.G. Jagun, J.K. Kwaga, L.B. Tekdek. Shedding of Coxiella burnetti in milk by Nigerian dairy and dual purposes cows. Int J Zoonoses 12:1-5, 1985.

Airken, I.D., K. Bogel, E. Cracea, et al. Q fever in Europe: Current aspects of aetiology, epidemiology, human infection, diagnosis and therapy. Infection 15:323–327, 1987.

Ascher, M.S., M.A. Berman, R. Ruppanner. Initial clinical and immunologic evaluation of a new phase I Q fever vaccine and skin test in humans. J Infect Dis 148:214–222, 1983. Babudieri, B. Q fever: A zoonosis. Adv Vet Sci 5:81–182, 1959.

Bell, J.F. Q (Query) fever. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals. Ames: Iowa State University Press; 1970.

Blidaru, I., N. Lamba, C. Petrescu, C. Drumen, M. Ghica, G. Mateescu, et al. [Outbreak of Q fever in a municipal abattoir]. Rev In Bacteriol Virusal Parazital Epidemiol 27:179–184, 1982.

Blidaru, I., C. Petrescu, M. Stan, I. Radu, D. Luta, N. Lamba, et al. [Clinico-epidemiological considerations on an outbreak of Q fever in the Arges region]. Rev Ig Bacteriol Virusol Parazitol Epidemiol 25:171–174, 1980.

Buckley, B. Q fever epidemic in Victorian general practice. Med J Aust 1:593–595, 1980.
Burgdorfer, W. Q fever. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds.
Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Chin, J.C., ed. Control of Communicable Diseases in Man. 17th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 2000.

Ciecierski, H., K. Amusz, K. Borko, et al. [Occurrence of antibodies against Coxiella burnetti in wild animals in natural foci of Q fever. 1985–1988]. Med Wer 44:652–654, 1988.

Crowther, R.W., A.J. Spicer. Abortion in sheep and goats in Cyprus caused by Caxiella burnetti. Ver Rec 99:29–30, 1976.

Dupuin, G., J. Petier, O. Peter, M. Vouilloz. An important outbreak of human Q fever in a Swiss Alpine valley. Int J Epidemiol 16:282–287, 1987.

Evenchik, Z. Q fever. In: Van der Hoeden, J., ed. Zoonoses. Amsterdam: Elsevier; 1964. Fenollar, F., P.E. Fournier, M.P. Carrieri, G. Habib, T. Messana, D. Raoult. Risk factors and

prevention of Q fever endocarditis. Clin Infec Dis 33(3):312–316, 2001.
Fiset, P., R.A. Ormsbee. The antibody response to antigens of Coxiella burnetii. Zbl Bakt Abr I 206:321–329, 1968.

Gerth, H.J., U. Leidig, T. Riemenschneider. [Q fever epidemic in an institute of human pathology]. Desch Med Wochenschr 107:1391–1395, 1982.

Giroud, P., M. Capponi. La fièvre Q ou maladie de Derrick et Burnet. Paris: Flammarion, 1966.

Hall, C.J., S.J. Richmond, E.O. Caul, N.H. Pearce, LA. Silver. Laboratory outbreak of Q fever acquired from sheep. Lancet 1:1004–1006, 1982.

Harvey, M.S., G.B. Forbes, B.P. Marmion. An outbreak of Q fever in East Kent. Lancer 2:1152–1157, 1951.

Heard, S.R., C.J. Ronalds, R.B. Heath. Coxiella burnetti infection in immunocompromised patients. J Infect 11:15–18, 1985.

Higgins, D., T.J. Marrie. Seroepidemiology of Q fever among cats in New Branswick and Prince Edward Island. Ann NY Acad Sci 590:271–274, 1990.

Holland, W.W., K.E.K. Rowson, C.E.D. Taylor, et al. Q fever in the RAF in Great Britain in 1958. Br Med J 1:387–390, 1960.

Hum, J.G., PR. Field, A.M. Murphy. Immunoglobulin response to Coxiella burnetii (Q fever): single-serum diagnosis of acute infection, using an immunofluorescence technique. Infect Immun 39:977–981, 1983. O

Kosatsky, T. Household outbreak of Q-fever pneumonia related to a parturient cat. Lances 2:1447–1449, 1984.

Kumar, S., M.P. Yadav. Note on coxiellosis (Coxiella burnetii) infection in amphibians. Ind. J Anim Sci 51:390–391, 1981.

Lang, G.H. Q fever: An emerging public health concern in Canada. Can J Ver Res 53:1–6, 1989.

Lang, G.H., D. Waltner-Toews, P. Menzies. The seroprevalence of coxiellosis (Q fever) in Ontario sheep flocks. Can J Vet Res 55:139–142, 1991.

Ley, H.L. Q Fever. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

Lorbacher, H., J.B. Suárez, Fiebre Q en Antioquia, Antioquia Med 25:37-42, 1975.

Lumio, J., K. Penttinen, T. Pettersson. Q fever in Finland: Clinical, immunological and epidemiological findings. Scand J Infect Dia 13:17–21, 1981.

Marmion, B.P., R.A. Ormsbee, M. Kyrkou, et al. Vaccine peophylaxis of abantoir-associated Q fever. Eight years' experience in Australian abantoirs. Epidemiol Infect 104:275–287, 1990. Marrie, T.J. Q fever.—A review. Can Vet J 31:555–563, 1990.

Marrie, T.J., D. Langille, V. Papukna, L. Yates. Truckin' pneumonia—An outbreak of Q fever in a truck repair plant probably due to aerosols from clothing contaminated by contact with newborn kittens. Epidemiol Infect 102:119–127, 1989.

McCaul, T.F., J.C. Williams. Developmental cycle of Coccella burnetic Structure and morphogenesis of vegetative and sporogenic differentiations. J Bucteriol 147:1063–1076, 1981.

Meiklejohn, G., L.G. Reimer, P.S. Graves, C. Helmick. Cryptic epidemic of Q fever in a medical school. J Infect Dis 144:107–113, 1981.

Ormsbee, R.A. Q fever rickettsia. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott, 1965.

Ormsbee, R.A., E.J. Bell, D.B. Lackman, G. Tallent. The influence of phase on the protective potency of Q fever vaccine. J Immunol 92:404–412, 1964.

Ortiz Molina, H., R.M. Caffarena, R.E. Somma Moreira. Fiebre Q: tres brotes en un frigorifico del Uruguay. Vet Argentina 4(31):58-63, 1987.

Palmer, S.R., S.E. Young, Q-fever endocarditis in England and Wales, 1975–81. Lancer 2:1448–1449, 1982.

Pavilanis, V., L. Duval, A.R. Foley, M. L'Heureux. An epidemic of Q fever at Princeville, Quebec. Can J Public Health 49:520–529, 1958. Cited in: Lang. G.H. Q fever: An emerging public health concern in Canada. Can J Ver Rev 53:1–6, 1989.

Quignard, H., M.F. Geral, J.L. Pellerin, A. Milon, R. Lautie. La fièvre Q chez les petits ruminants. Enquête épidémiologique dans la région Midi-Pyrénées. Rev Med Ver 133:413–422, 1982.

Raoult, D., H. Tissot-Dupont, C. Foucault, J. Gouvernet, P.E. Fournier, E. Bernit, et al. Q fever 1985–1998. Clinical and epidemiologic features of 1,383 infections. Medicine 79(2):124–125, 2000.

Reinthaler, F.F., F. Mascher, W. Sixl, C.H. Arbesser. Incidence of Q fever among cattle, sheep and goats in the Upper Nile province in southern Sudan. Ver Rec. 122:137, 1988.

Richardus, J.H. A.M. Dumas, J. Huisman, G.J. Schaap. Q fever in infancy: A review of 18 cases. Pediatr Infect Dis 4:369–373, 1985.

Riemann, H.P., D.E. Behymer, C.E. Franti, C. Crabb, R.G. Schwab, Survey of Q-fever agglutinins in birds and small rodents in Northern California, 1975–76. J Wildl Dis 15:515–523, 1979.

Ruppanner, R., D. Brooks, C.E. Franti, D.E. Behymer, D. Morrish, J. Spinelli. Q fever hazards from sheep and goats used in research. Arch Environ Health 37:103–110, 1982.

Sanford, S.E., G.K. Josephson, A. McDonald. Q fever abortions in a goat herd. Can Ver J 34:246, 1993.

Sawyer, L.A., D.B. Fishbein, J.E. McDade. Q fever: Current concepts. Rev Infect Dis 9:935-946, 1987. Schneider, T., H.U. Jahn, D. Steinhoff, et al. [A Q fever epidemic in Berlin. The epidemiological and clinical aspects]. Dtsch Med Wochenschr 118:689-695, 1993.

Serbezov, V.S., J. Kazar, V. Novkirishki, N. Gatcheva, E. Kovacova, V. Voynova. Q fever in Bulgaria and Slovakia. Emerg Infect Dis 5(3):388–394, 1999.

Shapiro, R.A., V. Siskind, F.D. Schofield, et al. A randomized, controlled, double-blind, cross-over, clinical trial of Q fever vaccine in selected Queensland abattoirs. Epidemiol Infect 104:267–273, 1990.

Sobradillo, V., R. Zalacaín, A. Capelastegui, et al. Antibiotic treatment in pneumonia due to Q fever. Thorax 47:276–278, 1992.

Somma-Moreira, R.E., R.M. Caffarena, G. Pérez, S. Somma-Saldias, M. Monteiro. Fiebre Q en el Uruguay. (unpublished).

Spinelli, J.S., M.S. Ascher, D.L. Brooks, S.K. Dritz, H.A. Lewis, R.H. Morrish, R.L. Ruppanner. Q fever crisis in San Francisco: Controlling a sheep zoonosis in a lab animal facility. Lab Anim 10:24–27, 1981.

Stoker, M.G.P., B.P. Marmion. The spread of Q fever from animals to man. The natural history of rickettsial disease. Bull World Health Organ 13:781–806, 1955.

Weiss, E., J.W. Moulder. Rickettsiales Gieszczkiewicz 1939. In: Krieg, N.R., J.G. Holt, eds. Vol. I: Bergey's Manual of Systematic Bacteriology. Baltimore: Williams & Wilkins; 1984.

Williams, J.C., M.G. Peacock, D.M. Wang, et al. Vaccines against coxiellosis and Q fever. Development of a chloroform:methanol residue subunit of phase 1 Coxiella burnetti for the immunization of animals. Ann NY Acad Sci 653:88–111, 1992.

Yadav, M.P., M.S. Sethi. A study of the reservoir status of Q fever in avifauna, wild mammals and poikilotherms in Uttar Pradesh (India). Int J Zoonoses 7:85–89, 1980.

Zdrodovskii, P.F., H.M. Golinevich. The Rickettsial Diseases. Oxford: Pergamon Press; 1960.

QUEENSLAND TICK TYPHUS Ô

ICD-10 A77.3

Ø

ICD-10 A77.3 Spotted fever due to Rickettsia australis

.R. australis

O .Tasmania (Flinders
.(Baird et al., 1992)

.(Graves et al., 1993)

Ô

39 Ô

:(1.000) .1989 12 10 17 %1 .(Graves et al., 1993) 24 Ô %11.2 312 %15 %89 : Rattus Fuscipes Graves et) %22 8 37 .(al., 1993 maculer eschar

```
.(Sexton et al., 1991)
                  Ô
                 .tasmani
                                          Ixodes holocyclus
                                                 .cornuatus
Aponomma hydrosauri
                                                    . °34.5
```

Ô Ô

Baird, R.W., M. Lloyd, J. Stenos, et al. Characterization and comparison of Australian human spotted fever group rickettsiae. J Clin Microbiol 30:2896–2902, 1992.

Burgdorfer, W. Queensland tick typhus. In: Hubbert, W.T., W.F. McCulloch, P.R. Schmurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Graves, S.R., L. Stewart, J. Stenos, et al. Spotted fever group rickettsial infection in south-eastern Australia: Isolation of rickettsiae. Comp Immunol Microbiol Infect Dis 16:223–233, 1993.

Pickens, E.G., E.J. Bell, D.B. Lackman, W. Burgdorfer. Use of mouse serum in identification and serologic classification of *Rickettsia akari* and *Rickettsia australis*. J Immunol 94:883–899, 1965.

Sexton, D.J., J. Banks, S. Graves, et al. Prevalence of antibodies to spotted fever group rickettsiae in dogs from southeastern Australia. Am J Trop Med Hyg 45:243–248, 1991.

RICKETTSIAPOX

ICD-10 A79.1

ICD-10 A79.1 Pustular rickettsiosis due to Rickettsia akari

| | | : |
|--------------|------------------------------|-----------------|
| | .gamaso-rickettsiosis varice | lliformis |
| Dernacentro- |) Rickettsia akari | : |
| Ô | | .(xenus murinus |
| coccobac | eillus () | |
| | | |
| | | : |
| · Ô | | |
| | - | - |
| .(|) | natives |
| , | | : |
|) vole | : | |

```
.(Microtus fortis pelliceus
Radulovic et)
                                                                      .(al., 1996
.1946
                                144
                                    180
          :1979
                                                               5
                                         . (Brettman et al., 1981)
.(Rattus
                                          .(Mus musculus
            ) Liponyssoides sanguineus
                                                             . (All oder many ssus
.varicelliform
                                                        24 - 9
```


âæä

àããã

42

· Ô

43 âa



.

18 9 . . .

:(4)

.(Weiss and Moulder, 1984)

. Ô ·

Ô · ·

Ô

.(Harwood and James, 1979; Bell, 1981)

 $4 - 3 \hat{O}$

.(Benenson, 1990)

ÔĈ

Bell, J.R. Tick-borne fever and rickettsialpox. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals, 2nd ed. Ames: Iowa State University Press; 1981.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 1990.

Brettman, L.R., S. Lewin, R.S. Holzman, et al. Rickettsialpox: Report of an outbreak and a contemporary review. Medicine 60(5):363–372, 1981.

Burgdorfer, W. Rickettsialpox. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas, 1975.

Harwood, R.F., M.T. James. Entomology in Human and Animal Health, 7th ed. New York: Macmillan; 1979.

Ley, H.L., Jr. Rickettsialpox. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

Radulovic, S., H.M. Feng, M. Morovic, B. Djelalija, V. Popov, P. Crocquet-Valdes, et al. Isolation of Rickettsia akari from a patient in a region where Mediterranean spotted fever is endemic. Clin Infect Dis 22(2):216–220, 1996. Weiss, E., J.W. Moulder, Rickettsiales Gieszczkiewicz 1939. In: Kneg, M.K., J.G. Hott, eds. Bergey's Manual of Systematic Bacteriology. Baltimore: Williams & Wilkins, 1984.

Woodward, T.E., E.B. Jackson. Spotted fever rickettsiae. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Zdrodovskii, P.F., E.H. Golinevich. The Rickettsial Diseases. Oxford: Pergamon Press; 1960.

\varnothing ROCKY MOUNTAIN SPOTTED FEVER

ICD-10 A77.0

ICD-10 A77.3 Spotted fever due to Rickettsia rickettsia

| macular | .petetchial . | | | : | | |
|---------------------|---------------|--------|---|--------|-----|--|
| | | • | | .(|) | |
| .(|) pinta | Choix | • | | | |
| .(Dermacentroxenus | , |) | | : | | |
| | p | rotype | | | | |
| • | | | | | | |
| | | | • | | | |
| | | • | | | | |
| | | | | | | |
| Raoult and Walker,) | | | | phagos | ome | |
| | | | | .(1 | 990 | |
| |) | | : | | | |
| | • | • | | (| | |
| | | | | | | |
| | | | | | | |

```
1973 1970
                                               528
                  4.411 :1980 - 1977
  1981 1.170
                                                     1.103
            . 100.000 0.25
                                         .1989
                                                      603
.1989 (CDC, 1990)
                 %1.1 1982
                                   %4.7
 .(CDC, 1991) %7.6
                                         649 :1990
                          1930 1910
                           Ô
                                  Ô
                        .(Dermacentor Variabilis
         (%37.1) 224
  (%16.6) 100
                    Ô
                                                      603
100.000 1.9)
                                               Ô
.(CDC, 1990) ( 100.000
                         1.8)
     9 – 5
                                    487
                                                      %63
                    .(CDC 1990)
                                   20
                                     5.2
             .(Bernard et al., 1982)
                                      Ô
                           .(Sylvilagus
```


```
Weiss and)
                                   .(Moulder, 1984; Raoult and Walker, 1990
       .(Smith et al., 1983)
                                                                73
                                                                      %45.2
                                             huskies
     .(Breitschwerdt et al., 1985)
                                                      5
                                    12
                         14 - 2
                             Ô
                                                           °40
Raoult and)
                               6 – 3
                                                             .(Walker, 1990
                          %80
                       .delirium
                                                                     Ô
Kirkland et)
                                                         30
                                                                  .(al., 1993
%4.5
```

.(CDC, 1990) %1.2

:

- 4 3

· Ô -



:

.(Lissman and Benach 1980)


. . :1985

· · · Ô .

.(Weiser and Green, 1989)

11 9

```
(Davidson et al., 1989)
                .(Feng et al., 1979)
                          :(6 5
     .Amblyomma cajnnense
                                                       Ô Leporispalustris
        Sylvilagus
.(Fuentes et al., 1985)
                                .(
                                                        (Sylvilagus
                                          .(Burgdorfer et al., 1980)
```



· ·

-

```
antecedent
.(CDC, 1990) (%70 – %50
                           5
                  .(Sexton et al., 1994)
.(Clements et al., 1983a)
                                                6
```

à

```
)
. (( )
. (( )
. (%25 )
. (Clements et al., 1983b)
```

Benerson, A.S., ed, Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association, Washington, D.C., American Public Health Association; 1990.

Ô

Bernard, K.W., C.G. Helmick, J.E. Kaplan, W.G. Winkler. Surveillance of Rocky Mountain spotted fever in the United States, 1978–1980. J Infect Dis 146:297–299, 1982.

Bier, O. Bacteriología e inmunología, 12th ed. São Paulo: Melhoramentos; 1965.

Breitschwerdt, E.B., D.J. Meuten, D.H. Walker, et al. Canine Rocky Mountain spotted fever: A kennel epizootic. Am J Vet Res 46:2124–2128, 1985.

Burgdorfer, W. Rocky Mountain spotted fever. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Burgdorfer, W., J.C. Cooney, A.J. Mavros, W.L. Jellison, C. Maser. The role of cottontail rabbits (Sylvilagus spp.) in the ecology of Rickettsia rickettsii in the United States. Am J Trop Med Hyg 29:686–690, 1980.

Burgdorfer, W., K.T. Friedhoff, J.L. Lancaster, Jr. Natural history of tick-borne spotted fever in the USA. Susceptibility of small mammals to virulent Rickettsia rickettsii. Bull World Health Organ 35:149–153, 1966.

Clements, M.L., J.S. Dumler, P. Fiset, C.L. Wisseman, Jr., M.J. Snyder, M.M. Levine. Serodiagnosis of Rocky Mountain spotted fever: Comparison of IgM and IgG enzyme-linked immunosorbent assays and indirect fluorescent antibody test. J Infect Dis 148:876–880, 1983a.

Clements, M.L., C.L. Wisseman, Jr., T.E. Woodward, P. Fiset, J.S. Dumler, W. McNamee, et al. Reactogenicity, immunogenicity, and efficacy of a chick embryo cell-derived vaccine for Rocky Mountain spotted fever. J Infect Dis 148:922–930, 1983b.

Davidson, M.G., E.B. Breitschwerdt, M.P. Nasisse, S.M. Roberts. Ocular manifestations of Rocky Mountain spotted fever in dogs. J Am Vet Med Assoc 194:777–781, 1989.

Feng, W.C., E.S. Murray, G.E. Rosenberg, J.M. Spielman, J.L. Waner. Natural infection of dogs on Cape Cod with Rickettsia rickettsii. J Clin Microbiol 10:322–325, 1979.

Fuentes, L., A. Calderón, L. Hun. Isolation and identification of Rickettsia rickettsia from the rabbit tick (Haemaphysalis Ieporispalustris) in the Atlantic zone of Costa Rica. Am J Trop Med Hyg 34:564–567, 1985.

Kenyon, R.H., L.S. Sammons, C.E. Pedersen, Jr. Comparison of three Rocky Mountain spotted fever vaccines. J Clin Microbiol 2:300–304, 1975.

Kirkland, K.B., P.K. Marcom, D.J. Sexton, J.S. Dumler, D.H. Walker. Rocky Mountain spotted fever complicated by gangrene: Report of six cases and review. Clin Infect Dis 16:629–634, 1983.

Ley, H.L. Rocky Mountain spotted fever. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

Lissman, B.A., J.L. Benach. Rocky Mountain spotted fever in dogs. J Am Vet Med Assoc 176:994-995, 1980.

Murray, E.S. The spotted fevers. In: Hoeprich, P.D., ed. Infectious Diseases. Hagerstown: Harper & Row; 1972.

Raoult, D., D.E. Walker. Rickettsia rickettsii and other spotted fever group rickettsiae (Rocky Mountain spotted fever and other spotted fevers). In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc.; 1990.

Sexton, D.J., S.S. Kanj, K. Wilson, et al. The use of a polymerase chain reaction as a diagnostic test for Rocky Mountain spotted fever. Am J Trop Med Hyg 50:59–63, 1994.

Smith, R.C., J.C. Gordon, S.W. Gordon, R.N. Philip. Rocky Mountain spotted fever in an urban canine population. J Am Vet Med Assoc 183:1451–1453, 1983.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Rocky Mountain spotted fever and human ehrlichiosis— United States, 1989. MMWR Morb Mortal Wkly Rep 39:281–284, 1990.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Rocky Mountain spotted fever—United States, 1990. MMWR Morb Mortal Wkly Rep 40:451–453, 459, 1991.

Weiser, I.B., C.E. Greene. Dermal necrosis associated with Rocky Mountain spotted fever in four dogs. J Am Vet Med Assoc 195:1756–1758, 1989.

Weiss, E., J.W. Moulder. Rickettsiales. Gieszczkiewicz, 1939. In: Krieg, N.R., J.G. Holt, eds. Vol. 1: Bergey's Manual of Systematic Bacteriology. Baltimore: Williams & Wilkins; 1984.

Wolff, J.W. Tick-borne rickettsioses. In: Van der Hoeden, J., ed. Zoonoses. Amsterdam: Elsevier: 1964.

Woodward, T.E., E.B. Jackson. Spotted fever rickettsiae. In: Horsfall, F.L., I. Tamm, eds.
Virul and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

SCRUB TYPHUS

ICD-10 A75.3

ICD-10 A75.3 Typhus fever due to Rickettsia tsutsugamushi

| | ,Ts | sutsugamushi | | | : | | |
|-------------------|-------------------|---------------|----------|-----------|----------|--------------|------------|
|) | Rickettsia tsutsi | ugamushi | • | | • | | |
| typhos | Ô· | | ." | Ô | (R. stup | orien oor | talis " |
| | • | prototy | pes | | | | |
| • | | | | homolog | gus | | |
| Shirai and Wisser | man,) | | | | | | |
| : | | | 168 | %68.5 | 5 | .(1 | 975 |
| | â | • | i | Leptotron | ıbidiı | ım | |
| | | .(Shirai e | t al., 1 | 981) Ka | rp | | |
| | | | | • | | | |
| | | | | | | | 1.2 |
| | | | | | • | | |
| | | .(Weiss and M | Ioulder | , 1984) | | | |
| | | | | : | | | |
| :() | | | | | | | |
| .() | | | | | (|) | |
| | 1 | | | | | | |

```
) trombiculid
          18.000
                       %35.3
                                 %0.6
            1974 1967
                                                        55
  %3.9 Ô
                                       · Ô
                                                       %3.2
.(Brown et al., 1978)
             1950
             .1989
                         152
                                                            1982
              Ô
                                              %90
                                                        .157
                                6
                                              5
          .(Kaiho et al., 1993) Kuroki
88
                                                          113
                                        .Kato Gilliam, Karp
                                                      (Chang et al., 1990)
```


```
%77
                      ) voles
                                                      .(Rattus
                                ) shrew
                                                              .(Apodemes
Zoogeo-
                                                                 graphic
                          .(Saah, 1991)
                                                              °40.5 – °40
                                                                in oculum \\
                   parameters
                              Ô
(%34) 30
                                        psychomotor excitation
          %85.
                                                    87
Berman and Kundin, 1973; Saah,)
                                                                   .(1991
```

Wisseman,) %30 %0 .(1982 4 :(.(Benenson, 1990) 5 7 :7

:(7

.

```
58
                  âæä
                                àããã
                 á
 .(Saah, 1991)
.(Weiss and Moulder, 1984)
  .(
                                                          %20
                                      transporters
```



Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association, Washington, D.C.: American Public Health Association; 1990.

Berman, S.J., W.D. Kundin. Scrub typhus in South Vietnam. A study of 87 cases. Ann Intern Med 79:26–30, 1973. Brown, G.W., D.M. Robinson, D.L. Huxsoll. Serological evidence for a high incidence of transmission of Rickettsia trutsugamushi in two Orang Asli settlements in Peninsular Mulaysia. Am J Trop Med Hyg 27:121–123, 1978.

Burgdorfer, W. Scrub typhus. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Mun. 6th ed. Springfield: Thomas, 1975.

Chang, W.H., J.S. Kang, W.K. Lee, M.S. Choi, J.H. Lee. Serological classification by monoclonal antibodies of Rickettsia tsutsugamushi isolated in Korea. J Clin Microbiol 28:685–688, 1990.

Kaiho, L., M. Tokieda, Y. Yoshida, et al. [Epidemiology of Tsutsugamushi disease and typing of isolated Rickettsia in Chiba Prefecture]. Kansenshogaku Zasshi 67:196–201, 1993.

Kelly, D.J., P.W. Wong, E. Gan, G.E. Lewis, Jr. Comparative evaluation of the indirect immunoperoxidase test for the serodiagnosis of rickettsial disease. Am J Trop Med Hyg 38:400–406, 1988.

Olson, J.G., A.L. Bourgeois, R.C. Fang, J.C. Coolbaugh, D.T. Dennis. Prevention of scrub typhus. Prophylactic administration of doxycycline in a randomized double blind trial. Am J Trop Med Hyg 29:989–997, 1980.

Saah, A.J. Rickettsia tsutsugamushi (Scrub typhus). In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc.; 1990.

Shirai, A., A.L. Dohany, S. Ram, G.L. Chiang, D.L. Huxsoll. Serological classification of Rickettsia tsutsugamushi organisms found in chiggers (Acarina: Trombiculidae) collected in Peninsular Malaysia. Trans R Soc Trop Med Hyg 75:580–582, 1981.

Shirni, A., C.L. Wisseman, Jr. Serologic classification of scrub typhus isolates from Pakistan. Am J Trop Med Hyg 24:145–153, 1975.

Smadel, J.E., B.L. Elisberg. Scrub typhus rickettsia. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Sugita, Y., Y. Yamakawa, K. Takahashi, et al. A polymerase chain reaction system for rapid diagnosis of scrub typhus within six hours. Am J Trop Med Hyg 49:636–640, 1993.

Traub, R., C.L. Wisseman, Jr. Ecological considerations in scrub typhus. Bull World Health Organ 39:209–237, 1968.

Weiss, E., J.W. Moulder. Rickettsiales Gieszczkiewicz, 1939. In: Krieg, N.R., J.G. Holt, eds. Vol. 1: Bergey's Manual of Systematic Bacteriology. Baltimore: Williams & Wilkins; 1984.

Wisseman, Jr., C.L. Scrub typhus. In: Wyngaarden, J.B., L.H. Smith, Jr., eds. Cecil Textbook of Medicine, 16th ed. Philadelphia: Saunders; 1982.

Yamamoto, S., Y. Minamishima. Serodiagnosis of tsutsugamushi fever (scrub typhus) by the indirect immunoperoxidase technique. J Clin Microbiol 15:1128–1132, 1982.

Zdrodovskii, P.F., H.M. Golinevich. The Rickettsial Diseases. Oxford: Pergamon Press; 1960.

ZOONOTIC CHLAMYDIOSIS Ô ICD-10 A70 ICD-10 A70 Chlamydia psittaci infection .() psittacosis) Ornthosis TWAR) C. pneumoniae .Chlamydia trachomatis C. pecorum .C. psittaci .(Fukushi and Hirai 1992; Kuroda-Kitagawa et al., 1993) á strict intracellular parasitism elementary internalize (8 - 6reticulate 24 - 180.3 - 0.2reorganization Ô

0.3 - 0.2

0.8)

```
) (
                                                      (Keratocongunctivitis
                                                biotype
         (ornithosis
                                         .C. pecorum
                                               psittacosis
            endonuclease restriction
                                   serovars
                 .(Andersen and Tappe, 1989)
 Ô
                               .%30
                                        %5
.(Grimes and Wyrick, 1991)
                                                                     Duck
:(
                               8
                                                  (Spears and Storz, 1979)
```

âæä

àããã

62

```
%15
                                                C. pecorum
                                                           homology
                                                 %88
                                         .(Fukushi and Hirai, 1992)
                  :1939 1929
                                                                    12
                                           300 - 200
                                                                    1.000
                                          .(Schachter, 1975)
                         4
                    98
                          28
                                                    1976
                                                                    .1974
- 1978
                       .(CDC, 1982)
                                                           1981
                                          80
                                                27
                                                         21
                                                                     Ô
                                     .(Filstein et al., 1981)
   2
                                                       186
                                                                    :1986
                            (%66) 122
                                                    .(Hedberg et al., 1989)
                                    1.072
                                                    :1963
                                                           1949
      (%16) 80
                                                   .(Caffarena et al., 1993)
                        13
                                      :1985
                      .(Newman et al., 1992)
```

```
150
                .(Nagington, 1984) 1983 1975 (
                                                   300.000
          .(Williams, 1989) 1984 1975 8
                                                  1.136
                            .1976
   180
          1977
                                         26
               :1981 1977 . 3 (
                                             71
   949
                            (%41) 387
         %25
             .(Planes et al., 1986)
.(Caffarena et al., 1993)
                                                      12
                                                           1989
                       :1994
                                                1993 - 1992
                                 55
         22
          .(Caffarena et al., 1993) 1988 – 1987
                                              6 1970 – 1962
          :1969 .
               Ô
                          Ô
                                            .(Schachter et al., 1969)
                     .(Regan et al., 1979)
      Ô
                                                              10
                         .(Hadley et al., 1992)
.(Villemonteix et al., 1990)
            130
```

65

```
fringillids
                                 1987 1960
                                                       20
                                       .(Grimes et al., 1991)
       250) pet
                         287
                                 %20
                               .(Schwartz et al., 1982)
         (%24.7) 19
   77
               .(Hirai et al., 1983) passerines
                                                       (%26.1) 12
                                            716
                                                   (\%0.8) 6
Fukushi et)
                                                  658
                                                         %37
                                                                  .(al., 1983
            C. pecorum
                                                       placentopathy
      encephalomyelitis
                                         .(Timoney et al., 1988)
                       :zoontic
                         :1991 - 1987
                                %28
                                                            %30.7
                .(Leonard et al., 1993) %8.6 \hat{O}
feral
                                                               753
                                                                        %30
                                              3
                                                    2
       22
              10
                                                                        Ô
                                                         .(Wills et al., 1988)
```

Ô

```
àããã
                                       66
âæä
```

```
2 - 1
               1986
              %83.
   %69.
                       %88.
                                    %80.
                                                %91:
                                      .(Hedberg et al., 1989)
                                                                  %58
                        10 - 7
patches
                          <sup>50</sup> Ô
                                                  .delirium
```

.(Hadley et al., 1992)

14 - 108

```
%1
                                           .(Benenson, 1990)
parakeets
                             hyperemic
             epicarditis
                                       .C. pecorum
                                        parenteral
                                .(Johnson and Grimes, 1983)
(
                      ) macaw
```

```
(Ara araraeina)
.(Lipman et al., 1994) cloaca
                                 :(8
                                               C. pecorum
                                                                       Ô
                                      .(Schachter, 1989)
                       .(Schachter and Dawson, 1979)
                    1.000
```

()

.

.

•

- -


وداهدة مستحد وداهدة مستحد الميدة المعربة الميدة المعربة المعرب

)

. - .(coprophagy -

.(Grimes, 1978)

```
âæä
                                      àããã
                                                                  70
 Ô
     Ô
.G
        M
                                         .microprocedure
                                                (V/V) %5
                                Ô
                                           .(Grimes and Wyrick, 1991)
           .(
                 )
                                                              M
                                                 .(Grimes, 1989)
                       10
                           .(Anderson, 1991a)
```



Andersen, A.A. Serotyping of Chlumydia psittaci isolates using serovar-specific monocloual antibodies with the microimmunofluorescence test. J Clin Microbiol 29:707–711, 1991a.

Andersen, A.A. Comparison of avian Chlamydia psittaci isolates by restriction endonuclease analysis and serovar-specific monoclonal antibodies. J Clin Microbiol 29:244–249, 1991b. Andersen, A.A., J.P. Tappe. Genetic, immunologic, and pathologic characterization of avian chlamydial strains. J Am Vet Med Assoc 195:1512–1516, 1989.

Arnstein, P., B. Eddie, K.F. Meyer. Control of psittacosis by group chemotherapy of infected parrots. Am J Ver Res 29:2213–2227, 1968.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association: 1990.

Caffarena, R.M., H. Trenchi, M.A. Salvo, et al. Chlamydia psittaci en medicina veterinaria y su importancia en salud pública—parte 1 & parte 2. Therios 22:230–243, 306–320, 1993.

Filstein, M.R., A.B. Ley, M.S. Vernon, K.A. Gaffney, L.T. Glickman. Epidemic of psittacosis in College of Veterinary Medicine. J Am Vet Med Assoc 179:569–572, 1981.

Fukushi, H., K. Hirai, Proposal of Chlamydia pecorum sp. nov. for Chlamydia strains derived from runninants. Int J Syst Bacteriol 42:306–308, 1992.

Fukushi, H., K. Itoh, Y. Ogawa, Y. Hayashi, M. Kuzuya, K. Hirai, et al. Isolation and serological survey of Chlumydia psittaci in feral pigeons from Japan. Jpn J Vet Sci 45:847–848, 1983.

Grimes, J.E. Transmission of chlamydiae from grackles to turkeys. Avian Dis 22:308–312, 1978.

Grimes, J.E. Serodiagnosis of avian Chlamydia infections. J Am Vet Med Assoc 195:1561-1564, 1989.

Grimes, J.E., P.B. Wyrick, Chlamydiosis (Ornithosis). In: Calnek, B.W., ed. Diseases of Poultry, 9th ed. Ames: Iowa State University; 1991.

Hadley, K.M., D. Carrington, C.E. Frew, et al. Ovine chlamydiosis in an abattoir worker. J Infect 25(suppl 1):105–109, 1992.

Hedberg, K., K.E. White, J.C. Forfang, et al. An outbreak of psittacosis in Minnesota turkey industry workers: Implications for modes of transmission and control. Am J Epidemiol 130:569–577, 1989.

Hirai, K., K. Itoh, T. Yamashita, H. Fukushi, Y. Hayashi, M. Kuzuya, et al. Prevalence of Chlamydia psittaci in pet birds maintained in public places or in close human contact. Jpn J Ver Sci 45:843–845, 1983.

Johnson, M.C., J.E. Grimes. Resistance of wild birds to infection by Chlamydia psittaci of mammalian origin. J Infect Dis 147:162, 1983.

Johnson, F.W., B.A. Matheson, H. Williams, A.G. Laing, V. Jandial, R. Davidson-Lamb, et al. Abortion due to infection with Chlamydia psittaci in a sheep farmer's wife. Br Med J 290:592–594, 1985.

Kuroda-Kitagawa, Y., C. Suzuki-Muramatsu, T. Yamaguchi, et al. Antigenic analysis of Chlamydia pecorum and mammalian Chlamydia psittaci by use of monoclonal antibodies to the major outer membrane protein and a 56- to 64-kd protein. Am J Vet Res 54:709-712, 1993.

Leonard, C., G.L. Caldow, G.J. Gunn. An estimate of the prevalence of enzootic abortion of ewes in Scotland. Ver Rev. 133:180–183, 1993.

Lipman, N.S., L.L. Yan, J.C. Murphy. Probable transmission of Chlamydia psittaci from a macaw to a cat. J Am Vet Med Assoc 204:1479–1480, 1994.

Meyer, K.F. Omithosis. In: Biester, H.E., L.H. Schwarte, eds. Diseases of Poultry, 5th ed. Ames: Iowa State University Press; 1965.

Meyer, K.F. Psittacosis-Lymphogranuloma venereum agents. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Nagington, J. Psittacosis/ornithosis in Cambridgeshire 1975-1983. J Hyg 92:9-19, 1984.

Newman, C.P., S.R. Palmer, F.D. Kirby, E.O. Caul. A prolonged outbreak of ornithosis in duck processors. *Epidemiol Infect* 108:203–210, 1992.

Page, L.A., W.T. Derieux, R.C. Cutlip. An epornitic of fatal chlamydiosis (ornithosis) in South Carolina turkeys. J Am Ver Med Assoc 166:175–178, 1975.

Planes, N., M.E. Grela, G. Carballal, et al. Psittacosis in humans in Argentina (1977–1981).
Medicina 46:287–290, 1986.

Regan, R.J., J.R. Duthan, J.D. Treharne. Infective endocarditis with glomerulonephritis associated with cat chlamydia (C. psituci) infection. Br Heart J 42:349–352, 1979.

Ô

Schachter, J. Psittacosis (Ornithosis, feline pneumonitis and other infections with Chlamydia psittaci). In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield, Illinois: Thomas; 1975.

Schachter, J. Chlamydial infections: Past, present, future. J Am Vet Med Assoc-195:1501-1506, 1989.

Schachter, J., C.R. Dawson. Psittacosis-Lymphogranuloma venereum agents/TRIC agents. In: Lennette, E.H., N.J. Schmidt, eds. Diagnostic Procedures for Viral, Rickettsial and Chlamydial Infections, 5th ed. Washington, D.C.: American Public Health Association; 1979.

Schachter, J., H.B. Ostler, K.F. Meyer. Human infection with the agent of feline pneumonitis. Lancet 1:1063–1065, 1969.

Schmeer, N. Enzymimmuntest zum Nachweis von IgG-und IgM-Antikorpern gegen. Chlamydia prittaci bei der Taube. Zbl Vet Med B 30:356–370, 1983.

Schwartz, J.C., W. Fraser. Chlamydia psittaci infection in companion birds examined in Florida. Avian Dis 26:211–213, 1982.

Spalatin, J., J.O. Iversen. Epizootic chlamydiosis of muskrats and snowshoe hares. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals. Ames: Iowa State University Press; 1970.

Spears, P., J. Storz. Biotyping of Chlamydia psittaci based on inclusion morphology and response to diethylaminoethyl-dextran and cycloheximide. Infect Immun 24:224–232, 1979.

Storz, J. Comparative studies on EBA and EAE, abortion diseases of cattle and sheep resulting from infection with psittacosis agents. In: Faulkner, L.C., ed. Abortion Diseases of Livestock. Springfield: Thomas: 1968.

Storz, J. Chlamydia and Chlamydia-Induced Diseases. Springfield: Thomas; 1971.

Timoney, J.F., J.H. Gillespie, F.W. Scott, J.E. Barlough. Hagan and Bruner's Microbiology and Infectious Diseases of Domestic Animals, 8th ed. Ithaca: Comstock; 1988.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Follow-up on turkey-associated psittacosis. MMWR Morb Mortal Wkly Rep 23:309–310, 1974.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Psittacosis associated with turkey processing—Ohio. MMWR Morb Mortal Wkly Rep 30:638–640, 1982.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Centers for Disease Control psittacosis surveillance, 1975–1984.

Villemonteix, P., G. Agius, B. Ducroz, et al. Pregnancy complicated by severe Chlamydia psittaci infection acquired from a goat flock: A case report. Eur J Obstet Gynecol Reprod Biol 37:91–94, 1990.

Williams, L.P., Jr. Review of the epidemiology of chlamydiosis in the United States. J Am Vet Med Assoc 195:1518–1521, 1989.

Wills, J.M., P.E. Howard, T.J. Gruffyd-Jones, et al. Prevalence of Chlamydia psittaci in cats in Britain. J Small Animal Pract 29:327, 1988.

ZOONOTIC TYPHUS CAUSED BY RICKETTSIA PROWAZEKII

| Ø | Ø | ICD-10 A75.0 |
|---|---|--------------|
| ~ | ~ | |

| ICD-10 A7 | 5.0 Epi | demic lo | ouse-bor <i>Prowa</i> | | phus fe | ver due 1 | to Ricketts | ia |
|---------------|---------|----------|--------------------------|--------|---------|-----------|-------------|------------------|
| | | | | | | | : | |
| | | .T. exa | nthemat | ticus | | | | |
| | | .R. | prowaze | ekii | | | : | |
| : | | | | Glaw | comys v | olans vo | lans | |
| | | | | | | | | |
| | | .(B | ozeman | et al. | , 1975) | | | |
| : | Ô | | | | | : | | |
| | | | | | | | | |
| | | | • | | | | | • |
| McDade et) | • | | | • | | | | Ο |
| WeDade et) | | | | | | | .(a | <i>l</i> ., 1980 |
| | | :1979 | 1976 | | | : | | |
| | | | | | | | Ô | |
| (%85.7) 1.349 | | | | • | 1.575 | | | |
| | | | (%14 |) 22 | 6 | | | |
| | 5: | | | | (% | 3.5) 8 | | |

.(McDade et al., 1986) :1980/1 7 1977/6 Duma et al.,) .(1981 1972 557 %54.2 1977 .(Sonenshine et al., 1978) .(Duma et al., 1981) 3 - 2McDade et) .(al., 1980 Bozeman et al.,) 3 - 2.(1981 1950 .1922) Rescrudescent

Ô

75

| | | .(McDad | de et al., 1980) |
|-----------|--------------------|--------------|---------------------------------|
| Gloucomys | volans volans | (|) |
| • | | cohahitation | |
| : | | Ô | Neohaematopinus sciuropter |
| Neohaemat | opinus sciuropteri | | · Ô |
| Orch | opeas howardii | : | · |
| | .(). | | |
| | | • | .(Bozeman <i>et al.</i> , 1981) |
| (| ·) | Ô | Ô . |
| | | | · : ô: |
| | | | : |
| | | ÔÔ | |

Bozeman, F.M., S.A. Masiello, M.S. Williams, B.L. Elisberg. Epidemic typhus rickettsiae isolated from flying squirrels. Nature 255:545-547, 1975.

Bozeman, F.M., D.E. Sonenshine, M.S. Williams, D.P. Chadwick, D.M. Lauer, B.L. Elisberg. Experimental infection of ectoparasitic arthropods with *Rickettsia prowazekii* (GvF-16 strain) and transmission to flying squirrels. *Am J Trop Med Hyg* 30:253–263, 1981.

Duma, R.J., D.E. Sonenshine, F.M. Bozensan, J.M. Veazey, Jr., B.L. Elisberg, D.P. Chadwick, et al. Epidemic typhus in the United States associated with flying squirrels. JAMA 245:2318–2323, 1981.

McDade, J.E., C.C. Shepard, M.A. Redus, V.F. Newhouse, J.D. Smith. Evidence of Rickettsia prowazekii infections in the United States. Am J Trop Med Hyg 29:277–284, 1980. Sonenshine, D.E., F.M. Bozeman, M.S. Williams, S.A. Masiello, D.P. Chadwick, N.I. Stocks, et al. Epizootiology of epidemic typhus (Rickettsia prowazekii) in flying squirrels. Am J Trop Med Hyg 27:339–349, 1978.

الجزء الثاني الأمراض الفيروسية

ARGENTINE HEMORRHAGIC FEVER


| | | Ô | | ICD- | 10 A96.0 |) | | | |
|--------------------------------------|---------------|----------|--------|------------|----------|---------|---------|-------|--------|
| ICD-10 A96.0 Junín hemorrhagic fever | | | | | | | | | |
| | Stubble | | | ė | Ô | | : | | |
| Ô | | | | | Ô | | | O'Hi | ggins |
| | | | | | | | | | |
| | genom | e | | .Ju | nín | | : | | |
| | | Arenavi | irus | | | | .8 | segm | ented |
| | | | - | | virions | | .Ar | enavi | iridae |
| 110 - 130 | | | | - | cho | riomen | ningiti | S | |
| | | | | | 300 | Ô | | | |
| | Ô | | | - | | | Ô | - | |
| | ribosomes | | | Ô | · Ô | | | | |
| | | | | | | | | | Ô |
| (| | |) | | | | | | |
| Bear | .Amapa | ri | Allpa | huayo | : | | | | |
| .Junín | .Guanarito | | .Flex | al | .Cupi | xi | | .Ca | anyon |
| .Р | araná . | Oliveros | | .Ma | chupo | | .Lat | ino | |
| .Tam | iami . | Tacaribe | | .Sabiá | .P | irital | | .Pic | hindé |
|) | | .(Char | rel et | al., 2002) | Whitew | ater Aı | rroyo | | |
| .(V | Veissenbacher | and Dan | nonte, | 1983) (| | Ô | | | |
| |) | | (| Ô | Ô | |) |) | |
| | | | | • | | | | (| Ô |

```
.(Johnson, 1981)
                                       Ô
                                                   Ô
                     Ô
                                  :pampa)
                     120.000
                                    .( ô
                                            Akodon azarae
                       449
                                                  2
1953
                           .(Weissenbacher et al., 1983a)
                           .1958
                                                                .1954
18.000
                        :(1980 - 1958)
                                          23
%15 %10
                                   Ô
                                                        .1964
     .(1980
                                   ) 1980
                                              161
                                                     1977
                                                                   989
                                                     :1983 - 1981
                                302
                                                (1983 – 1981
         1991
                       727
                                    1990
                                                1992
                                                                   154
```

```
83 Ô
```

```
.(1992
                        14
         %12
                neutralizing
                                                             %7.6)
   %11.6 .(
                                     %4.4
(
                                                 %7.9)
                       %1.9
                                             .(Weissenbacher et al., 1983b)
                                                                    Ô
                  Ô
                          16 - 10
                                                         Ô
                  (vascularization
.cylindruria
                                                 8 - 5
                          Ô
             unsteady
                       hypotonia
                                        .osteotendinous hyporeflexia
   Ô
                                          6
```

```
melena
                    tonic-clonic
                                                %60
                                                          (%9) 12
                                                 130
                                                    .(1974 – 1971
                                                %20 - %15
             .(Carballal et al., 1991) %3
        :cricetid
Akodon
                      C. laucha
                                               Calomys musculinus
                                               Ô
                                                                   .azarae
            .(Sabattini et al., 1977)
                                                    Akodon
                                       .(Weissenbacher et al., 1983)
                                  :(9
          (%35)
                                    .1974 1965
                         3075
                                                         8.728
                 3.075 Ô
.(1:4)
```



- . 55

| Ô | • | - | |
|-----------------------------------|-----|----------|-------|
| • | | • | |
| | | | |
| C. callosis | | | |
| · Ô | • | | |
| .(Sabattini et al., 1977) | | | |
| • | | cricetid | |
| | • | | |
| | | | |
| (|) | | Ô |
| Ô .(%76) | | Ô | |
| | | | |
| .(Mills et al., 199 | 92) | | |
| | | | |
| 4 . | | Akodon | 40 |
| .(Sabattini <i>et al.</i> , 1977) | | | |
| | Ô | | |
| Villefañe et al.,) Calomys | Ô | | (1077 |
| | | • | (1977 |
| () | | | |

```
.(Weiassenbacher et al., 1983
                                              Kravetz et al., 1981)
                                     Ô
                                                                    Calomys
                   Ô
                           litter
%60
                                              Presumptive
              Ô
                                              .leukoplaquetopenia (
                                                                     ) CD4<sup>+</sup>
                                          CD8^{+}
  .(Carballal et al., 1991)
              (virologic
                                                                   .1965
```

| :1974 - 1965 | |
|-------------------------------|---------------------------|
| | %64 |
| | |
| | |
| Ô | • |
| Vero | • |
| .cytopathogenic | • |
| .(Lascano et al., 1981) | |
| • | 8 – 2 |
| | : |
| Ô·· | • |
| | |
| | . 4 – 3 |
| (Samailovich et al., 1983) | |
| : 14 – 1 Ô | 50 |
| .%96 | .%88 |
| .(Damilano et al., 1983) | %30 |
| G M | |
| | .(Carballal et al., 1991) |
| Lozano <i>et al.</i> , 1993;) | Reverse- transciption |
| | .(Lozano et al., 1995 |
| Ô | : : |
| .() | () |
| . , | ; |
| | : . |

inactivate

Ô

```
Candid #1 XJO XJC13
       636 Ô XJC13
9 - 7
  Cebus
                                                            %90
         ) (marmoset)
                                                neurovirulence
                                                - Callithrix jacchus (
                  .(Weissembacher and Damonte, 1983)
                           Candid #1
Berrera Oro, J., 1993; March 1986; Barrera Oro)
                                  .(and McKee, 1991; McKee et al., 1993
                       preclinical
                                                   300
                                                          immunogenicity
    1990 - 1988
                                                       41
                                                                    6.500
                                      100.488
                                   .(W.H.O, 1993)
```

Argentina, Ministry of Social Welfare, Bureau of Public Health. Bol Epidemiol Nac 1971–1974.

Argentina, Ministry of Social Welfare, Bureau of Public Health, Bol Epidemiol Nac 12–14, 1981–1983.

Argentina, Ministry of Public Health and Social Action. Boletin annul 1992. Buenos Aires: Ministry of Public Health and Social Action; 1992.

Barrera Oro, J.G., K.T. McKee, Jr. Toward a vaccine against Argentine hemorrhagic fever. Bull Pan Am Health Organ 25(2):118–126, 1991.

Bond, J.O. Hemorrhagic Fevers in Latin America. Paper presented at the Sixteenth Meeting of the PAHO Advisory Committee on Medical Research. Washington, D.C.: Pan American Health Organization; 1977. (PAHO/ACNR 16.3).

Carballal, G., J.R. Oubiña, C.M. Videla. Familia Arenaviridae y otras productoras de fiebres hemorrágicas. In: G. Carballal, J.R. Oubiña, eds. Virología médica. Buenos Aires: El Ateneo: 1991.

Casals, J. Arenaviruses. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum: 1976.

Charrel, R.N., H. Feldmann, C.F. Fulhorst, R. Khelifa, R. de Chesse, X. de Lamballerie. Phylogeny of New World arenaviruses based on the complete coding sequences of the small genomic segment identified an evolutionary lineage produced by intrasegmental recombination. Biochem and Biophys Res Comm 296:1118–1124, 2002.

Coto, C.E. Junin virus. Progr Med Virol 18:127-142, 1974.

Damilano de, A.J., S.C. Levis, A.M. Ambrosio, D.A. Enria, J.I. Maiztegui. Diagnóstico serológico de infección por virus Junin por fijación del complemento, inmunofluorescencia y neutralización. In: Primer Congreso Argentino de Virología. Buenos Aires, 1–5 August 1983.

Guerrero, L.B. de. Ensayo de vacunación. Mesa redonda. Fiebre hemorrágica argentina: aspectos inmunológicos. Rev Asoc Argent Microbiol 5:163–164, 1973.

Ivanov, A.P., V.N. Bashkirtsev, E.A. Tkachenko. Enzyme-linked immunosorbent assay for detection of arenaviruses. Arch Virol 67:71–74, 1981.

Johnson, K.M. Arenaviruses: Diagnosis of infection in wild rodents. In: Kurstak, E. and C. Kurstak, eds. Vol. 4: Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Johnson, K.M., S.B. Halstead, S.N. Cohen. Hemorrhagic fevers of Southeast Asia and South America. Progr Med Virol 9:105–158, 1967.

Johnson, K.M., P.A. Webb, G. Justines. Biology of Tacaribe-complex viruses. In: Lehman-Grube, F., ed. Lymphocytic Chariomeningitis Virus and Other Arenaviruses; Symposium Held at the Heinrich-Pette-Institut für experimentelle Virulogie und Immunologie, Universität Hamburg, October 16–18, 1972. Berlin and New York: Springer-Verlag; 1973.

Lascano, E.F., M.I. Berria, N.A. Candurra. Diagnosis of Junin virus in cell culture by immunoperoxidase staining. Arch Virol 70:79–82, 1981.

Lord, R.D., A.M. Vilches, J.I. Maiztegui, E.C. Hall, C.A. Soldini, Frequency of rodents in habitats near Pergamino, Argentina, as related to Junin virus. Am J Trop Med Hyg 20:338–342, 1971.

Lozano, M.E., P.D. Ghiringhelli, V. Romanowski, O. Grau. A simple nucleic acid amplification assay for the rapid detection of Junin virus in whole blood samples. Virus Res 27(1):37–53, 1993.

Lozano, M.E., D. Enría, J.I. Maiztegui, O. Grau, V. Romanowski. Rapid diagnosis of Argentine hemorrhagic fever by reverse transcriptase PCR-based assay. J Clin Microbiol 33(5):1327–1332, 1995.

Maiztegui, J.I. Epidemiología de la fiebre hemorrágica argentina. In: Bacigalupo, J.C., E.R. Castro, eds. Conferencias, simposios y plenario. V Congreso Latinoamericano de Microbiología. Montevideo: Uruguayan Microbiology Society: 1971.

McKee, K.T., Jr., J.G. Oro, A.I. Kuehne, J.A. Spisso, B.G. Mahlandt. Safety and immunogenicity of a live-attenuated Junin (Argentine hemorrhagic fever) vaccine in rhesus macaques. Am J Trop Med Hyg 48:403–411, 1993. Mettler, N.E. Argentine Hemorrhagic Fever: Current Knowledge, Washington, D.C.: Pan American Health Organization; 1970. (Scientific Publication 183).

Ô

Mills, J.N., B.A. Ellis, K.T. McKee, et al. A longitudinal study of Junin virus activity in the rodent reservoir of Argentine hemorrhagic fever. Am J Trop Med Hyg 47:749–763, 1992.

Pan American Sanitary Bureau. Argentine hemorrhagic fever. Epidemiol Bull 3(2):1-3, 1982

Ruggiero, H.R., A.S. Parodi, H.A. Ruggiero, F.A. Cintora, C. Magnoni, H. Milani. Sintesis médica sobre la flebre hemorrágica argentina, 2nd ed. Buenos Aires: Ministry of Social Welfare; 1969.

Sabattini, M.S. In: Bacigalupo, J.C., E.R. Castro, eds. Conferencias, simposios y plenario.
V Congreso Latinoamericano de Microbiología. Montevideo: Uruguayan Microbiology
Society; 1971.

Sabattini, M.S., J.I. Maiztegui, Fiebre hemorrágica argentina. Medicina (Buenos Aires) 30 (Supl 1):111–128, 1970.

Sabattini, M.S., L.E. González de Ríos, G. Díaz, V.R. Vega. Infección natural y experimental de roedores con virus Junin. Medicina (Buenos Aires) 37(Supl 3):149–161, 1977.

Samoilovich, S.R., G. Carballal, M.J. Frigerio, M.C. Weissenbacher. Detección de infecciones de laboratorio por virus Junin utilizando comparativamente las técnicas de neutralización e inmunofluorescencia. Rev Argent Microbiol 15:113–118, 1983.

Schwartz, E.R., O.G. Mando, J.I. Maiztegui, A.M. Vilches. Sintomas y signos iniciales de mayor valor diagnóstico en la fiebre hemorrágica argentina. Medicina (Baenos Aires) 30(Supl. 1):8–14, 1970.

Vilches, A.M. Ecología y control de la fiebre hemorrágica argentina. In: Bacigalupo. J.C., E.R. Castro, eds. Conferencias, simposios y plenario. V Congreso Latinoumericano de Microbiología. Montevideo: Uruguayan Microbiology Society. 1971.

Villafañe, G. de, F.O. Kravetz, O. Donado et al. Dinâmica de las comunidades de roedores en agro-ecosistemas pampásicos. Medicina (Baenos Aires) 37(Supl 3):128–140, 1977.

Weissenbacher, M.C., E.B. Damonte. Fiebre hemorrágica argentina. Adel Microbiol Enf. Infec (Bisenos Aires) 2:119–171, 1983.

Weissenbacher, M.C., M. Calello, G. Carballal, N. Planes, F. Kravetz, Actividad del virus. Junin en áreas no endémicas: su aislamiento en roedores y detección de anticuerpos en humanos. In: Primer Congreso Argentino de Virología, Buenos Aires, 1–5 agosto 1983, 1983a.

Weissenbacher, M.C., M.S. Sabattini, M.M. Avila et al. Junin virus activity in two rural populations of the Argentine hemorrhagic fever (AHF) endemic area. J Med Virol 12:273–280, 1983b.

World Health Organization. Vaccination against Argentine haemorrhagic fever. Wkly-Epidemiol Rec 68:233-234, 1993.

BOVINE PAPULAR STOMATITIS

ICD-10 B08.8

ICD-10 B08.8 Other specified viral infections characterized by skin and mucous membrane lesions

| .proliferating | .granular | Ô | : | |
|---------------------------|--------------------|----------------|-------|------|
| | | | : | |
| Poxviridae | Parapox | virus | | |
|) | | | | Ô |
| virion | .(| pseudocowpox | | = |
| . 215 – 207 x | 150 - 125 | | | |
| .(Timo | oney et al., 1988) | | | |
| | | : | | |
| | | | | |
| · | | | | |
| | | | | |
| • | | 19 | :1972 | 1953 |
| | : | .(Schnurrenber | | |
| | | | | |
| | | | | |
| : .(Bowman | et al., 1981) | | | |
| (Aguilar-Setien et al., 1 | 1980) | | | |

```
.erosive
                                                  %5
                           Ô
                               120
                                           31 :
                               .(Aguilar-Setien et al., 1980)
                                    .(Bowman et al., 1981)
              .vesicular
                    . 8 – 3
                        Ô·
                                           verrucous
                                                        3
                                                         .(
                                         1960
```

4 - 2 Ô· Ô .cytopathic Ô .(Tripathy et al., 1981)

ÔÔ

Ô

Aguilar-Setien, A., P. Correa-Giron, E. Hernandez-Baumgarten, A. Cruz-Gomez, P. Hernandez-Jauregui. Bovine papular stomatitis, first report of the disease in Mexico. Cornell Ver 70:10–18, 1980.

Bowman, K.F., R.T. Barbery, L.J. Swango, P.R. Schnurrenberger. Cutaneous form of bovine papular storustitis in man. JAMA 246:2813–2818, 1981.

Carson, C.A., K.M. Kerr. Bovine papular stomatitis with apparent transmission to man. J Am Vet Med Assoc 151:183–187, 1967.

Griesemer, R.A., C.R. Cole. Bovine papular stomatitis. I. Recognition in the United States. J Am Ver Med Assoc 137:404-410, 1960.

McEvoy, J.D., B.C. Allan. Isolation of bovine papular stomatitis virus from humans. Med J Aust 1:1254–1256, 1972.

Schnurrenberger, P.R., L.J. Swango, G.M. Bowman, P.J. Luttgen. Bovine papular stomatitis incidence in veterinary students. Can J Comp Med 44:239–243, 1980.

Timoney, J.F., J.H. Gillespie, F.W. Scott, J.E. Barlough. Hugan and Bruner's Microbiology and Infectious Diseases of Domestic Animals, 8th ed. Bhaca: Comstock: 1988.

Tripathy, D.N., L.E. Hanson, R.A. Crandall. Poxviruses of veterinary importance: Diagnosis of infections. In: Kurstak, E., C. Kurstak, eds. Volume 3: Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

O BRAZILIAN HEMORRHAGIC FEVER

O ICD-10 A 96.8 ICD-10 A96.8 Other arenaviral hemorrhagic fevers

| | | .Sabiá | : |
|----------------|---------|------------|------------|
|) Arenaviridae | | Arenavirus | |
| .Tacaribe | | .(Ô | |
|) | | | |
| .Pichindé | Machupo | Junín | .Guanarito |
| | 250 | | :(Tacaribe |
| | | %65 | Divergence |

| | | | | Ô | | : | | | |
|----|---|----|---|------------|---|--------|----|---------|---------|
| | • | | | | | 1994 | | | |
| | | | • | | | | Ô | | |
| | | | | | | | .u | ltracen | trifuge |
| | | | | index case | | : | • | | |
| | | | | 12 | | | | Ô | 25 |
| .(|) | | | | | | | Ô | |
| | 3 | | | | ^ | | | | |
| | | | | | Ĉ |) : | | • | |
| | | Ô· | | Ô Ô | | | | Ô | |
| | | | | | | . 40- | 38 | | |
| : | • | | | Ô | | | | | |
| | | | | | | (39) |) | | |
| | | | | | : | .(|) | | |
| | | | | | | | | | |

97

ÔÔ Lisieux, T., M. Coimbra, E.S. Nassar, et al. New arenavirus isolated in Brazil. Lancet 343:391-392, 1994. ICD-10 A83.5 .La Crosse 14 10 Bunyaviridae .Bunyavirus 100 - 90Jamestown Canyon .(CDC, 1982) 1980

1945

```
McFarlane et) . (Snowshoe
                  Tahyna
                                                              .(al., 1982
                                                    Inkoo
                .(White, 1989)
                            arboviruses
:1970 - 1960
                                                             509
      .(CDC, 1981)
                                109
                                            :1978
                                               .(Work and Work, 1991)
                                     :1992
                     29
.(CDC, 1993) 1964
                                                           Ô
                                           130 - 60
Johnson,)
                                                                 .(1990
%6
                                                       %60
    50
                                                       %75
           %60
                   %5
                                                     103
                                                                     24
```

: . 15

. (

.(Work and Work, 1991)

.(Johnson, 1990)

.Jamestown canyon

.(CDC, 1982)

| Ô | _ | - Tamias striatus (| : | chipmunk |
|---|---|--|--------|-------------------|
| | | :(10) | | (Thompson, 1981) |
| | | .(10) | | |
| | | | Ô | Aedes triseriatus |
| Ô | | (T. striatus, Sciurus carolinenis S. nig | ver) | Ô |
| U | Ô | (Sylvilagus f. | | O |
| | O | (S. carolinensis) | | (T. striatus) |
| | (|) () 17 – 15 | • | 5 – 2 |
| | | | | ٠ |
| | Ô | : | | • |
| | | | | F_1 |
| | | | | |
| Ô | |) diapause : (| Ô Ĵ | .(|

```
(Vulpus fulva)
                         .(Amundon and Yuill, 1981)
.Aedes albopictus
                              - 1985 .
                                                            :( Ô
                                                       .(Cully et al., 1992)
           ) Aedes
                                      (A. capius
                                                                .A. vexans
                      Jamestown canyon
    .A. communis
                                                        Culieseta inornata
                                 (
```

| .(CDC, 1982) (Odocoile | eus virgin | ianus) | |
|---------------------------------------|------------|----------|-----------------|
| \mathcal{L} | epus ame | ricanus | |
| .(Alces alc | es Ameri | cana) | |
| McLean et al., 1975; McFarlane et al. | ,) A. Car | nadensis | |
| • | | | .(1982 |
| | | | |
| | | .(McLea | n et al., 1975) |
| | : | | |
| : . | | | |
| | | | |
| .(|) | Ô | |
| • | | | |
| | | venereal | |
| .(Amundson et al., 1981) | | Ô | |
| | • | | |
| | | | : |
| | | | 4 |
| . : | | | .significant |
| • | | • | |
| | | • | |
| | | • | |
| | | | • |
| .(Beaty <i>et al.</i> , 1 | 982) | | |
| . M | | Ö | |

.(1985)

Ô Ô

Ô

Amundson, T.E., T.M. Yuill, Natural La Crosse virus infection in the red fox (Vidpes fulva), gray fox (University cinereourgenteus), raccoon (Procyon lotor) and opossum (Didelphis virginiana). Am J Trop Med Hyg 30:706–714, 1981.

Andrewes, C., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Balfour, H.H., Jr., C.K. Edelman, F.E. Cook, et al. Isolates of California encephalitis (La Crosse) virus from field-collected eggs and larvae of Aedes triseriatus: Identification of the overwintering site of California encephalitis. J Infect Dis 131:712–716, 1975.

Beaty, B.J., J. Casals, K.L. Brown, et al. Indirect fluorescent-antibody technique for sero-logical diagnosis of La Crosse (California) virus infections. J Clin Microbiol 15:429–434, 1982.

Berge, T.O., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates. 2nd ed. Atlanta; Centers for Disease Control and Prevention; 1975. (DHEW Publ. CDC 75–8301).

Chamberlain, R.W. Arbovirus infections of North America. In: Sanders, M., M. Schaeffer, eds. Viruses Affecting Man and Animals. St. Louis: Green: 1971.

Cully, J.F., Jr., T.G. Streit, P.B. Heard. Transmission of La Crosse virus by four strains of Aedes albopicrus to and from the eastern chipmunk (Tamias striutus). J Am Mosq Control Assoc 8:237–240, 1992.

Downs, W.G. Arboviruses. In: A.S. Evans, ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Dykers, T.L., K.L. Brown, C.B. Gundersen, B.J. Beaty. Rapid diagnosis of LaCrosse encephalitis: Detection of specific immunoglobulin M in cerebrospinal fluid. J Clin Microbiol 22:740–744, 1985.

Henderson, B.E., P.H. Coleman. The growing importance of California arboviruses in the etiology of human disease. Prog Med Virol 13:404–461, 1971.

Johnson, K.M. California encephalitis and bunyaviral hemorrhagic fevers. In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc.; 1990.

McFarlane, B.L., J.E. Embree, J.A. Embil, K.R. Rozee, A. Artsoh. Antibodies to the California group of arboviruses in animal populations of New Brunswick. Can J Microbiol 28:200–204, 1982. McLean, D.M., S.K. Bergman, A.P. Gould, P.N. Grass, M.A. Miller, E.E. Spratt. California encephalitis virus prevalence throughout the Yukon Territory, 1971–1974. Am J Trop Med Hyg 24:676–684, 1975.

Moulton, D.W., W.H. Thompson, California group virus infections in small, forest-dwelling mammals of Wisconsin: Some ecological considerations. Am J Trop Med Hyg 20:474–482, 1971.

Parkin, W.E. Mosquito-borne arboviruses other than Group A, primarily in the Western Hemisphere. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Assimals to Man. 6th ed. Springfield: Thomas: 1975.

Patrican, L.A., G.R. DeFoliart, T.M. Yuill. La Crosse viremias in juvenile, subadult and adult chipmunks (Timius striatus) following feeding by trunsovarially-infected Aedes triseriatus. Am J Trop Med Hyg 34:596–602, 1985.

Thompson, W.H., A.S. Evans, California encephalitis virus studies in Wisconsin. Am J. Epidemiol 81:230–244, 1965.

Thompson, W.H. California group viral infections in the U.S. In: Baran, G.W., section ed. Section B, Vol 1: CRC Handbook Series in Zoomoses. Boca Raton: CRC Press; 1981.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Encephalitis surveillance. Annual summary 1978. Atlanta: CDC; 1981.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Arboviral encephalitis—United States. 1982. MMWR Morb Mortal Wkly Rep 31:433–435, 1982.

United States of America. Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Arboviral diseases—United States, 1992. MMWR Morb Mortal Willy Rep. 42:467–468, 1993.

Watts, D.M., S. Pantawatana, G.R. DeFoliart, T.M. Yuill, W.H. Thompson. Transovarial transmission of LaCrosse virus (California encephalitis group) in the mosquito Aedes triseriatus. Science 182:1140–1141, 1973.

White, G.B. Other encephalitides. In: World Health Organization (WHO), Vector Biology and Control Division. Geographical Distribution of Arthropod-home Diseases and Their Principal Vectors. Geneva: WHO: 1989 (WHO/VBC/89.67).

Work, T.H. California encephalitis. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

Work, M.J., T.H. Work. Arbovirus. In: Carballal, G., J.R. Oubiña, eds. Virología médica. Buenos Aires: El Ateneo; 1991.

CHIKUNGUNYA VIRUS DISEASE

ICD-10 A92.0

| Ô | ٠ | : |
|---|--------------|---|
| | • | |
| A |) Alphavirus | |

```
.(14
                          .Togaviridae
Nyong 1
                                         ) Mayaro
                                                                  2
60 - 50
                                                   .Semliki
    .(Brighton et al., 1983) 1977 1976 1975 .
                                          .1969
                                               5
Tomori et al.,) (
                                                                Ô .(1975
                               dormancy
         Ô
.(Johnson et al., 1981) 1978
                                                         .1963 - 1959
     Ô funestus
```

```
.$986)
                                1984
   Ô
                                                             :1970
                                                                   1.548
                   - M
         .(Thein et al., 1992)
                                         110
                                                 86
                                                  %33
          .(Tesh et al., 1975)
                             477
                                                  %14.3
                      .(Adesina and Odelola, 1991)
Zhang et)
                       273
                              %10
                                                                  .(al., 1991
                           .(Papio ursinus)
                                                    (Cercopithecus aethiops
                                    .(McIntosh, 1970)
                 %50
                                    .(Kaschula et al., 1978)
                    .(Colobus abyssinicus)
              220
                           2.3%
                                                               .(P. dogueri)
.(Zhang et al., 1991)
```

```
.1955
                            7 – 4
                             (%80
                                      %60)
                 Ô
                  3
            7
       (%9)
                   (%52)
                                                 .(Thein et al., 1992) (%8)
       chikungunya Ô
                                             .(Walking hunchbacked
                                     5-3
                                                  (Kennedy et al., 1980)
                        .(Brighton et al., 1983)
                                                        Ô
                 .(Tesh, 1982)
.furcifer-taylor
                                                         Aedes africanus
                  P. ursinus
                                     Ô
                                                        .(McIntosh, 1970)
                         (1969 - 1964)
                                             5
```

```
(%54)
 :1964
                                                              sentinel
    .(
                                                                 ecosystem
                                     .(McIntosh, 1970) (
  1981
        1977
            .1976
                                             furcifer
                        11.393
                                                                     13.029
                                                 .(Jupp and McIntash, 1990)
Halstead)
    Rousettus leshenaulti
                                                                     .(1981
Culex taeni-
                                    albopictus
                              .(Zhang et al., 1991)
                                                                 orhynchus
```

.VERO

(Thein et al., 1992) M

Ô

nested

PCR

.(Filipe and Pinto, 1973)

(Filipe and Pinto, 1973)

.(Turell and Malinoski, 1992)

Ô Ĉ

Adesina, O.A., H.A. Odelola. Ecological distribution of Chikungunya haemagglutination inhibition antibodies in human and domestic animals in Nigeria. Trop Geogr Med 43:271–275, 1991.

Brighton, S.W., O.W. Prozesky, A.L. de la Harpe. Chikungunya virus infection. A retrospective study of 107 cases. S Afr Med J 63:313–315, 1983.

Filipe, A.R., M.R. Pinto. Arbovirus studies in Luanda, Angola. 2. Virological and serological studies during an outbreak of dengue-like disease caused by the Chikungunya virus. Bull World Health Organ 49:37–40, 1973.

Halstead, S.B. Chikungunya fever. In: Beran, G.W., section ed. Section B, Vol. 1: CRC Handbook Series in Zoonoses. Boca Raton: CRC Press; 1981.

Johnson, B.K., A. Gichogo, G. Gitan, et al. Recovery of o'nyong-nyong virus from Anopheles funestus in Western Kenya. Trans R Soc Trop Med Hyg 75:239–241, 1981. Jupp, P.G., B.M. McIntosh. Aedes furcifer and other mosquitoes as vectors of Chikungunya virus at Mica, northeastern Transvaal, South Africa. J Am Mosq Control Assoc 6:415–420, 1990.

Kaschula, V.R., A.F. Van Dellen, V. de Vos. Some infectious diseases of wild vervet monkeys (Cercopithecus aethiops pygerythrus) in South Africa. J S Afr Vet Med Assoc 49:223–227, 1978.

Kennedy, A.C., J. Flerning, L. Solomon. Chikungunya viral arthropathy: A clinical description. J Rheumatol 7:231–236, 1980.

McIntosh, B.M. Antibody against Chikungunya virus in wild primates in Southern Africa. S Afr J Med Sci 35:65–74, 1970.

Pavri, K. Disappearance of Chikungunya virus from India and South East Asia. Trans R Soc Trop Med Hyg 80:491, 1986.

Pfeffer M., B. Linssen, M.D. Parke, R.M. Kinney. Specific detection of Chikungunya virus using a RT-PCR/nested PCR combination. J Ver Med B Infect Dis Ver Public Health 49(1):49–54, 2002.

Tesh, R.B. Arthritides caused by mosquito-borne viruses. Annu Rev Med 33:31–40, 1982.
Tesh, R.B., D.C. Gajdusek, R.M. Garruto, J.H. Cross, L. Rosen. The distribution and prevalence of group A arbovirus neutralizing antibodies among human populations in Southeast Asia and the Pacific islands. Am J Trop Med Hyg 24:664–675, 1975.

Thein, S., M. Lu Linn, J. Aaskov, M.M. Aung, M. Aye, A. Zaw, A. Myint. Development of a simple indirect enzyme-linked immunosorbent assay for the detection of immunoglobulin M antibody in serum from patients following an outbreak of Chikungunya virus infection in Yangon, Myanmar. Truns R Soc Trop Med Hyg 86:438–442, 1992.

Tomori, O., A. Fagbami, A. Fabiyi. The 1974 epidemic of Chikungunya fever in children in Ibadan. Trop Geogr Med 27:413–417, 1975.

Turell, M.J., F.J. Malinoski. Limited potential for mosquito transmission of a live, attenuated Chikungunya virus vaccine. Am J. Trop Med Hyg 47:98-103, 1992.

White, A., S. Berman, J.P. Lowenthal. Comparative immunogenicities of Chikungunya vaccines propagated in monkey kidney monolayers and chick embryo suspension cultures. Appl Microbiol 23:951–952, 1972.

Zhang, H.L., H.F. Shi, Z.Q. Mi, et al. Discovery of the natural focus of Chikungunya in Yunan Province. China, and study of biological properties of Chikungunya virus. Arthropodborne Virus Information Exchange 43–44, 1991.

COLORADO TICK FEVER

ICD-10 A93.2

| | • | • | | |
|------------|---|---|---|----|
| Coltivirus | | (|) | 12 |

```
<sup>12</sup> Ô
                                                              .B.
   80 - 60
                                  10
                                              .Orbivirus
                  Eyach
                                               Ixodes ricinus
                              11
                                                   Dermacentor andersoni
                    400 - 200
                                   Ô
     174
                                                 .(Mclean et al., 1981)
                                   .(Artsob and Spence, 1979)
                               6 - 3
               %10
                              Ô
                                     %50
.(Emmons, 1988)
```

4 - 310 %10 .((Emmons, 1988) :11 :11 Eutamius minimus (Citellus) lateralis Spermophilus Citellus colombianus Eutamias amoenus

```
%6
                                   %5
              20
                     15
                                                     .(Bowen et al., 1981)
                        Overwinter ( Ô )
Emmons,)
                                                                S. lateralis
                                                                   .(1966
                          (
                                             lifespan
                                                  Ô
        ) Porcupine
                                         .(Emmons, 1988)
                Ô
                                                  (
Lepus) Jackrabbit
                    Sciurus griseus
                                                               (californius
                       .(Lane et al., 1982)
              .Lepus americans
                                   ·Ô
        1.300
         .%40
                  %14
                                   <sup>110</sup> Ô
```

.(CDC, 1975a)

Ô

Ô

4

Ô Ô

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Artsob, H., L. Spence. Arboviruses in Canada. In: Kurstak, E., ed. Arctic and Tropical Arboviruses. New York: Academic Press; 1979.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, DC: American Public Health. Association; 1990.

Berge, T.O., ed., International Catalogue of Arboviruses, 2nd ed. Atlanta: Centers for Disease Control and Prevention; 1975. (DHEW Publ. CDC 75-8301).

Bowen, G.S., R.G. McLean, R.B. Shriner, et al. The ecology of Colorado tick fever in. Rocky Mountain National Park in 1974. II. Infection in small mammals. Am J Trop Med Hyg. 30:490–496, 1981. Casals, J., D.H. Clarke. Arboviruses other than groups A and B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man., 4th ed. Philadelphia: Lippincott; 1965.

Downs, W.G. Arboviruses. In: Evans. A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Emmons, R.W. Colorado tick fever: Prolonged viremia in hibernating Citellus lateralis. Am I Trop Med Hyg. 15:428–433; 1966.

Emmons, R.W. Ecology of Colorado tick fever. Annu Rev Microbiol 42:49-64, 1988.

Florio, L. Colorado tick fever. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cevil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

Lane, R.S., R.W. Emmons, V. Devlin, D.V. Dondero, B.C. Nelson, Survey for evidence of Colorado tick fever virus outside of the known endemic area in California. Am J Trop Med Hyg. 31:837–843, 1982.

McLean, R.G., D.B. Francy, G.S. Bowen, R.E. Bailey, C.H. Calisher, A.M. Barnes, The ecology of Colorado tick fever in Rocky Mountain National Park in 1974. I. Objectives, study design, and summary of principal findings. Am J Trop Med Hyg 30:483–489, 1981.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Transmission of Colorado tick fever virus by blood transfusion: Montana, MMWR Morb Mortal Wkly Rep 24:422, 1975a.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Colorado tick fever: Maryland. MMWR Morb Mortal Wkly Rep. 24:219, 1975b.

CONTAGIOUS ECTHYMA

Ô

ICD-10 B08.0 ICD-10 B08.0 Other orthopoxvirus infections

Orf

| • | | .011 | • |
|----------------|---|------------|------------------|
|) Parapoxvirus | | | : |
| Ô | , | Ô .(Poxvii | |
| • | (|) 1 | nilker's nodule |
| | | • | 260 × 160 |
| | | | .epitheliotropic |

```
Ô
.1975
                                    143
                                                         1979
                                (Robinson and Petersen, 1981)
     231
                                             18
                                                .%1.4
Robinson and Petersen, 1983)
                                     18
                                           .(Timoney et al., 1988
      enzootic
                 3
                                  6.300.000
                                                %0.5
                                       %2.2
   extrapoltion
     .(Robinson, 1983)
                                                 1.250.000
            .4.350
    13
                                     1.150
    240
                          8.823
                                  3.492
                                                           .1985
                                                           .1986
                       .(Munz et al., 1991)
                                                                   (%1.1)
  7 - 3
```

```
Ô
                      4 - 2
         21
Johannessen et al.,)
                        19
                               6
                                                                      60
                                               .(1975; Leavell et al., 1968
                               Ô
                            3 – 2
               11
     Ô
                   .Cochliomyia hominivorax
                             :(12
```


•

()

.(Robinson, 1983)

Ô

:12



```
.1:
                      .(Torfason and Gunadottir, 2002)
                                                                     Ô
                                      á
                     pulverized (
     .(
                                   3
Robinson and)
                                                             .(Balassu, 1981
 .(Mayr et al., 1981)
```

Buddle, B.M., R.W. Delfers, G.G. Schurig, Contagious eethyma virus-vaccination failures. Am J Vet Res 45:263–266, 1984.

Deeking, F. Contagious pustular dermatitis. In: Van der Hoeden J., ed. Zoonoses. Amsterdam: Elsevier, 1964.

Erickson, G.A., E.A. Carbrey, G.A. Gustafson. Generalized contagious ecthyma in a sheep rancher: Diagnostic considerations. J Am Vet Med Assec: 166:262–263, 1975.

Hanson, L.E. Poxviruses. In: Hubbert, W.T., W.F. McCulloch, P.R. Schmurrenberger, eds. Diseases Transmitted from Animals to Man. 6th ed. Springfield: Thomas: 1975. Jensen, R. Diseases of Sheep. Philadelphia: Lea and Febiger; 1974.

Johannessen, J.V., H.K. Krogh, I. Solberg, A. Dalen, H. van Wijngaarden, B. Johansen. Human orf. J Cutan Pathol 2:265–283, 1975.

Kerry, J.B., D.G. Powell. The vaccination of young lambs against contagious pustular dermatitis. Vet Rec. 88:671–672, 1971.

Leavell, U.W., M.J. McNamara, R. Muelling, W.M. Talbert, R.C. Rucker, A.J. Dalton, Orf. Report of 19 human cases with clinical and pathological observations. JAMA 203:657–664, 1968.

Mayr, A., M. Herlyn, H. Mahnel, A. Danco, A. Zach, H. Bostedt. Bekampfung des Ecthyma contagiosum (Pustular dermatitis) der Schafe mit einem neuen Parenteral-Zellkultur-Lebendimpfstoff. Zentralbl Veterinarmed [B] 28:535–552, 1981.

Moore, R.M., Jr. Human orf in the United States, 1972. J Infect Dis 127:731-732, 1973.

Munz, E., T. Gurtner, O.J. Hubschle. Zur Orf-Infecktion bei Boerenziagen in Namibia. Tierarzt! Umschun 46:86-93, 1991.

Robinson, A.J. Prevulence of contagious pustular dermatitis (orf) in six million lambs at slaughter: A three year study. N Z Vet J 31:161-163, 1983.

Robinson, A.J., T.C. Balassu. Contagious pustular dermatitis (orf). Vet Bull 51:771–782, 1981.

Robinson, A.J., G.V. Petersen. Orf virus infection of workers in the meat industry. N Z Med J 96:81–85, 1983.

Timoney, J.F., J.H. Gillespie, F.W. Scott, J.E. Barlough. Hagan and Bruner's Microbiology and Infectious Diseases of Domestic Animals: With Reference to Etiology. Epizootiology, Pathogenesis, Immunity, Diagnosis, and Antimicrobial Susceptibility, 8th ed. Ithaca: Comstock: 1988.

Torfason E.G., S. Gunadottit. Polymerase chain reaction for laboratory diagnosis of orf virus infections. J Clin Virul 24:79–84, 2002.

COWPOX

| ICD-10 B08.0 Othe | ICD-10 B08.0 -10 B08.0 Other orthopoxvirus infections | | | | |
|-----------------------------|--|-----------------|--|--|--|
| |) | : .(vaccinia | | | |
| Orthpoxvirus | | : | | | |
| | .Poxv | riridae | | | |
| $100 \times 240 \times 300$ | | | | | |

```
(variola
                ) smallpox
                                        °40
             .(Baxby et al., 1979)
                                                    .(Naidoo et al., 1992)
Amer et al.,)
Odend'hal,)
                                                                        .(2001
                                                                        .(1983
enzootic
    7
                                                                     1.076
Glethrionomys
                 (Apodemus sylvaticus
                                                                    (glareolus
Hazel et al., 2000; Chantrey et al.,)
 Ô
              36
                                            17
                                                                        .(1999
```

```
.1981 - 1969
                                                             20
             12
                                           13
                                               23
                                                           .1993 - 1982
       .(Baxby, 1994)
Blackford et)
                                     .(Amer et al., 2001
                                                               al., 1993
        30
     (Bennett et al., 1990)
                                                    %4
                                             200
                .520
                      6
                     %10.1
                                                                     217
                                              .(Tryland et al., 1998)
                                     .1974 - 1973
                                            .(Marennaikova et al., 1977)
                       %42
                                                           pumas
                                          %30
Marennaikova)
                                                             .(et al., 1978
           ) fulvous
                                              (Rhombomys opimus)
```

```
.(Citellus fulvus
                (elephantpox
                                               .(Baxby et al., 1982)
                                     5
                                                      303
                                                              218
              202
                                      67
                                                277
                                                      61
                     38
                            13
                                               106
                                                     .(Jacoby, 1992)
            5
                                  6 – 3
Tripathy et al.,)
                            Ô
                                                                     .(1981
                                                                    18
                                                    Ô
                                                                 Ô
            Ô
                                                               spikiy
                 .(Eis-Hubinger et al., 1990)
```

```
Baxby et al., 1982; Marennikova et)
                                                                    .(al., 1977
                                                                       7 - 5
.(Hoare et al., 1984)
                                                     8 - 6
         3 - 2
                                            .(Microtus oeconomus
                                                                        5
                             .(Zhukova et al., 1992)
              Ô
Hazel et al.,)
                                                                       .(2000
                               (Wolfs et al., 2002)
                                                                       pumas
```

Amer, M., I. El-Gharib, A Rashed, F. Farag, M. Emara. Human cowpox infection in Sharkia. Governorate, Egypt. Int J Dermatol 40:14–17, 2001.

Ô

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams and Wilkins: 1972.

Andrewes, C.H., J.R. Walton. Viral and bacterial zoonoses. In: Brander, G.C., P.R. Ellis. The Control of Disease. London: Baillière Tindall; 1977. (Animal and Human Health Series). Baxby, D. Poxvirus hosts and reservoirs. Arch Virol 55:169–179, 1977.

Baxby, D. Cowpox: Increased incidence or interest? Lancet 343:543, 1994.

Baxby, D., A.D. Osborne. Antibody studies in natural bovine cowpox. J Hyg (Lond) 83:425–428, 1979.

Baxby, D., W.B. Shackleton, J. Wheeler, A. Turner, Comparison of cowpox-like viruses isolated from European zoos. Brief report. Arch Virol 61:337–340, 1979.

Baxby, D., D.G. Ashton, D.M. Jones, L.R. Thomsett, Outbreak of cowpox in captive chectahs: Virological and epidemiological studies. J Hyg (Lond) 89:365–372, 1982.

Bennett, M., C.J. Gaskell, D. Baxby, R.M. Gaskell, D.F. Kelly, J. Naidoo, Feline cowpox virus infection: A review. J Small Animal Pract 31:167–172, 1990.

Blackford S., D.L. Roberts, P.D. Thomas. Cowpox infection causing a generalized eruption in a patient with atopic dermatitis. Br J Dermatol 124:628–629, 1993.

Bruner, D.W., J.H. Gillespie. Hagan's Infectious Diseases of Domestic Animals, with Special Reference to Etiology, Diagnosis, and Biologic Therapy, 6th ed. Ithaca: Comstock; 1973.

Chantrey, J., H. Meyer, D. Baxby, M. Begon, K.J. Bown, S.M. Hazel, et al. Cowpox: Reservoir bosts and geographic range. Epidemiol Infect 122:455–460, 1999.

Dekking, F. Cowpox and vaccinia. In: Van der Hoeden, I., ed. Zoowoses, Amsterdam: Elsevier; 1964. Downie, A.W. Poxvirus group. In: Horsfall, F.L., 1. Tamm. eds. Viral and Rickettrial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Eis-Hubinger, A.M., A. Gerritzen, K.E. Schneweis, et al. Fatal cowpox-like virus infection transmitted by cut. Lancet 336(8719):880, 1990.

Food and Agriculture Organization (FAO), World Health Organization (WHO), and International Office of Epizootics, Animal Health Frarbook 1971, Rome: FAO; 1972.

Food and Agriculture Organization (FAO), World Health Organization (WHO), and International Office of Epizootics. Animal Health Yearbook 1975. Rome: FAO: 1976.

Hazel, S.M., M. Bennett, J. Chantrey, K. Bown, R. Cavanaugh, T.R. Jones, et al. A longitudinal study of an endemic disease in its wildlife reservoir: Cowpox and wild rodents. Epidemiol Infect 124:551–562, 2000.

Hoare, C.M., T.J. Gruffydd-Jones, M. Bennett, R.M. Gaskell, D. Baxby. Cowpox in cats. Vet Rev. 114:22, 1984.

Jacoby, F. Untersuchungen zur Epidemiologie des Kuhpockenvirus in der Bundesrepublik Deutschland. Giessen: Justus-Liebig University; 1992. [Thesis in Veterinary Medicine].

Marennikova, S.A. Field and experimental studies of poxvirus infections in rodents. Bull World Health Organ 57:461–464, 1979.

Marennikova, S.A., N.N. Maltseva, V.I. Korneeva, N.M. Garanina. Outbreak of pox disease among Carnivora (Felidae) and Edentata. J Infect Dis 135:358–366, 1977.

Marennikova, S.A., E.M. Shelukhina, V.A. Fimina. Pox infection in white rats. Lab Anim 12:33–36, 1978.

Munz, E., S. Linckh, I.C. Renner-Müller, M. Reimann. Die Wirksamkeit einer Immunisierung mit Vaccinia-Virus Stamm "MVA" gegen eine Infektion mit Kuhpocken-Virus Stamm "OPV 85" beim Kaninchen. [The efficacy of immunization with vaccinia virus strain "MVA" against infection with cowpox virus strain "OPV 85" in rabbits]. Zentrullil Veterinarmed [B] 40:131–140, 1993.

Naidoo, J., D. Baxby, M. Bennett, R.M. Gaskell, C.J. Gaskell, Characterization of orthopoxyiruses isolated from feline infections in Britain. Arch Virol 125:261–272, 1992.

Odend'hal, S. The Geographical Distribution of Animal Viral Diseases. New York: Academic Press; 1983.

Schupp P., M. Pfeffer, H. Meyer, G. Burck, K. Kolmel, C. Neumann. Cowpox virus in a 12-year-old boy: Rapid identification by an orthropoxvirus-specific polymerase chain reaction. Br J Dermutol 145(1):146–150, 2001.

Tripathy, D.N., L.E. Hanson, R.A. Crandell, Poxviruses of veterinary importance: Diagnosis of infections. In: Kurstak, E., C. Kurstak, eds. Vol. 4: Computative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Tryland, M., T. Sandvik, L. Holtet, H. Nilsen, O. Olsvik, T. Trauvik, Antibodies to orthopoxvirus in domestic cats in Norway. Ver Rev. 143(4):105–109, 1998.

Wienecke, R., H. Wolff, M. Schaller, H. Meyer, G. Plewig, Cowpox virus infection in an 11-year-old girl. J Am Acad Dermatol 42(5 Pt 2):892–894, 2000.

Wolfs, T.F., J.A. Wagenaur. H.G. Niesters, A.D. Osterhaus. Rat-to-human transmission of cowpox infection. *Emerg Infect Dis* 8(12):1495–1496, 2002.

Zhukova, O.A., S.A. Tsanava, S.A. Marennikova. Experimental infection of domestic cats by cowpox virus. Acta Virol 36:329–331, 1992.

Addendum

BUFFALOPOX

 $(Bubalus\ Bubalis)$ $\widehat{\bigcirc}$. buffalopox virus

650 %3.8

ÔĈ

Fenner, F.J., E. Poul, J. Gibbs et al. Veterinary Virology, 2nd ed. San Diego: Academic Press; 1993.

Mitra, K., A. Chatterjee. "Milker's nodule" contracted from pox in water buffaloes. Int J. Zoonoses 13:141–142, 1986.

CRIMEAN-CONGO HEMORRHAGIC FEVER ICD-10 A 98.0

· . Ô :

105 – 85 . *Nairovirus*

 $\hat{\mathsf{O}}$ · $\hat{\mathsf{O}}$

```
200 - 92
   .1944
                            .1945
                                             100
.1963
                          1963 1953
                                        18
                                           104
       Ô
                      1969 1963 323
    .1968
            %16
                                   . 131
       %0.7 :
                      .1965 - 1953
                                                 717
               1972 - 1968
                                 121
                                         .%17
                      .(Hoogstraal, 1979) %9
              .(yen et al., 1985)
                                    %80 .1965
                   135 16
                      G
                              99
                                                Ô
%36
                              Ô
                                    .(Gonzalez et al., 1990)
```

.(Fisher-Hoch et al., 1992) .() :Hyaomma maeginotum complex Ô Ô .(Ô M 21 5 70 M 11 5 49 Ô

.55

Ô

129

```
960
    Ô
            .(Burt et al., 1993)
                     7 – 3
                                              M
                                                       5 – 3
                                                               .M
                   14
                                     1.219
                                                                      G
  .(Gonzalez et al., 1990)
                                        %4.9
                                %43
                                                                  12 - 5
       Ô
                                                            8
                                                   ß
                                        Ô
                                                                     Ô
              asthenia
                                                             Ô
      %30 Ô
Swanepoel et al.,)
                                       31
                                                 11
```

.(1987 Ô .(WHO, 1985) 19 .foothill biotopes (WHO 1985) 9 .Hyalomma .Dermacentor .Boophilus .Rhipicephalus Ô hares Ô

.(Hoogstraal, 1979)

Ô

131

| | | | | | rossicus |
|----------------|-------------|------------|----------------|--------------------|------------|
| | | | | | Ô |
| Lepus europaeu | s – L. cape | nsis | | | • |
| | E | rinaceus a | lbiventris – H | eniechinus auritu. | S , |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | • | |
| Hoogstraal,) | | | | | |
| | | | | | .(1979 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| : | | | | episodo | es |
| | | Ô | flesh | | |
| | | | | .(Fisher-Hoch et | al., 1992) |
| | | | | | |
| | Ô(|) | | | |
| | | | | .(Hoogstraal, 197 | 79) |
| | | | : | | |
| : | | | | | |
| | | | | | |
| | | | Ô | | |

133 Ô -

```
(%0.5) 12
                  1.253
                          (%1.2) 15
               (Impalatum
                                                               2.049
    Ô
              .(Gordon et al., 1993)
           .Vero
                   CER
      radial
                     reverse transcription
                               .(Donats et al., 1982)
                        .(Burt, 1993) global
                                                          M
                        Ô
                                                        .contagion
```

ÔÔ

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrutes, 3rd ed. Baltimore: Williams and Wilkins; 1972.

Blackburn, N.K., L. Searle, P. Taylor. Viral haemorrhagic fever antibodies in Zimbahwe. Trans R Soc Trop Med Hyg 76:803–805, 1982.

Burt, F.J., R. Swanepoel, L.E. Braack. Enzyme-linked immunosorbent assays for the detection of antibody to Crimean-Congo haemorrhagic fever in the sera of livestock and wild vertebrates. Epidemiol Infect 111:547–557, 1993.

Burt, F.J., P.A. Leman, J.C. Abbott, R. Swanepoel. Serodiagnosis of Crimean-Congo haemorrhagic fever. Epidemiol Infect 113:551–562, 1994.

Casals, J. Antigenic similarity between the virus causing Crimean hemorrhagic fever and Congo virus. Proc Soc Exp Biol Med 131:233–236, 1969.

Casals, J., H. Hoogstraal, K.M. Johnson, A. Shelokov, N.H. Wiebenga, T.H. Work. A current appraisal of hemorrhagic fevers in the U.S.S.R. Am J Trop Med Hyg 15:751–764, 1966.

Casals, J., B.E. Henderson, H. Hoogstraal, K.M. Johnson, A. Shelokov. A review of Soviet viral hemorrhagic fevers, 1969. J Infect Dis 122:437–453, 1970.

Casals, J., G.H. Tignor. Neutralization and hemagglutination-inhibition tests with Crimean hemorrhagic fever-Congo virus. Proc Soc Exp Biol Med 145:960–966, 1974.

Donets, M.A., G.V. Rezapkin, A.P. Ivanov, E.A. Tkachenko. Immunosorbent assays for diagnosis of Crimean-Congo hemorrhagic fever (CCHF). Am J Trop Med Hyg 31:156–162, 1982.

Fisher-Hoch, S.P., J.B. McCormick, R. Swanepoel, A. Van Middlekoop, S. Harvey, H.G. Kustner. Risk of human infections with Crimean-Congo hemorrhagic fever virus in a South African rural community. Am J Trop Med Hyg 47:337–345, 1992.

Gonzalez, J.P., B. LeGuenno, M. Guillaud, M.L. Wilson. A fatal case of Crimean-Congo haemorrhagic fever in Mauritania: Virological and serological evidence suggesting epidemic transmission. Trans R Soc Trop Med Hyg 84:573–576, 1990.

Gordon, S.W., K.J. Linthicum, J.R. Moulton. Transmission of Crimean-Congo hemorrhagic fever virus in two species of *Hyalomma* ticks from infected adults to cofeeding immature forms. Am J Trop Med Hyg 48:576–580, 1993.

Hoogstraal, H. The epidemiology of tick-borne Crimean-Congo hemorrhagic fever in Asia, Europe and Africa. J Med Entomol 15:307–417, 1979.

Papa, A., B. Bozovi, V. Pavlidou, E. Papadimitriou, M. Pelemis, A. Antoniadis, Genetic detection and isolation of Crimean-Congo hemorrhagic fever virus, Kosovo, Yugoslavia. Emerg Infec Dis 8:852–854, 2002.

Saijo, M., T. Qin, M. Niikura, A. Maeda, T. Ikegami, T. Prehaud, et al. Recombinant nucle-oprotein-based enzyme-linked immanosorbent assay for detection of immunoglobulin G anti-bodies to Crimean-Congo hemorrhagic fever virus. J Clin Microbiol 5:1587–1591, 2002a.

Saijo, M., T. Qin, M. Niikura., A Maeda, T. Ikegami, K. Sakai, et al. Immunofluorescence technique using HeLa cells expressing recombinant nucleoprotein for detection of immunoglobulin G antibodies to Crimean-Congo hemorrhagic fever virus. J Clin Microbiol 2:372–375, 2002b.

Saluzzo, J.F., P. Aubry, J. McCormick, J.P. Digoutte. Haemorrhagic fever caused by Crimean-Congo haemorrhagic fever in Mauritania. Trans R Soc Trop Med Hyg 79:268, 1985. Sureau, P., J.N. Klein, J. Casals et al. Isolement des virus Thogoto, Wad Madani, Wanowrie et de la fièvre hemorrhagique de Crimée-congo en Iran à partir de tiques d'animaux domestiques. Ann Virol (Inst Pasteur) 131E:185–200, 1980.

Swanepoel, R., J.K. Struthers, A.J. Shepherd, G.M. McGillivray, M.J. Nel, P.G. Jupp. Crimean-Congo hemorrhagic fever in South Africa. Am J Trop Med Hyg 32:1407–1415, 1983. Swanepoel, R., A.J. Shepherd, P.A. Leman, et al. Epidemiologic and clinical features of Crimean-Congo hemorrhagic fever in Southern Africa. Am J Trop Med Hyg 36:120–123, 1987.

Tantawi, H.H., M.I. Al-Moslih, N.Y. Al-Janabi, et al. Crimean-Congo haemorrhagic fever virus in Iraq: isolation, identification and electron microscopy. Acta Virol 24:464–467, 1980.

World Health Organization (WHO). Viral Haemorrhagic Fevers. Report of a WHO Expert Committee. Geneva: WHO: 1985. (Technical Report Series 721).

Yen, Y.C., L.X. Kong, L. Lee, et al. Characteristics of Crimean-Congo hemorrhagic fever virus (Xinjiang strain) in China. Ant J Trop Med Hyg 34:1179–1182, 1985.

| | DI | ENGUE | | | |
|-------------------|--------------|--------------|------------|-----------------|-------|
| Ô | A91 | (|) | :ICD-10 A9 | 90 |
| ICD-10 A90 Dengue | fever (class | ical dengue) | ; A91 Deng | gue hemorrhagic | fever |
| Flavivirus | | | | : | |
| | .(| | | |) |
| | | .(4 – 1) | | .Flavivi | ridae |
| • | | | | | |
| Ô· | | | | : | |
| Aedes aegypti | | ٠. | | • | |
| Ô | | | | | |
| Aedes al | bopictus | | | • | |
| | | • | | | |
| | | (| 16) | (| 4) |
| • | | | | | |
| | Ô | niveus | | • | |


```
.14989)
   (1963)
      DEN-2
                (1969) \hat{O}
                                                                 DEN-3
                              (1977)
                    DEN-1
                                                        60
      DEN-4
                 (1981)
                                  (Figueroa et al., 1982)
PAHO,)
                                                                 .(1982
                      1982 1981
                                                          1983
                                                         50
                     .(PAHO, 1984)
                                      1986
                                                                 DEN-1
        DEN-1 Ô
 .(PAHO, 1993) (1993)
                                         (1988)
                                                                 (1987)
       134.000
                                                        1980 - 1987
.(Figuroa et al., 1982)
            1916
                    %45
                                                            .DEN-2
                                          .(Fagbami et al., 1977)
```

```
niveus
WHO,)
                                                  .(Varma, 1989)
                                     600
                                            %26.8
                                                                .(1985
                                  .(Rudnick, 1966a)
                                                                  %8
Monath et al., 1974;)
                                                  .(Fagbami et al., 1977
              8-5 (
                             retroocular
                     7 - 5
Benenson, 1990; Tesh,)
                                                                .(1982
         Ô
                                                 12
```

| | | Ô | · Ô: | |
|----------------|--------------------------|----------------------|-----------------|----|
| · Ô | | Ô | | |
| . 1981 | Ô | | · | |
| 344.203 | · Ô | | Ô | |
| 9.203 | :198 | 31 | Ô |) |
| Ô | 159 | • | 1.109 | 9 |
| DEN-2 | | | • | |
| . ((Ko | ourí <i>et al</i> ., 198 | 33; Cuzmán <i>et</i> | al., 1984) | |
| : | | Ô | Ĉ |) |
| .1983 | | | 1992 – 1981 | |
| | .Arı | ıba : | | |
| ^ | | • | | |
| Ô (PAHO 1002) | | Ô | â | |
| .(PAHO, 1993) | Ô | \$ | Ô | |
| • | Ô | Ô | | |
| • | | • | â | |
| • | | expander | Ô | |
| • | â | expander | | |
| • | Ô | | | |
| | 0 . | • | • | |
| | | | .(Benenson, 199 | 0) |

```
. 6 – 5
                     10
                          albopictus
                                                     .scutellaris
      Ô
(WHO, 1985)
                           2 1
                              niveus
```

| | Ô | | | |
|----|---------|---|-----|-------------|
| - | Ô | | Ô - | |
| | | : | | DEN-2 |
| | .(Varma | | | Scutellaris |
| | | • | | |
| • | | | | : |
| | | | | |
| | · | | | |
| .G | M | • | Ô | |



Benenson, A.S., ed. Control of Communicable Diseases in Man. 15th ed. An official report of the American Public Health Association. Washington. D.C.: American Public Health Association: 1990.

Fagbami, A.H., T.P. Monath, A. Fabiyi. Dengue virus infections in Nigeria: A survey for antibodies in monkeys and humans. Trans R Soc Trop Med Hyg 71:60–65, 1977.

Figueroa, M., R. Pereira, H. Gutiérrez, C. de Mejfa, N. Padilla. Dengue epidemic in Honduras. 1978–1980. Bull Pan Am Health Organ 16:130–137, 1982.

Guzmán, M.G., G. Kourí, L. Morier, M. Soler, A. Fernández. A study of fatal hemorrhagic dengue cases in Cuba. 1981. Bull Pan Am Health Organ 18:213–220, 1984.

Halstead, S.B. Dengue. In: Warren, K.S., A.A.F. Mahmoud, eds. Tropical and Geographical Medicine. New York: McGraw-Hill; 1984.

Kourí, G., P. Más, M.G. Guzmán, M. Soler, A. Goyenechea, L. Morier. Dengue hemorrhagic fever in Cuba, 1981: Rapid diagnosis of the etiologic agent. Bull Pan Am Health Organ 17:126–132, 1983.

Monath, T.P., V.H. Lee, D.C. Wilson, A. Fagbami, O. Tomori. Arbovirus studies in Nupeko forest, a possible natural focus of yellow fever virus in Nigeria. I. Description of the area and serological survey of humans and other vertebrate hosts. Trans R Soc Trop Med Hyg 68:30–38, 1974.

Pan American Health Organization (PAHO). Dengue 4 in the Americas. Epidemiol Bull 3:7, 1982.

Pan American Health Organization (PAHO). Dengue in the Americas, 1983. Epidemiol Bull 5:1–3, 1984.

Pan American Health Organization (PAHO). Reunión sobre Guias para la Prevención y Control del Dengue y del Dengue Hemorrágico en las Américas. Washington, D.C., 16-20 December, 1991.

ICD-10A 98.5

Pan American Health Organization (PAHO). Dengue in the Americas. An update. Epidemiol Bull 14(4):1–3, 1993.

Rudnick, A. Studies of the ecology of dengue in Malaysia. Bull World Health Organ 35:78-79, 1966a.

Rudnick, A. Dengue viruses isolated from mosquitoes in Singapore, 1960–1961. The transmission of dengue. Bull World Health Organ 35:63, 1966b.

Rudnick, A. The ecology of the dengue virus complex in Peninsular Malaysia. In: Pang, T.,
R. Pathmanathan, eds. Proceedings of the International Congress on Dengue/Dengue Haemorrhagic Fever. Kuala Lumpur: University of Malaya; 1983:7–14.

Tesh, R.B. Dengue. In: Wyngaarden, J.B., L.H. Smith, eds. Vol. 2: Cecil Textbook of Medicine, 16th ed. Philadelphia: Saunders; 1982.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Summary Report Meeting of Consultants and Local and State Health Department Personnel on Aedes albopictus infestation, Harris County, Texas, March 12–14, 1986. Atlanta: CDC; 1986.

Varma, M.G.R. Dengue and dengue hemorrhagic fever (DHF) (Dengue shock syndrome, DSS, Break-bone fever). In: World Health Organization, Vector Biology and Control Division. Geographical Distribution of Arthropod-Borne Diseases and Their Principal Vectors. Geneva: WHO; 1989. (WHO/VBC/89.67).

World Health Organization (WHO). Viral Haemorrhagic Fevers. Report of a WHO Expert Committee. Geneva: WHO; 1985. (Technical Report Series 721).

DISEASES CAUSED BY HANTAVIRUSES

Ô

ICD-10 J12.8

| ICD-10 A98.6 Hemorrhagic fever with renal syndrome; ICD-10 J12.8 Other viral peneumonia | | | | | | | | |
|---|----------|-----------------|--------------|---------------------|----|---|--|---|
| | <i>:</i> | | | | | | | |
| |) | | | | | | | Ô |
| | | | | | .(| | | |
| | | · Ô | : | Ô | | : | | |
| | Ô | | Ô | .Hantaan | | | | Ô |
| | | (epidemic nephi | opathy, neph | ropathia epidemica) |) | | | |

143 â

```
.₿
              .Hantavirus
      100 - 90
                                                     .Bunyaviridae
                             bilayered
                    3
                                                 helicoidal nucleocapsids
                              .S
                                        M
                                                   .L
                                        .(1
glycoproteins
                                                               prototype
                 (1)
       Ô
        .(1
                                      (:
                  Ô
1950
30.00
                                                                 .1953
                      %33
                                     %8 - %6
                                             .(Traub and Wisseman, 1978)
                                         Lee, 1996)
   .(Schmaljohn and Hjelle, 1997
                                    1992 – 1978
                                                          2.706
                                                                Ô
                     .%15
                              %10
```

```
63
                                             300000
              13
                                                   45
200.000 - 150.000 
                                                           Lee, 1996)
                   .(Schmaljohn and Hjelle, 1997
    13
          0.03
                                                      18
                 .(Cohen, 1982)
90.936
                                                               100.000
  .%7
                                             103.778 1984
                                1985
               .1972 1960
                                          100
           1976
                            .(Sugiyama et al., 1984)
                                                                       100
                              .(Umenai et al., 1981)
                                (Apodemus speciosus
        2.791
                                 .(Umenai et al., 1981) (Microtus montebelli
          %73.4
                                             Rattus nervegicus
                       %15.2
                                                             6
 .(Arikawa et al., 1994)
-1978
                             Ô
                                               65.906
                                                                     (
                                                       (
                                                                    ) 1992
                     Ô
                                         .puumala
                                                              .%2
                                   88
                                             9
                                                      33
                                                                     .1990
    /
            1992
         .(Clement et al., 1994)
                                                   %80
                                                                     .1993
```

| : | | | :1 |
|---|---------------------------|---|-----|
| | () | | |
| | : | Ô | |
| | Apodemus agrarius | | |
| | : | Ô | |
| | A. flavicollis | | |
| | : | | |
| | Apodemus agrarius | | |
| | : | Ô | |
| | Rattus norvegicus | | |
| | : | Ô | |
| | Clethrionomys glareolus | | |
| | : | | |
| | Peromyscus maniculatus | | |
| | : | | |
| | Peromyscus | | |
| | leucopus | | |
| | (sigmodon hispidus) | | |
| | (Oryzomys palutris) | | (1) |
| | (3) | | |
| · | Oligoryzmys longicaudatus | | |
| | | | |
| | Oligoryzmys chacoensis | | |
| | Oligoryzmys fulvescens | | |
| | Oligoryzmys flavescens | | |

Source: Adapted from Schmaljohn, C., B. Hjelle. Hantaviruses: A global disease problem. Emerg Infect Dis 3(2):95-104, 1997. [Table 1].

Galeno H., J. Mora, E. Villagra, J. Fernandez, J. Hernandez, G.J. Mertz, et al. First human isolate of Hantavirus (Andes virus) in the Americas. Emerg Infect Dis 8(7):657-661, 2002.

Mendes W.S., N.J. Aragao, H.J. Santos, L. Raposo, P.F. Vasconelos, E.S. Rosa, et al. Hantavirus pul-monary syndrome in Anajatuba, Maranhao, Brazil. Rev Inst Med Trop Sao Paulo 43(4):237–240, 2001.

Milazzo, M.L., E.J. Eyzaguiere, C.P. Molina, C.F. Fulhorst. Maporal viral infection in the Syrian golden. hamster: A model of hantavirus pulmonary syndrome. J Infect Dis 186(10):1390-1395, 2002.

Nemirov K., O. Vapalahti, A. Lundkvist, V. Vasilenko, I. Golovljova, A. Plyusnina, et al. Isolation and characterization of Dobrava hantavirus carried by the striped field mouse (Apademus agrarius) in Estonia. J Gen Virol 80(Pt 2):371–379, 1999.

Padula, P., M.G. Della Valle, M.G. Alai, P. Cortada, M. Villagra, A. Gianella. Andes virus and first case report of Bermejo virus causing fatal pulmonary syndrome. Emerg Infect Dis 8(4):437–439, 2002.

Powers, A.M., D.R. Mercer, D.M. Watts, H. Guzman, C.F. Fulhorst, V.L. Popov, et al. Isolation and genetic characterization of a hantavirus (Buyaviridae: Hantavirus) from a rodent, Oligorycomyx microtis (Muridae), collected in northeastern Peru. Am J Trop Med Hyg 61(1):92–98, 1999.

Schutt M., P. Gerke, H. Meisel, R. Ulrich, D.H. Kruger. Clinical characterization of Dobrava hantavirus infections in Germany. Clin Nephrol 55(5):371–374, 2001.

Sibold, C., R. Ulrich, M. Labuda, A. Lundkvist, H. Martens, M. Schutt, et al. Dobrava hantavirus causes hemorrhagic fever with renal syndrome in central Europe and is carried by two different Apademus mice species. J Med Virol 63(2):158–167, 2001.

Vincent, M.J., E. Quiroz, G. Gracia, A.J. Sanchez, T.G. Ksiszek, P.T. Kitsutani, et al. Hantavirus pulmonary syndrome in Panama: Identification of novel hantaviruses and their likely reservoirs. Virology 277(1):14–19, 2000.

Yahrike, C.J., P.L. Meserve, T.G. Ksiazek, J.N. Mills. Patterns of infection with Laguna Negra virus in wild populations of Calomys laucha in the central Paraguayan chaco. Am J Trop Med Hyg 65(6):768-776, 2001.

```
C. glareolus
                               210
                                        44
                                                       .(Verhagen et al., 1986)
                          1.000
                                          0.777
                                                       2.858 \, \hat{O}
                                                     .39 - 20
          %40
           .(Niklasson et al., 1987)
   41
                                             60
                                                                         %15
                                 176
                                               C. glareolus
            22
                                        181
                                                 .(Niklasson and Le Duc, 1987)
                                        .Hantaan
                                                           Dobrava - Belgrade
                    A. flavicollis
Avsic – zupance)
                                       %20
                                             .(et al., 1992; Taller et al., 1993
          A. agravius
                      (Sibold et al., 2000)
                                       .(Nemirov et al., 1999)
                                      Seoul
                                                                          (
                                                             1993
```

.(Childs et al., 1985)

```
8.080
                                           %1.46
                                                                .%0.25
                                       .%2.76
  %6.5
Glass et al.,)
                                                                .(1993
                                                      1993
       "mystery
        .Sin nombre
          (peromyscus maniculatus
                                               .(CDC, 1994)
                                %30.4
.(CDC, 2000a)
                                                   Retrospective
.Black Creek
                                Bayou
          .2003 Ô
                              15
                                           .(CDC, 2000a)
                   %38
                                                                  333
    %39
                    %61
                                   37
                                                      75 10
                       31
            .(CDC, 2003)
  1994
```

.(CDC, 2000b)

.

.(PAHO, 2002)

.(Groen *et al.*, 2002) : (Ô

2001 – 1993 (2)

•

29

:2

.2001 - 1993

Ô

| | 2001 | 2000 | 1999 | 1998 | 1997 | 1996 | 1995 | 1994 | 1993 | 1 |
|-----|------|------|------|------|------|------|------|------|------|---|
| 310 | 74 | 52 | 76 | 61 | 47 | _ | _ | _ | _ | |
| 11 | 5 | 3 | 1 | 1 | 1 | _ | _ | _ | _ | |
| 167 | 69 | 54 | 26 | 11 | _ | 3 | 1 | _ | 3 | |
| 204 | 78 | 31 | 26 | 35 | 30 | 3 | 1 | _ | _ | |
| 91 | 27 | 15 | 4 | 5 | 4 | 5 | 15 | 16 | _ | |
| 27 | 4 | 6 | 12 | 3 | 2 | _ | - | _ | _ | |

.РАНО

```
%12.5
                                                      1987
                                            3
                                      4
(Calomys musculinus
                                                   17
                                                          4
                                                                 .%22.5
                    31
                                             .(Weissenbacher et al., 1990)
                                                             : (
                                           30
                      %16.5 Ô
%31.
                                               :1985
   4
             .G
                                      10
                                                                    305
            .(González et al., 1988)
%2
                   G
                                      1.762 Ô
                                                 .(Nakounne et al., 2000)
         1989
                  (315/28) %9
                                                            4
                                                    .(Corwin et al., 1992)
           3
                                  3 - 2
```

151 â

Ô

:3

Ô %15 - %1 ++++/++ myopia Ô ++++/+ +/-%1 > + ++++ %40 < - myopia + +++/++ + %40 < - myopia - : ΙÔ .++++ .+++ .++ .

Schmaljohn C. B Hjelle. Hantaviruses : A global disease problem. *Emerg Infect* : . *Dis* 3(2):95–104, 1997

```
Ô
       Lee
                             5
Ô
                                          °40
      Ô
                     7 - 3
               %50
    3 – 2
                                   \cdot \hat{O}
                      lymphocytosis
                                                                      %90
```

153 â

ä .(WHO, 1985) (ribavirin 24 30 25 persistent 6

```
M
Yamanoncuhi et al., 1984)
10 - 7
                                                         .(Tanishita et al., 1986
                                           100
                          (A. agrarius coreae
                                                              .(Lee et al., 1981)
                                 .(2
      .(Lee et al., 1981)
                  C. glareolus
             .(Gavrilovskaya et al., 1983)
Dournon et)
                              .(Schmaljohn and Hjelle, 1997
                                                                            .al.,
Padula et al., 1998, Toro)
                                                .(et al., 1998, Wells et al., 1997
```

155 â

:

plaque – reduction. N –

. Vero E6

.not cytopathic

Ô .

.(Mills et al., 2002)

Ô Ô

Arikawa, J., M. Ito, J.S. Yao, H. Kariwa, I. Takashima, N. Hashimoto. Epizootiological studies of hantavirus infection among urban rats in Hokkaido, Japan: Evidence for the persistent infection from the sero-epizootiological surveys and antigenic characterizations of hantavirus isolates. J Vet Med Sci 56:27–32, 1994.

Avsic-Zupanc, T., S.Y. Xiao, R. Stojanovic, A. Gligic, G. van der Groen, J.W. LeDuc. Characterization of Dobrava virus: A hantavirus from Slovenia, Yugoslavia. J Med Virol 38:132–137, 1992.

Brummer-Korvenkontio, M., A. Vaheri, T. Hovi, et al. Nephropathia epidemica: Detection of antigen in bank voles and serologic diagnosis of human infection. J Infect Dis 141:131–134, 1980.

Canada, Health Canada, Population and Public Health Branch. Hantavirus pulmonary syndrome in Canada, 1989–1999. Canada Comm Dix Report 26(8), 2000.

Casals, J., H. Hoogstraal, K.M. Johnson, A. Shelokov, N.H. Wiebenga, T.H. Work. A current appraisal of hemorrhagic fevers in the U.S.S.R. Am J Trop Med Hyg 15:751–764, 1966.

Casals, J., B.E. Henderson, H. Hoogstraal, K.M. Johnson, A. Shelokov, A review of Soviet viral hemorrhagic fevers, 1969. J Infect Dis 122:437–453, 1970.

Childs, J.E., G.W. Korch, G.A. Smith, A.D. Terry, J.W. Leduc. Geographical distribution and age related prevalence of antibody to Hantaan-like virus in rat populations of Baltimore, Maryland, USA. Am J Trop Med Hyg 34:385–387, 1985.

Childs, J.E., G.E. Glass, G.W. Korch, et al. Evidence of human infection with a rat-associated hantavirus in Baltimore, Maryland. Am J Epidem 127:875–878, 1988.

Clement, J., P. McKenna, P. Colson, et al. Hantavirus epidemic in Europe, 1993. Lancet 343:114, 1994.

Cohen, M.S. Epidemic hemorrhagic fever revisited. Rev Infect Dix 4:992-995, 1982.

Corwin, A., M. Habib, J. Olson, D. Scott, T. Ksiazek, D.M. Watts: The prevalence of arboviral, rickettsial, and Hantaan-like antibody among schoolchildren in the Nile River delta of Egypt. Trans R Soc Trop Med Hyg 86(6):667–679, 1992.

Dournon, E., B. Moriniere, S. Matheron, P. Girard, J. Gonzalez, F. Hirsch, et al. HFRS after a wild rodent bite in the hautesavoie—and risk of exposure to Hantaan-like virus in Paris laboratory. Lancet 1:676–677, 1984. Cited in: Schmaljohn, C., B. Hjelle. Hantaviruses: A global disease problem. Emerg Infect Dix 3(2):95–104, 1997.

Gavrilovskaya, I.N., N.S. Apekina, Y.A. Myasnikov, et al. Features of circulation of hemorrhagic fever with renal syndrome (HFRS) virus among small mammals in the European U.S.S.R. Arch Virol 75:313–316, 1983.

Glass, G.E., A.J. Watson, J.W. LeDuc, G.D. Kelen, T.C. Quinn, J.E. Childs. Infection with rathorne hantavirus in US residents is consistently associated with hypertensive renal disease. J Infect Dis 167:614–620, 1993.

Gonzalez, J.P., C.C. Mathiot, J.C. Bouquety, et al. Status of hantavirus in the Central African Republic. Ann Inst Pasteur Virol 139:301–304, 1988.

Groen J., P. Koraka, C.N. Edwards, S.L. Branch, K.O. Douglas, A.D. Osterhaus, P.N. Levett. Serological evidence of hantavirus in humans and rodents in Barbados. J Infect 45(2):109–110, 2002.

Hung, T., S.M. Xia, T.X. Zhao, et al. Morphological evidence for identifying the viruses of hemorrhagic fever with renal syndrome as candidate members of the Bunyaviridae family. Brief report. Arch Virol 78:137–144, 1983. Kohn, D.F., S.W. Barthold. Biology and diseases of rats. In: Fox, J.G., B.J. Cohen, F.M. Loew, eds. Laboratory Animal Medicine. Orlando: Academic Press; 1984.

LeDuc, J.W. Epidemiology of Hantaan and related viruses. Lab Anim Sci 37:413-418, 1987.

Lee, H.W., P.W. Lee, K.M. Johnson. Isolation of the etiologic agent of Korean hemorrhagic fever. J Infect Dis 137:298–308, 1978.

Lee, H.W., G.R. French, P.W. Lee, L.J. Baek, K. Tsuchiya, R.S. Foulke. Observations on nanaral and laboratory infection of rodents with the etiologic agent of Korean hemorrhagic fever. Am J Trop Med Hyg 30:477–482, 1981.

Lee, H.W., G. van der Groen. Hemorrhagic fever with renal syndrome. Prog Med Virol 36:62–102, 1989.

Leirs, H., R. Verhagen, A. Lefevre. L'hantavirose une anthropozoonose mal connue. Ann Med Ver 133:653–662, 1989.

Lee, H.W. Epidemiology and pathogenesis of hemorrhagic fever with renal syndrome. In: Elliott, R.M., ed. The Bunyaviridae. New York: Plenum Press; 1996. Cited in: Schmuljohn, C., B. Hjelle. Hantaviruses: A global disease problem. Emerg Infect Dis 3(2):95–104, 1997.

Maixtegui, J.I., J.L. Becker, J.W. LeDuc. Actividad de virus de la fiebre hemorrágica de Corea o virus muroide en ratas del puerto de la Ciudad de Buenos Aires. In: 28.º Reunión Científica Anual de la Sociedad Argentina de Investigación Clínica. Mar del Plata, 21–24 noviembre, 1983.

Mills, J.N., A. Corneli, J.C. Young, L.E. Garrison, A.S. Khan, T.G. Ksiazek. Hantavirus pulmonary syndrome—United States: Updated recommendations for risk reduction. MMWR Morb Mortal Wkly Rep 51(RR09):1–12, 2002.

Nakounne, E., B. Selekon, J. Morvan. Microbiological surveillance: viral hemorrhagic fever in Central African Republic: current serological data in man. Bull Soc Pathol Exot 93(5):340–347, 2000.

Niklasson, B., J. LeDuc. Epidemiology of nephropathia epidemica in Sweden. J Infect Dis 155:269–276, 1987.

Niklasson, B., J. LeDuc, K. Nyström, L. Nyman. Nephropathia epidemica: incidence of clinical cases and antibody prevalence in an endemic area of Sweden. *Epidemiol Infect* 99:559–562, 1987.

Pan American Health Organization (PAHO). Importancia de las virosis transmitidas por artrópodos y roedores para la salud pública en las Américas. Bol Epidemiol 4(3):1-4, 1983.

Padula, P., A. Edelstein, S.D.L. Miguel, N.M. Lopez, C.M. Rossi, R.D. Rabinovich. Hantavirus pulmonary syndrome (HPS) outbreak in Argentina: Molecular evidence for person-to-person transmission of Andes virus. Virology 241:323–330, 1998.

Schmaljohn, C.S., S.E. Hasty, S.A. Harrison, J.M. Dalrymple. Characterization of Hantaan virions, the prototype virus of hemorrhagic fever with renal syndrome. J Infect Dis 148:1005–1012, 1983.

Schmaljohn, C., B. Hjelle. Hantaviruses: A global disease problem. Emerg Infect Dis 3(2):95–104, 1997.

Song, G., C.S. Hang, X.Z. Qui, et al. Etiologic studies of epidemic hemorrhagic fever (hemorrhagic fever with renal syndrome). J Infect Dis 147:654-659, 1983.

Sugiyama, K., Y. Matsuura, C. Morita, et al. An immune adherence assay for discrimination between etiologic agents of hemorrhagic fever with renal syndrome. J Infect Dis 149:67–73, 1984.

Taller, A.M., S.Y. Xiao, M.S. Godec, et al. Belgrade virus, a cause of hemorrhagic fever with renal syndrome in the Balkans, is closely related to Dobrava virus of field mice. J Infect Dis 168:750–753, 1993.

Tanishita, O., Y. Takahashi, Y. Okuno, et al. Persistent infection in rats with haemorrhagic fever with renal syndrome virus and their antibody responses. J Gen Virol 67:2819–2824, 1986. Toro, J., J.D. Vega, A.S. Khan, J.N. Mills, P. Padula, W. Terry, et al. An outbreak of hantavirus pulmonary syndrome, Chile, 1997. Emerg Infect Dis 4(4):687–694, 1998.

Traub, R., C.L. Wisseman, Jr. Korean hemorrhagic fever. J Infect Dis 138:267–272, 1978.
Umenai, T., M. Watanabe, H. Sekino, et al. Korean hemorrhagic fever among rural residents in Japan. J Infect Dis 144:460–463, 1981.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Hantavirus pulmonary syndrome: United States, 1993. MMWR Morb Mortal Wkly Rep 43:45–48, 1994.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Hantavirus pulmonary syndrome—Chile, 1997. MMWR Morb Mortal Wkly Rep 46(40):949–951, 1997.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). All about hantavirus: Ecology. 2000a. (Last reviewed 20 September 2000). www.cdc.gov/ncidod/diseases/hanta/hps/noframes/phys/ecology.htm (Accessed 24 January 2003)

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). All about hantavirus: Hantavirus in South and Central America. 2000b. (Last reviewed 15 December 2000). www.cdc.gov/ncidod/diseases/hanta/hps/noframes/argtina.htm (Accessed 24 January 2003)

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). All about hantavirus. Case information: Hantavirus pulmonary syndrome case count and descriptive statistics as of January 15, 2003. (Last reviewed 21 January 2003). www.cdc.gov/ncidod/diseases/hanta/hps/noframes/caseinfo.htm (Accessed 24 January 2003)

Vasyuta Yu, S. The epidemiology of hemorrhagic fever with renal syndrome in the RSFSR. Zh Mikrobiol Epidemiol Immunobiol 32:49-56, 1961.

Verhagen, R., H. Leirs, E. Tkachenko, G. van der Groen. Ecological and epidemiological data on hantavirus in bank vole populations in Belgium. Arch Virol 91:193–205, 1986.

Vincent, M.J., E. Quiroz, G. Gracia, A.J. Sanchez, T.G. Ksiazek, P.T. Kitsutani, et al. Hantavirus pulmonary syndrome in Panama: Identification of novel hantaviruses and their likely reservoirs. Virology 277(1):14–19, 2000.

Weissenbacher, M.C., M.S. Merani, V.L. Hodara, et al. Hantavirus infection in laboratory and wild rodents in Argentina. Medicina (B Aires) 50:43–46, 1990.

Wells, R.M., E.S. Sosa, Z.E. Yadon, D. Enria, P. Padula, N. Pini, et al. An unusual hantavirus outbreak in southern Argentina: Person-to-person transmission? Emerg Infect Dis 3(2):171–174, 1997.

World Health Organization (WHO). Viral Haemorrhagic Fevers: Report of a WHO Expert Committee. Geneva: WHO; 1985. (Technical Report Series No. 721).

World Health Organization. Haemorrhagic fever with renal syndrome. Wkly Epidemiol Rec 68:189–191, 1993.

Yamanouchi, T., K. Domae, K. Tanishita, et al. Experimental infection in newborn mice and rats by hemorrhagic fever with renal syndrome (HFRS) virus. Microbiol Immunol 28:1345–1353, 1984.

EASTERN EQUINE ENCEPHALITIS

ICD-10 A 83.2

| | encephalomyelitis | | | | : |
|------------|----------------------------|---------------------|---|---|--------------------------------|
| Alphavirus | .(| 60 – 50 variants | | | : A) Togaviridae |
| : | (| mapping |) | (|) |
| | (Weaver et al., 1994 | ⁴⁾ Ô | | | |
| | | 6 Ô | | | 1.000 |
| (| .(Calisher <i>et al.</i> , | . 1990) | | : | |
| · (|) ((|) Ô | |) | |

enzootic .1978 1955 136 .(CDC, 2002) 1997 - 1977 106 38 1938 %30 5 .(CDC, 1990) :1991 5 .Culiseta melanura .1992 - 111 54) 88 Aedes Culex taeniopus Sollicitans Ô


```
100
                           1973
                                             1.700
                                                                40
                                               .(Dietz et al., 1980) (
                                                2 - 1
                                                                   Ô
                                                15
                                        50
32
                                                       Ô
                                        3 – 2
             .1949 - 1984
                                                                  827
                                      1.600
            69
                 1959
                    32
                          16
                                            pheasant
                                                                    1971
                                       1.551
                                                670
                                                        1971
    .(Maness andCalisher, 1981)
                      1970 1956
       26.468
                      2.620
                      201
                                                               605
     .1947
                                                               ·Ô
                              .(Dietz et al., 1980)
                                                             11.927
```

```
Ô
1915 - 1914
                                .1971
                                                                 .1972
                                    %94
                                                    1973
                                                                    .%86.7
                                               1973
                                         3
                                                           40
                              .1978
                                                                      3.600
                .(Calisher et al., 1981)
                                                             .1.000
                                                                         34
                            1981
   %17 Ô
                      1: 2.9
                                                  %61 Ô
                        .(Sabattini et al., 1991)
Kotait et)
                                                                 .(al., 1992
                                  16
                                                         20
de Souza Lopez and)
                                            sentinel
                                                 .(de Abreu Sacchetta, 1974
                                            .1991
                 .(%30
       á
                                                                       %65
                     15 – 5
```

163

2 - 1 5 .3 /2.000 600 .(Monath, 1991) .(Monath, 1991) .(ĵ Ô 24 - 186 – 4 4 - 1 10 - 5.(Walton, 1981) Ô .%90 %75 .%75 %50 .pheasants Ô

```
%40
                .(Wages et al., 1993)
           ) emus
                                               .(Dromaius novaehollondiae)
                      %75
                                                                      .%87
                                       .(Tully et al., 1992)
                                 :(13
                               .(extrinsic
     (intrinsic
                                         .(
                                                               (passeriform
          .Culiseta melanura
.(Morris and Zimmerman 1981) C. morsitans
```



A. vexans

Nasci et al.,)

Coquilletidia perturbans

144 : .(1981)

96 A. allopictus 9.350 1991

| . %19 | %31: | | | | |
|-----------------|------------------------|-----------------|----------|-------|--------------|
| | .(CDC, 1992) | | | | %2 |
| • | | | | | |
| | | - | | - | |
| | | | | • | |
| | | | : | ~ . | |
| | taeniopus | | | Culex | nigrapalpus |
| | • | | | .Ta | eniorhynchus |
| | | : | | | Ö |
| Walder et al.,) | .C. dunni | C. _I | oanacoss | | : |
| | | | | | .(1984 |
| | | | • | | |
| | | | | • | |
| | • | | | | |
| | | | | • | |
| • | | | | | |
| | • | | | | |
| | • | | | | |
| • | • | | | • | |
| | | | | | |
| Didelphis |) | 54 | %7.4 | | Ô |
| | | | 20: 1 | | (marsupialis |
| | .(Walder et al., 1984) | | | | |
| | Ô | | | | |

Ô

.(Calisher et al., 1981)



epizootic

(Dietz et al., 1980)



Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams and Wilkins; 1972.

Barber, T.L., T.E. Walton, K.J. Lewis. Efficacy of trivalent inactivated encephalomyelitis virus vaccine in horses. Am J Ver Res 39:621–625, 1978.

Berge, T.O., ed. International Catalogue of Arboviruses, 2nd ed. Atlanta: Centers for Disease Control and Prevention; 1975. (DHEW Publ. CDC 75–8301).

Calisher, C.H., E. Levy-Koenig, C.J. Mitchell, F.A. Cabrera, L. Cuevas, J.E. Pearson. Eastern equine encephalitis in the Dominican Republic, 1978. Bull Pan Am Health Org 13(4):380–390, 1979.

Calisher, C.H., N. Karabatsos, J.P. Foster, M. Pallansch, J.T. Roehrig. Identification of an antigenic subtype of eastern equine encephalitis isolated from a human. J Clin Microbiol 28:373–374, 1990.

Casals, J., D.H. Clarke. Arboviruses: Group A. In: Horsfall, F.L., Jr., I. Tamm, eds. Virul and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Dietz, W.H., Jr., P. Galindo, K.M. Johnson. Eastern equine encephalomyelitis in Panama: The epidemiology of the 1973 epizootic. Am J Trop Med Hyg 29:133–140, 1980.

Downs, W.G. Arboviruses. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Faddoul, G.P., G.W. Fellows. Clinical manifestations of eastern equine encephalomyelitis in pheasants. Avian Dir 9:530–535, 1965.

Kotait, I., Z.M. Peixoto, T.L. Coimbra et al. Isolamento e identificação do virus de encefalomielite equina, tipo leste, em equinos do Estado de São Paulo, Brasil. Arq Inst Bio (São Paulo) 59:37–41, 1992.

Maness, K.S., C.H. Calisher. Eastern equine encephalitis in the United States, 1971; Past and prologue. Current Microbiol 5:311–316, 1981.

Monath, T.P. Alphaviruses (eastern, western, and Venezuelan equine encephalitis). In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Vol. 2: Principles and Practice of Infectious Disease, 3rd ed. New York: Churchill Livingstone, Inc.; 1991.

Morris, C.D., R.H. Zimmerman. Epizootiology of eastern equine encephalomyelitis virus in upstate New York. III. Population dynamics and vector potential of adult Culiseta morsitans (Dintera: Culicidae). J Med Entomol 18:313–316, 1981. Nasci, R.S., J.D. Edman. Blood feeding patterns of Culiseta melanuna (Diptera: Culicidae) and associated sylvan mosquitoes in southeastern Massachusetts eastern equine encephalitis foci. J Med Entomol 18:493–500, 1981.

Ordóñez, J.V., W.F. Scherer, R.W. Dickerman. Isolation of eastern encephalitis virus in Guaternala from sentinel hamsters exposed during 1968. Bull Pan Am Health Org 70:371–375, 1971.

Sabattini, M.S., J.F. Daffner, T.P. Monath, et al. Localized eastern equine encephalitis in Santiago del Estero Province, Argentina, without human infection. Medicina (Buenos Aires) 51:3–8, 1991.

de Souza Lopes, O., L. de Abreu Sacchetta. Epidemiological studies on eastern equine encephalitis virus in São Paulo, Brazil. Rev Inst Med Trop São Paulo 16:253–258, 1974.

Starnm, D.D. Arbovirus studies in birds in south Alabama, 1959–1960. Am J Epidemiol 87:127–137, 1968.

Theiler, M., W.G. Downs. The Arthropod-Borne Viruses of Vertebrates: An Account of the Rockefeller Foundation Virus Program, 1951–1970. New Haven: Yale University Press; 1973.

Tully, T.N., Jr., S.M. Shane, R.P. Poston, et al. Eastern equine encephalitis in a flock of erms. (Dromarius novaehollandiae). Avian Dis 36:808–812, 1992.

United States, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Neurotropic Viral Diseases Surveillance. Annual Summary, 1972. Atlanta: CDC: 1974. (DHEW Publ. CDC 75–8252).

United States, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Arboviral surveillance: United States, 1990. MMWR Morb Mortal Wkly Rep. 39(35):594–598, 1990.

United States, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Eastern equine encephalitis virus associated with Aedes albopictus—Florida, 1991. MAWR Morb Mort Wkly Rep 41:115, 121, 1992.

United States, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Confirmed and probable EEE cases, human, United States, 1964–1997, by state. Accessed 13 December 2002 at www.cdc.gov/ncidod/dvbid/arbor/eee64_97.pdf

Venezuela. Ministerio de Sanidad y Asistencia Social. Bol Epidemiol Nº. 19, 1976.

Wages, D.P., M.D. Ficken, J.S. Guy, T.S. Cummings, S.R. Jennings. Egg-production drop in turkeys associated with alphaviruses: Eastern equine encephalitis virus and Highlands J virus. Avian Dir 37:1163–1166, 1993.

Walder, R., O.M. Suárez, C.H. Calisher. Arbovirus studies in the Guajira region of Venezuela: Activities of eastern equine encephalitis and Venezuelan equine encephalitis viruses during an interepizootic period. Am J Trop Med Hyg 33:669–707, 1984.

Walton, T.E. Venezuelan, eastern and western encephalomyelitis. In: Gibbs, E.P.J., ed. Vol. 2: Virus Diseases of Food Animals. New York: Academic Press; 1981.


Weaver, S.C., A. Hagenbaugh, L.A. Bellew, et al. Evolution of alphaviruses in the eastern equine encephalomyelitis complex. J Wrol 68:158–169, 1994.

Work, T.H. Eastern equine encephalomyelitis. In: Beeson, P.B., W. McDermott, eds. Cecil Textbook of Medicine, 12th ed. Philadelphia: Saunders: 1967.

EBOLA DISEASE

ICD-10 A98.4 Ebola virus disease

ICD-10 A 98.4




```
.Filoriridae
                                                  Filovirus
                      Marburg
80
                                               1.000 - 800
             nucleocapsid
                                                        capsomer
                                                     (
                                                           Reston
   .(CDC, 2000)
                    /
    .1976
                         284
                                       :1976
                                                                   .%53
                          55
                                      %88
                   250
                                                                     318
                                           1.000
                                                     10
                    %56
                                      10
                                                         .(Johnson, 1982)
                  .1977
33
            22
                          .1979
                                                     1976
                                                            850
```

```
325
                                                  1977
                                                          .1976
                    .(Heymann et al., 1980)
    1980
                                                                enzootic
                                                        34:
    315 .1994
                              49 .1979
    425 ,1996
                                       60 31 1995
                                               .2001 - 2000
           .(%81)
                                   1995
                                                            .(%53)
                     2002 - 2001
                                                     1994
                                           .1996
                     .(CDC, 2002)
                          %19:
                                   .(WHO, 1978a)
                                                                     %1
.(Bouree and Bergmann, 1983) %8
                                        reactor
                       64:1
                              4:1
                                   200
                                 (1.024:1 512:1
Ivanoff et al., 1982;)
                                                   .(Knobloch et al., 1982
```

```
4265
                                    %21.3)
            %3.2 .
                                                             %24.4
                                                                .(
                                             Ô
Johnson et
                                                             .al.,) (1993a
            .(%37.5) Aka
(Johnson et al.,
                                     (%13.2)
                                                                 .1993b)
                                     %10.2
(Bertherat et al.,
                                                                  .1999)
                              .(WHO, 2002; Leroy et al., 2000b)
     .(WHO, 1985)
                                 %48
                                                                  %90
                                      melena
```

```
Ô
                                            .(WHO, 1978b)
                                  Ô
            Ô
                          .(WHO, 1985)
                                      .(Sureau, 1989)
 Ô
                           .(Fenner et al., 1993)
                                                                   Langour
                                                         á
                                                   .(Peters et al., 1992)
                                             1.000
                                                        1980
                                               á
Johnaon et)
                                      1977
                                        3
                                184
                                                                 .(al., 1981
                                                           128:1
                                                                    64:1
                         .(Johnson B.k. et al., 1982)
```

```
:1976
        67
                     14
                                                :14 Ô
                        .(WHO, 1978b)
                                                          \hat{O} ) \hat{O}
                         (
                                                  7
                                                              .(WHO, 2000)
                   8
                                                                   .(CDC, 2000)
                                              (4
                              Ô
      Homologous
                                            .(Geisbert et al., 1991)
              G
.(Saijo et al., 2001a; Ksiazek et al., 1999; Saijo et al., 2001b; Ikegami et al., 2002)
reserve-transcription
Drosten et al., 2002, Leroy et al.,)
                                                                         .(2000a
```



.(Simpson, 1978)

Bertherat E., A. Renault, R. Nabias, G. Dubreuil, M.C. Georges-Courbot. Leptospirosis and Ebola virus infection in five gold-panning villages in northeastern Gabon. Am J Trop Med Hyg 60:610–615, 1999.

Bouree, P., J.F. Bergmann. Ebola virus infection in man: A serological and epidemiological survey in the Cameroons. Am J Trop Med Hyg 32:1465–1466, 1983.

Drosten, C., S. Gottig, S. Schilling, M. Asper, M. Panning, H. Schmitz, et al. Rapid detection and quantification of RNA of Ebola and Marburg viruses, Lassa virus, Crimean-Congo hemorrhagic fever virus, Rift Valley fever virus, dengue virus, and yellow fever virus by real-time reverse-transcription-PCR. J Clin Microbiol 40:2323–2330, 2002.

Fenner, F.J., E. Poul, J. Gibbs, F.A. Murphy, R. Rott, M.J. Studdert, D.O. White. Veterinary Virology, 2nd ed. San Diego: Academic Press; 1993.

Geisbert, T.W., J.B. Rhoderick, P.B. Jahrling. Rapid identification of Ebola virus and related filoviruses in fluid specimens using indirect immunoelectron microscopy. J Clin Pathol 44:521–522, 1991.

Heymann, D.L., J.S. Weisfeld, P.A. Webb, K.M. Johnson, T. Cairns, H. Berquist. Ebola hemorrhagic fever: Tandala, Zaire, 1977-1978. J Infect Dis 142:372-376, 1980.

Ikegami T., M. Saijo, M. Niikura, M.E. Miranda, A.B. Calaor, M. Hernandez, et al. Development of an immunofluorescence method for the detection of antibodies to Ebola virus subtype Reston by the use of recombinant nucleoprotein-expressing HeLa cells. *Microbiol Immunol* 46:633–638, 2002. Ivanoff, B., P. Duquesnoy, G. Languillat, et al. Haemorrhagic fever in Gabon. I. Incidence of Lassa, Ebola and Marburg viruses in Haut-Ogooué. Trans R Soc Trop Med Hyg 76:719–720, 1982.

Johnson, B.K., L.G. Gitau, A. Gichogo, et al. Marburg, Ebola and Rift Valley fever virus antibodies in East African primates. Trans R Soc Trop Med Hyg 76:307-310, 1982.

Johnson, E.D., J.P. Gonzalez, A. Georges. Haemorrhagic fever virus activity in equatorial. Africa: Distribution and prevalence of filovirus reactive antibody in the Central African. Republic. Trans R Soc Trop Med Hyg 87:530–535, 1993a.

Johnson, E.D., J.P. Gonzalez, A. Georges. Filovirus activity among selected ethnic groups inhabiting the tropical forest of equatorial Africa. Trans R Soc Trop Med Hyg 87:536–538, 1993b.

Johnson, K.M. African hemorrhagic fevers due to Marburg and Ebola viruses. In: Evans, A.S., ed. Virul Infections of Humans, 2nd ed. New York: Plenum; 1982.

Johnson, K.M., C.L. Scribner, J.B. McCormick. Ecology of Ebola virus: A first clue? J. Infect Dis 143:749–751, 1981.

Kiley, M.P., E.T.W. Bowen, G.A. Eddy, et al. Filoviridae: A taxonomic home for Marburg and Ebola viruses? Intervirology 18:24–32, 1982.

Knobloch, J., E.J. Albiez, H. Schmitz. A serological survey on viral haemorrhagic fevers in Liberia. Ann Virol (Inst Pasteur) 133E:125–128, 1982.

Ksiazek, T.G., C.P. West, P.E. Rollin, P.B. Jarhling, C.J. Peters. ELISA for the detection of antibodies to Ebola viruses. J Infect Dis 179 Suppl 1:S192–198, 1999.

Leroy, E.M., S. Baize, C.Y. Lu, J.B. McCormick, A.J. Georges, M.C. Georges-Courbot, et al. Diagnosis of Ebola haemorrhagic fever by RT-PCR in an epidemic setting. J Med Virol 60:463–467, 2000a.

Leroy, E.M., S. Baize, V.E. Volchkov, S.P. Fisher-Hoch, M.C. Georges-Courbot, J. Lansoud-Soukate, et al. Human asymptomatic Ebola infection and strong inflammatory response. Lancet 355:2210–2215, 2000b.

McCormick, J.B., S.P. Bauer, L.H. Elliot, P.A. Webb, K.M. Johnson. Biologic differences between strains of Ebola virus from Zaire and Sudan. J Infect Dis 147:264–267, 1983. (See also the three articles that follow in this journal.)

Peters, C.J., P.B. Jahrling, T.G. Ksiazek, E.D. Johnson, H.W. Lupton. Filovirus contamination of cell cultures. Dev Biol Stand 76:267–274, 1992.

Saijo M., M. Niikura, S. Morikawa, T.G. Ksiazek, R.F. Meyer, C.J. Peters, et al. Enzyme-linked immunosorbent assays for detection of antibodies to Ebola and Marburg viruses using recombinant nucleoproteins. J Clin Microbiol 39:1–7, 2001a.

Saijo M., M. Niikura, S. Morikawa, I. Kurane. Immunofluorescence method for detection of Ebola virus immunoglobulin G, using HeLa cells which express recombinant nucleoprotein. J Clin Microbiol 39:776–778, 2001b.

Simpson, D.I. Infecciones por virus de Marburgo y Ebola: guía para su diagnóstico, tratamiento y control. Bol Of Sanit Panam 85:54-72. 1978.

Sureau, P.H. Firsthand clinical observations of hemorrhagic manifestations in Ebola hemorrhagic fever in Zaire. Rev Infect Dis 11(Supp 4):S790–S793, 1989.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Ebola hemorrhagic fever. Table showing known cases and outbreaks, in chronological order. Available at www.odc.gov/ncidod/dvrd/spb/mnpages/dispages/ ebotabl.htm. Accessed January 2003.

World Health Organization (WHO). Ebola haemorrhagic fever in Zaire, 1976. Report of an International Commission. Bull World Health Organ 56:271–293, 1978a.

World Health Organization (WHO). Ebola haemorrhagic fever in Sudan, 1976. Report of a WHO International Study Team. Bull World Health Organ 56:247–270, 1978b. World Health Organization (WHO). Viral Haemorrhagic Fevers. Report of a WHO Expert Committee. Geneva: WHO; 1985. (Technical Report Series 721).

World Health Organization (WHO). Ebola haemorrhagic fever. Fact Sheet No. 103. Rev. December 2000. Geneva: WHO; 2000.

ENCEPHALOMYOCARDITIS

B33.8 ICD-10 ICD-10 B33.8 Other specified viral diseases

| 1eb 10 bss | so other specifica virus a | nseases |
|---------------|----------------------------|----------------------|
| | .SK- | : |
| | | MM |
| | | : |
| Pcornaviridne | .Crdiovirus | , |
| capsid | . 30 – 25 | |
| | | .icosahedrally |
| Rhinovirus | Enterovirus | : |
|) Hepatovirus | (|) Aphthovirus |
| | | . (A |
| | | : |
| | | |
| | | |
| : | • | : |
| | | 1946 - 1945 |
| | 44 %38 | .6 |

```
506
                                     3⁄2
                                                         339
                                                     .(Tesh, 1978)
 .(Zimmermon et al., 1991) (131/26) %19.8 (947/33) %3.5
                                 .1981 - 1975
                                                               9
                                                      .(Ramos et al., 1983)
                  104
                                  2.614
                                                 %89.4
.(Zimmerman et al., 1991)
                                          %8.5
                                                                    %13.8
     42
                   635
                            %6.9
                                                    .(Gualandi et al., 1989)
                                                             14
                                                               pleocytoisis
3 - 2
                                                                Ô
                                 5 - 4
```

```
20 - 3
                                              .hydropericarditis
.(Murnane, 1981)
                                                    1970
            277
                                         22
                                               Ô
                           57
                                                               42
       .. (Lavicka et al)
                                            %47.7 %6.6
                                                    .(Gómez et al., 1982)
                                                       mummification
                         135
                                          (%17) 23
              ) litter
                                                       69
                              3
    .liveborn
                                                        23
Links et al.,)
                                                                     .(1986
      .(Dea et al., 1991)
                                                              pneumotropic
```

```
3.060 \, \hat{O}
    80
           baboons
                        22
 Ô
                   .(Hubbard et al., 1992)
(Tesh and )
                                                                 .Wallace, 1978
                                 .(Tesh and Wallace, 1978)
```

```
8 - 6
                                     .(Littlejohns and Acland, 1975)
BHK - 21,)
                                                             .(Vero, HeLa
                                                   pantropic
                                                         .(Joo, 1992)
```

Ô Ô

Acland, H.M., I.R. Littlejohns. Encephalomyocarditis virus infection of pigs. 1. An outbreak in New South Wales. Aust Vet J 51:409–415, 1975.

Andrewes, C.H. Viruses of Vertebrates. Baltimore: Williams and Wilkins; 1964.

Dea, S., R. Bilodeau, R. Sasivageau, G.P. Martineau. Outbreaks in Quebec pig farms of respiratory and reproductive problems associated with encephalomyocarditis virus. J Vet Diagn Invest 3:275–282, 1991.

Gainer, J.H. Encephalomyocarditis virus infections in Florida, 1960–1966. J Am Vet Med Assoc 151:421–425, 1967.

Gainer, J.H., J.R. Sandefur, W.J. Bigler. High mortality in a Florida swine herd infected with encephalomyocarditis virus. An accompanying epizootiological survey. Cornell Ver 58:31–47, 1968.

Gómez, L., M. Lorenzo, J.R. Ramos, M.J. Luya, D. Mayo, T. Giral. Aislamiento del virus de la encefalomiocarditis en una cerda y su feto. Rev Cub Cienc Vet 13:21–24, 1982.

Gualandi, G.L., G. Cammi, G. Cardetti. A serologic survey of encephalomyocarditis virusinfection in pigs in Italy. Microbiologica 12:129–132, 1989.

Hubbard, G.B., K.F. Soike, T.M. Butler, et al. An encephalomyocarditis virus epizootic in a baboon colony. Lab Animal Sci 42:233–239, 1992.

Joo, H.S. Encephalomyocarditis virus. In: Leeman, A.D., B.E. Straw, W.L. Mengeling, S. D'Allaire, D.J. Taylor, eds. Diseases of Swine, 7th ed. Ames: Iowa State University Press; 1902.

Lennette, E.H., N.J. Schmidt. Diagnostic Procedures for Virul and Rickettsial Infections, 4th ed. New York: American Public Health Association; 1969.

Links, I.J., R.J. Whittington, D.J. Kennedy, A. Grewal, A.J. Sharrock. An association between encephalomyocarditis virus infection and reproductive failure in pigs. Aust Vet J 63:150–152, 1986.

Littlejohns, I.R., H.M. Acland. Encephalomyocarditis virus infection of pigs. 2. Experimental disease. Aust Vet J 51:416-422, 1975.

Murnane, T.G. Encephalomyocarditis. In: Beran, G.W. section ed. Section B, Vol. 1: CRC Handbook Series in Zoonoses. Boca Raton: CRC Press; 1981.

Ramos, J.R., L. Gómez, M. Mayo, G. Sánchez. Infecciones causadas por el virus de la encefalomiocarditis en cerdos y otras especies en Cuba, durante los años 1975–1981. Rev Cub Cienc Ver 14:71–77, 1983.

Rhodes, A.J., C.E. van Rooyen. Testbook of Virology for Students and Practitioners of Medicine, 4th ed. Baltimore: Williams and Wilkins: 1962.

Tesh, R.B. The prevalence of encephalomyocarditis virus neutralizing antibodies among various human populations. Am J Trop Med Hyg 27:144–149, 1978.

Tesh, R.B., G.D. Wallace. Observations on the natural history of encephalomyocarditis virus. Am J Trop Med Hyg 27:133–143, 1978.

Warren, J. Encephalomyocaeditis viruses. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man. 4th ed. Philadelphia: Lippincott; 1965.

Zimmerman, J.J., W.J. Owen, H.T. Hill, G.W. Beran. Seroprevalence of antibodies against encephalomyocarditis virus in swine of Iowa. J Am Vet Med Assoc 199:1737–1741, 1991.


| EPIDEMIC POLYARTHRITIS | Ø |
|---------------------------------|----------------|
| ICD-10 B33.1 Ross River disease | ICD-10 B33.1 |
| .exanthema | . : |
| | : |
| .(| A) Alphavirus |
| () | .Togaviridae |
| .(Woodroofe et al., 1977) | |
| . 70 – 60 | |
| | bilayered |
| : Semliki | |
| Bebaru | inya Mayaro |
| | .¹Getah |
| | : |
| | ·1979 Ô |
| . c | cook . |
| | : |
| . 4.705 2000 – 1991 | . 47049 |
|) 1996 7.750 1991 | |
| , | |
| · | |
| | |
| aedes | Ô . vexans |
| | . vexuns |

```
.(
                                               1979
           300.000
630.000
                                                                 50.000
                             .(Miles and Mataika., 1981)
   .(Tesh et al., 1981)
                          31.000
                                                                 13.500
                   :(
            1992
                                              .(Rosen et al., 1981)
 Ô
100.000
            36.4
                                        5.516
                                                         .1993
     100.000
                 139.6
                             100.000
                                        34.1
123
                  1.602
                                       .(WHO, 1994)
                                                                 Ô
                                                 1991
                            á
                                    2.873
                                                  %25
                             %72
%8.5
         1991 - 1981
                                                  .1981
                                                   .(Hawkes et al., 1993)
39 - 30
                                                             Ô
    21
         3
                               9
```

```
°38
                                    Knuckles
                                                                  Ô
                                                                %40
Mudge and)
                                                  5 Ô
     6
            incapacity
                                             .(Aaskov, 1983; Fraser, 1986
                                                 1.196
                             . (Hawkes et al., 1985) 1984 – 1983
                     .Chikungunya
O'nyong
                                             Mayaro
                                                          Barmah
                                                 .Sindbis
                                                                nyong
 Ô
virologic
                                                     .(Gard et al., 1977)
                                              Aedes vigilax
```

| | .A. polnesiensis | |
|----------------------|-----------------------|--------|
| .(Vale et al., 1992) | Ô | (%1.6) |
| | : | |
| | | Norman |
| | | |
| | Ô | |
| | .(Broom et al., 1989) | |
| | | |
| | (1993) | |
| | | |
| | | |
| | .A. tremulus | |
| | | • |
| | | |
| | | |
| | | |
| : . | | |
| . r | nacropods | |
| | | • |
| | · | |
| • | | |
| · | | |
| | • | • |
| | | |

```
100
 Ô
                              .(Rosen et al., 1981)
                                                  Ô
                                                      .(Rosen et al., 1981)
                                  Ô
        .(Tesh et al., 1981)
                                       11.368 Ô
                                                                   M
                                                M
                                                                     .1979
Aaskov et al.,)
                                                                    .(1981
        1
       (1993)
                 .(Miles and Mataika, 1981)
```



Aaskov, J.G., K. Nair, G.W. Lawrence, D.A. Dalglish, M. Tucker. Evidence for transplacental transmission of Ross River virus in humans. Med J Aust 2:20–21, 1981.

Broom, A.K., A.E. Wright, J.S. MacKenzie, M.D. Lindsay, D. Robinson. Isolation of Murray Valley encephalitis and Ross River viruses from Aedes normanensis (Dipteria: Culicidae) in Western Australia. J Med Entomol 26:100–103, 1989. [Cited in Lindsay et al., 1993].

Calisher, C.H., N. Karabatsos. Arbovirus serogroups: Definition and geographic distribution. In: Monath, T.P., ed. Volume 1: The Arboviruses: Epidemiology and Ecology. Boca. Raton: CRC Press; 1988, cited in Harley D., A. Sleigh, S. Ritchie. Ross River virus transmission, infection, and disease: A cross-disciplinary review. Clinical Microbiology Reviews 4:909–932, 2001.

Communicable Diseases Network Australia, National Notifiable Diseases Surveillance Network System. Notifications of Ross River virus infection received by State and Territory health authorities in the period of 1991 to 2001 and year-to-date notifications for 2002, by year and month. Accessed 9 December 2002 at www.health.gov.au/pubhlth/cdi/nndss/year902.htm.

Doherty, R.L., J.G. Carley, J.C. Best. Isolation of Ross River virus from man. Med J Aust 1:1083–1084, 1972.

Fraser, J.R. Epidemic polyarthritis and Ross River virus disease. Clinics Rheum Dis 12:369-388, 1986.

Gard, G.P., I.D. Marshall, K.H. Walker, H.M. Acland, W.G. Sarem. Association of Australian arboviruses with nervous disease in horses. Aust Vet J 53:61–66, 1977.

Hawkes, R.A, C.R. Boughton, H.M. Naim, N.D. Stallman. A major outbreak of epidemic polyarthritis in New South Wales during the summer of 1983/84. Med J Aust 143:330–333, 1985.

Hawkes, R.A., J. Pamplin, C.R. Boughton, H.M. Naim. Arbovirus infections of humans in high-risk areas of south-eastern Australia: A continuing study. Med J Aust 159:159–162, 1993.

Lindsay, M.D., A.K. Broom, A.E. Wright, C.A. Johansen, J.S. Mackenzie. Ross River virus isolation from mosquitoes in arid regions of Western Australia: Implication of vertical transmission as a means of persistence of the virus. Am J Trop Med Hyg 49:686–696, 1993.

Mackenzie, J.S., A.K. Broom, C.H. Calisher, M.J. Cloonan, A.L. Cunningham, C.A. Gibson, et al. Diagnosis and reporting of arbovirus infections in Australia. Arbovirus Res Aust 6:89:93, 1993, cited in Harley D., A. Sleigh, S. Ritchie. Ross River virus transmission, infection, and disease: A cross-disciplinary review. Clinical Microbiology Reviews 4:909–932, 2001.

McIntosh, K. Diagnostic virology. In: Fields, B.N., D.M. Knipe, and P.M. Howley, eds. Volume I: Fields Virology, 3rd ed. Philadelphia: Lippincott-Raven, 1996, cited in Harley D., A. Sleigh, S. Ritchie. Ross River virus transmission, infection, and disease: A cross-disciplinary review. Clinical Microbiology Reviews 4:909–932, 2001.

Miles, J.A., J.U. Mataika. On the spread of Ross River virus through the islands of the Pacific. In: Fowler, M.E., ed. Wildlife Diseases of the Pacific Basin and Other Countries. Proceedings of the 4th International Conference of the Wildlife Disease Association, Sydney, Australia, August 25–28, 1981. Lawrence: Wildlife Disease Association; 1981.

Modge, P.R., J.G. Aaskov. Epidemic arthritis in Australia, 1980–1981. Med J Aust 2:269–273, 1983.

Rosen, L., D.J. Gubler, P.H. Bennet. Epidemic polyarthritis (Ross River) virus infection in the Cook Islands. Am J Trop Med Hyg 30:1294–1302, 1981.

Tesh, R.B. Arthritides caused by mosquito-borne viruses. Annu Rev Med 33:31-40, 1982.

Tesh, R.B. Undifferentiated arboviral fevers. In: Warren, K.S., A.A.F. Mahmoud, eds. Tropical and Geographical Medicine. New York: McGraw-Hill; 1984.

Tesh, R.B., R.G. McLean, D.A. Shroyer, C.H. Calisher, L. Rosen. Ross River (Togaviridae: Alphavirus) infection (epidemic polyarthritis) in the American Samou. Trans R Soc Trop Med Hyg 75:426–431, 1981.

Vale, T.G., M.L. Dowling, M.J. Cloonan. Infection and multiplication of Ross River virus in the mosquito vector Aedes vigilax. Aust J Zool 40:35–41, 1992. [Cited in Lindsay et al., 1993].

Woodroofe, G., I.D. Marshall, W.P. Taylor. Antigenically distinct strains of Ross River virus from north Queensland and coastal New South Wales. Aust J Exp Biol Med Sci 55:79–97, 1977.

World Health Organization. Ross River virus infection. Wkly Epidemiol Rec 69:98–99, 1994.

C FEVER CAUSED BY GROUP C BUNYAVIRUSES

ICD-10 A93.8

ICD-10 A93.8 Other specified arthropod - borne fevers

| | serc | ogroup | | | | | • |
|----------|------------|---------|-----|---------|-----------|------------------|--------------|
| 100 - | 90 . | | • | | | .8 | Bunyaviridae |
| | В, А | | | | | C | • |
| | C | | 4 | 4 | • | | |
| | Br | ruconha | | | | | |
| (Mei | lanoconion | |) | | | | |
| | | | | .(Calis | sher et a | <i>l</i> ., 1983 |) Sacchattae |
| • | | C | | | | : | |
| | | | | | | | native |
| | | | | | | | |
| | .(| |) | | | | |
| Caraparu | | | | | 50 | | : |
| | | | | | | .Oribo | oca |
| Ô | 534 | | 102 | | : | (|) |
| | : | | | | | | |
| | | 83 | | | • | | .Murutucu |
| | 12 . | | | | Ô | | |
| 0 | | : | | • | | | |
| 9 | | | | • | | | |

191 C

| | | • | | |
|--|------------------------|----------------|------------|---------------------------|
| | | | | |
| .(Iverss | on <i>et al.</i> , 198 | 7) | | |
| | C | :4 | | |
| | | | | |
| | Ossa | | | |
| | | Apeu | Ô | Caraparu |
| | | | N | Iarituba |
| | Restan | Nepuyo | | |
| Gumbo I | Limbo | | | |
| | | | | |
| | | | C | riboca |
| | | Itaqui | | |
| Berg, T.O., ed International Catalog | gue of Arbovin | nisas Includin | a Cartain | Other ' |
| Viruses of Vertebrates, 2 nd ed. At | | | | |
| | | | | erer <i>et al.</i> , 1983 |
| | | | : | |
| . : | . 6 – | 2 und | differenti | ated |
| | | Ô | • | |
| • | | | | |
| | | | .(|) |
| | | | : | |
| (| | |) s | loth |
| | | | • | |


:(14)

Proechimys guyannensis:

.Zygodontomys, oryzomys:

Melanoconion () .culex

. portesi . vomerifer



VERO

ÔÔ

Buckley, S.M., J.L. Davis, J. Madalengoitia, W. Flores, J. Casals. Arbovirus neutralization tests with Peruvian sera in VERO cell cultures. Bull World Health Organ 46:451–455, 1972.

Calisher, C.H., T.L. Coimbra, O. de S. Lopes, et al. Identification of new Guama and Group C serogroup bunyaviruses and an ungrouped virus from Southern Brazil. Am J Trop Med Hyg 32:424–431, 1983.

Casals, J., D.H. Clarke. Arboviruses other than group A and B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Iversson, L.B., A.P. Travassos da Rosa, T.L. Coimbra, I.B. Ferreira, E. da S. Nassar. Human disease in Ribeira Valley, Brazil, caused by Caraparu, a group C arbovirus: Report of a case. Rev Inst Med Trop Sao Paulo 29:112–117, 1987.

Jonkers, A.H., L. Spence, W.G. Downs, T.H. Aitken, C.B. Worth. Arbovirus studies in Bush Bush Forest, Trinidad, W.I., September 1959–December 1964. VI. Rodent-associated viruses (VEE and agents of group C and Guama): Isolations and further studies. Am J Trop Med Hyg. 17:285–298, 1968.

Karabatsos, N., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 3rd ed. San Antonio: American Society for Tropical Medicine and Hygiene; 1985.

Scherer, W.F., R.W. Dickerman, J.V. Ordofiez. Enfermedad humana causada por el virus Nepuyo, un bunyavirus de Mesoamérica transmitido por mosquitos. Bol Of Sanit Panam 95:111–117, 1983.

Spence, L., A.H. Jonkers, L.S. Grant. Arbovirus in the Caribbean Islands. Progr Med Virol 10:415–486, 1968.

FOOT-AND-MOUTH DISEASE

ICD-10 B08.8

ICD-10 B08.8 Other specified viral infections characterized by skin and mucous membrane lesions

| . hoof | .(aftosa, A | (aftosa, Aphthosis) | | |
|-----------------|-------------|---------------------|------------|--|
| .conta | gious | .epizootic | aphthae | |
| | | | : | |
| .Picornaviridae | ; | | aphtovirus | |
| capsid | | 30 – 20 | | |
| .solvents | detergents | | | |

194

```
VP1, VP2, VP3,
                                                                       60
                                              .capsomere
                                                                        .VP4
                       VP4
                                                               VP1
                                                                     nucleoid
SAT<sub>3</sub>, ASIA1 C, O, A SAT<sub>1</sub>, :
           antigenic plasticitity
                                                                       SAT<sub>2</sub>,
                                                                      mutate
                                 C, O, A
                           1962
              SAT_1
                                                                         SAT
           :1970
                1973
                                               ASIA1
                           (Pereira, 1981)
                                 .(FAO, 1985) (
                                                                        1984
                          O Pan Asia
                                                                   .1990
                  :1998
                                1996
                                                                       :2000
                     Ô.
                                                                 1908 1934
```

2001 - 2000

```
2001 2000
2001
               20
                    1981
                             <sup>2.026</sup> Ô
                                                         26)
                           6
                          27.000
                                          1.9
                     2001 / 22 Ô
%99.96
               %99.8
               Ô Ô
                                              .1992
                                                 :2003 Ô
OIE,)
                                                      .(2003
```

```
161
                                                          766
                  1990
                                                1999
                            (PAHO, PANAFTOSA, 2000) 1994
                                                      .2001 2000
           2.126:
                           2001
                        81 O
        A
                                                            A
                                               7.
          O
                               5.
                                            A
                                                                  15
                                                                  15
                                           O
                                        61
                                                    .2001
                                                        :2003
                                             42
                                                    Ô
             .(OIE, 2003)
                                       2002 \hat{O}
                                     .(OIE, 2003)
.2003 (OIE, 2003)
                                                         Ô
                  .(FEDSA, 2001)
                   A22
                                   01
```

```
22 0
   .2001 2000
                           1992 - 1991
                          O1
O SAT_2, SAT_1, A
                           Ô
     .(OIE, 2003)
                      / Ô .ASIA1, C, O, A :
     :2003
                   (OIE, 2003)
                                              40
                                              Ô
```

```
.enzootic
                       panzootic <sup>2</sup>
                      exotic
                            inactive (
.(Cases Olascoaga et al., 1982)
            (endenopidemic
                      Ô
        4 - 2
                  .(
                                                       :panzootic
                                                                        .2
```

Ô á (1962)aphthae .(C O $/10^{-3.3}\ LD_{50}$ /10-6.5 Ô Ô 7 .(Pilz and Garbe, 1965) O .1965 - 1960 °38 C Ô .(Eisner et al., 1967) Ô (1967)(1967)

3 cytopathic O. 10^{6.8} ID .%50 TCID₅₀ $30 \hat{O}$ · Ô 36 .cytopathogenic O (Meléndez, 1961) 416.000 TCID ID 61 .C O. 21 15 .A .(Wetterlein, 1954) C 13 O A cloven-hoofed

Ô Ô · Ô Ô 48 aphtha interdigital band 3 – 1 2 - 1 %5 %4 %2 %1 Ô

```
Ô
                                                         snout
     22.000
               %10
                                              :1924
(Erinaceus europaeus)
                                          overwinter (
                      .(Hedger, 1981)
                                               (Syncerus caffer)
                                          bovid
```

| . 5 O - | | . #9 81) |
|---------------------|--------|------------------|
| | | : |
| | | |
| prodromal | Ô | 5 – 3 |
| prodromar | U | aphthae |
| 10 0 | ahiata | ,aphthac |
| 10 – 8 | abiate | |
| | | |
| | | • |
| • | | |
| • | | |
| Ô . 4-1 Ô | | |
| | | |
| | | |
| | | |
| | | |
| . () | | |
| | | · |
| • | | |
| • | • | (Dura lada 1002) |
| • | , | (Brooksby, 1982) |
| | | , |
| .(Callis, 1979) °85 | 4 | Ô |
| | • | |

.offal Ô (Brooksby, 1982) .probang .(Brooksby, 1982) .(1993) 2.5

```
.(Anderson et al., 1974)
                                      %3.34 %0.49
                                    %42
       %32
                                                .VIA^3
        (Mathias et al., 1981)
                                                               7
                                             â
tangentially
                                                  Ô
      (Saiga tatarica)
                                                    .1967
             (Syncerus caffer)
       .(Hedger, 1981)
         :virus-infection -associated
                                                          :VIA
                                                    Ô
                 6
```

48 14 á .(Hyslop, 1970) .probang 15 24 48 transfer .(Sellers et al., 1971) .(Sellers et al., 1971) inoculation

| . 4 ia n | | Ô | | Ô | | | |
|-------------------|---|--------------|---------|---------|-------|---------|------|
| ô · | | | Ô | | | | Ô |
| • | | Ô | | Ô | | | .() |
| crowther and Abu) | • | .(I | Elzein, | 1979; (| Gomes | et al., | 1989 |
| (): | Ô | | .(|) |) | : | |
| calicivirus . | | A | | | | Ô | .4 |
| .(Oden hal, | | | | | | : | |
| | | (Karstad, 19 | 981) | | | | |

| | (|). | | | | | • | • | | |
|---|------|-----|-------|---------|----------|---------|-------------|-----|-------|-----|
| | | | () . | | | | | | | |
| | | | | | | | | | | |
| • | | | | | | | | : | | |
| | | | • | | | | · : | | | |
| | | | | | | | | Ô | | |
| • | | | | | • | 3 | | .1 | ivest | ock |
| Ô | | | • | | | | .1992 | 2 B | | |
| | %100 | | • | | | • | | | | |
| | | | | | | | | | | |
| | | | 6 | | | | | | | |
| | • | | | .(Bahne | emann ai | nd Mesq | uita, 1987) |) | • | |
| | 90 | 30 | | | | | | | | |
| | | .21 | | | | | | | | 30 |
| | | | | | | | | 30 | 3 | |

Acha, P.N. Epidemiology of FMD in South America. In: Pollard, M., ed. Foot-and-Mouth Disease. Notre Dame: Indiana; 1973.

Anderson, E.C., W.G. Doughty, J. Anderson. The effect of repeated vaccination in an enzootic FMD area on the incidence of virus carrier cattle. J Hyg (Lond) 73:229–235, 1974. Armstrong, R., J. Davie, R.S. Hedger. FMD in man. Brit Med J 4:529–530, 1967.

Bachrach, H.L. Foot-and-mouth disease. Annu Rev Microbiol 22:201-244, 1968.

Bahnemann, H.G., J.A. Mesquita. Vacuna antiaftosa con adyuvante oleoso. Bol Cen Panam Fiebre Aftosa 53:19–24, 1987. Bittle, J.L., R.A. Houghten, H. Alexander, et al. Protection against FMD by immunization with chemically synthesized peptide predicted from the viral nucleotide sequence. Nature 298:30–33, 1982.

Bohm, H.O. Die Maul-und-Keluenseuche als Erkrankung des Menschen. Fortschr Ver Med 17:140–144, 1972.

Brooksby, J.B. FMD in man: Notes on a recent case. Proc Annu Meet US Anim Health Assoc 71:300–302, 1967.

Brooksby, J.B. Wild animals and the epizootiology of foot-and-mouth disease. In: McDiarmid, A., ed. Diseases in Free-living Wild Animals: The Proceedings of a Symposium Held at the Zoological Society of London on 9 and 10 May 1968. New York: Academic Press; 1969.

Brooksby, J.B. Portraits of viruses: FMD virus. Intervirology 18:1-23, 1982.

Cadena, J., J. Estupiñán, eds. La fiebre aftosa y otras enfermedades vesículares en Colombia. Bogotá: Instituto Colombiano Agropecuario; 1975. (Boletín Técnico 32).

Callis, J.J. Foot-and-mouth disease: A world problem. Proc Annu Meet US Anim Health Assoc 83:261–269, 1979.

Casas Olascoaga, R., F.J. Rosenberg, V.M. Astudillo. Situación de las enfermedades vesiculares en las Américas, 1981. In: Sociedad de Medicina Veterinaria, ed. Actas, 3^{ec} Congreso Nacional de Veterinaria. Montevideo: Sociedad de Medicina Veterinaria; 1982.

Casas Olascoaga, R., P. Augé de Mello, I. Bergmann. Perspectivas para nuevas vacunas en. América Latina y eu el Caribe. Bol Cent Panam Fiebre Aftosa 54:7–20, 1988.

Crowter, J.R., E.M. Abu Elzein. Application of the enzyme-linked immunosorbent assay to the detection and identification of FMD viruses. J Hyg (Lond) 83:513–519, 1979.

Dawson, P.S. The involvement of milk in the spread of foot-and-mouth disease: An epidemiological study. Vet Rec 87:543–548, 1970.

Diego, A.I. de. La fiebre aftosa como zoonosis. Rev Med Vet (B Aires) 55:119–135, 1974.
Eisner, G., H.O. Böhm, E. Jülich. Un caso de fiebre aftosa en el hombre. Dr Med Wschr
92:830–832, 1967.

European Federation of Animal Health (FEDESA). Foot and mouth disease (FMD). Background information. Prepared for the International Conference on the Prevention and Control of Foot & Mouth Disease, Brussels, 12–13 December 2001. Available at www.fedesa.be/Medicines/FMD2.PDF. Accessed 10 January 2003.

Food and Agriculture Organization of the United Nations (FAO), International Office of Epizootics, World Health Organization. Animal Health Yearbook, 1994. Rome: FAO: 1985.

Fernández, M.V. Ultimos avances en vacunas contra la ficbre aftosa. Bol Centro Panam Fiebre Aftosa 8:1-14, 1972.

Fletch, A.L. Foot-and-mouth disease. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals. Ames: Iowa State University Press; 1970.

Gailiunas, P., G.E. Cottral. Survival of FMD virus in bovine hides. Am J Vet Res. 28:1047–1053, 1967.

Gierloff, B.C., K.F. Jacobsen. On the survival of FMD in frozen bovine semen. Acut Ver Scand 2:210–213, 1961.

Gomes, M.P., M.S. Söndahl, M.A. Martins, R. Casas Olascoaga, R. Alonso. Aplicación de la técnica inmunoenzimática (ELISA) para el diagnóstico de los virus de la fiebre aftosa y estomatitis vesicular en comparación con la prueba de fijación del complemento. Bol Cent Panam Fiebre Aftosa 55:15–19, 1989.

Hedger, R.S. Foot-and-mouth disease. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals, 2nd ed. Ames: Iowa State University Press; 1981.

Hyslop, N.S. The epizootiology and epidemiology of foot and mouth disease. Adv Ver Sci Comm Med 14:261-307, 1970.

Hyslop, N.S. Transmission of the virus of FMD between animals and man. Bull World Health Orean 49:577-585, 1973. Karstad, L. H. Miscellaneous viral infections. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals, 2nd ed. Ames: Iowa State University Press; 1981.

Manninger, R. Enfermedades infecciosas. In: Hutyra, F.V., J. Marek, R. Manninger, Patología y terapéuticas especiales de los animales domésticas, 8.º ed. Barcelona: Labor, 1948.

Mathias, L.A., E.C. Moreira, F.J. Rosenberg, J.A. Obiaga. Estudio serológico de fiebre aftosa en bovinos procedentes del Pantanal matogrosense, Branil. Bol Cent Panam Fiebre Aftosa 41–42:3–8, 1981.

Meléndez, L. Aislamiento e identificación de virus de fiebre aftosa procedente de vesículas en la epidermis de un ser humano. Bol Of San Passant 50:135-137, 1961.

Mello, P.A., V. Astudillo, I. Gomes, T.C. García. Aplicación en el campo de vacuna antiaftosa oleosa e inactivada: vacunación y revacunación de bovinos jóvenes. Bol Cent Puncon Fiebre Afrosa 19–20:31–38, 1975.

Odend'hal, S. The Geographical Distribution of Animal Viral Diseases. New York: Academic Press; 1983.

Organización Panamericana de la Salud (OPS), Centro Panamericano de Fiebre Aftosa, Plan de acción a seguir en caso de un brote de fiebre aftosa. Río de Janeiro: Centro Panamericano de Fiebre Aftosa; 1966. (Publicación Especial 671).

Organización Panamericana de la Salud (OPS), Centro Panamericano de Fiebre Aftosa. Situación de los programas de control de la fiebre aftosa, América del Sur, 1992. In: OPS, 8.º Reumión Interamericana a Nivel Ministerial, Washington, DC, 24–29 abril de 1993. Washington, D.C.: OPS; 1993. (RIMSA 8/20).

Ouldridge, E.J., M.J. Francis, L. Black. Antibody response of pigs to FMD oil emulsion vaccine: The antibody classes involved. Res Ver Sci 32:327–331, 1982.

Pereira, H.G. Foot and-mouth disease. In: Gibbs, E.P.J., ed. Volume 2: Virus Diseases of Food Animals: A World Geography of Epidemiology and Control. New York: Academic Press, 1981.

Pilz, W., H.G. Garbe, W. Beck. Einige neue Falle von Manil-und Klauenseuche beim Menschen. Vet Med Nachr 4:224–229, 1962.

Pilz, W., H.G. Garbe. Weitere Falle von Maul-und Klauenseuche-MKS-Infektionen beim Memchen. Zentralbl Bakteriol Parasitenk Infektionakr Hyg. I Abt Orig A 198:154–157, 1965.

Rosenberg, F.J. El conocimiento de la epidemiología de la fiebre afiosa con particular referencia a Sudamérica. Río de Janeiro: Organización Panamericana de la Salud, Centro Panamericano de Fiebre Afiosa; 1975. (Monografías Científicas Técnicas 5).

Rosenberg, F.J., R. Goic. Programas de control y prevención de la fiebre aftosa en las Américas. Bol Cent Panam Fiebre Aftosa 12:1–22, 1973.

Sadir, A.M., A.A. Schodel, O. Laporte, M. Braun, R.A. Margni. Response to FMD vaccines in newborn calves. Influence of age, colostral antibodies and adjuvants. *Epidemiol Infect* 100:135–144, 1988.

Salt, J.S. The carrier state in foot-and-mouth disease: An immunological review. Br Vet J 149:207–223, 1993.

Sellers, R.F., K.A. Herniman, J.A. Mann. Transfer of FMD virus in the nose of man from infected to non-infected animals. Ver Rec 89:447-449, 1971.

Wetterlein, W. Das Klinische Bild des Maul-und-Klauenseuche beim Menschen, aufgestellt aus den bisher experimentell gesicherten Erkrankungen. Arch Exp Ver Med 8:542–564, 1954. Cited in: Pilz, W., H.G. Garbe, W. Beck. Einige neue Falle von Maul-und Klauenseuche beim Menschen. Ver Med Nachr 4:224–229, 1962.

World Organization for Animal Health. Foot-and-mouth disease. Available at www.oie.int/eng/info/en_fmd.htm. Accessed 10 January 2003.

HERPES SIMPLEX (TYPE 1) (1)

ICD-10 B00.1

| ICD- | ·10 B00.1 Herpesv | irai vesicular dermatitis | |
|---------------------|-------------------|---------------------------|----------------|
| human herpesvirus, | human Herpesvii | rus | : |
| | | | (2 1) |
| SI | ubfamily | | : |
| .Herpesvii | ridae | Alphaherpesv | irinae |
| nucleocapsid | | | |
| | 200 180 | · Ô | |
| 2 | 1 : | | Ô |
| | | • | |
| . 1 | : | | . 2 |
| | | | . 2 |
| | | .herj | pesvirus simie |
| : | | | |
| Hilliard et al.,) 1 | | | 2 1 |
| • | | | .(1989 |
| _ | | - | |
| | .2 | 1 | |
| | | chorioallantoic | |
| | . 1 | 0.40 | . °40 |
| • | | . °40 | |

213 (1)

```
.latency (
                                 %90
                                          %70
            · Ô
owl
                                                                         1
                                                         (Aotus trivirgatus)
Hylobates)
                                         84
                                                        6
                                                                      .(lar
                     (Smith et al., 1969)
                                                         84
                                                               16
                       (Emmons, 1983)
.(McClure et al., 1972)
                                                              (Tupaia glis)
                                 Ô).
Pan)
               Ô
                                                     6
                       (Pan paniscus)
                                                                (trolodytes
        Ô
                                                                6
         (McClure et al., 1980)
                                                   .2
```

```
12 – 2
%10
                                            (Benenson, 1990)
                  .latency (
                              (sensitive
             (Hirsch, 1991)
                                                       (blister
.vidarabine
                             Ô
   7 – 4
```

215 (1)

```
speckled
                                                             .(
                                        cytopathic
.(Berría, 1991)
                                                                    M
```

ICD 10 B00 4

Ô Ô

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 1990.

Berría, M.I. Familia Herpetoviridae. In: Carballal, G., J.R. Oubiña, eds. Virología médica. Buenos Aires: El Ateneo; 1991.

Emmons, R.W. Earlier reports dealing with Herpesvirus hominis. [Letter]. J Am Vet Med Assoc 182:764, 1983.

Hilliard, J.K., D. Black, R. Eberle. Simian alphaherpesviruses and their relation to the human herpes simplex viruses. Arch Virol 109:83-102, 1989.

Hirsch, M.S. Herpes simplex virus. In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc.; 1990.

McClure, H.M., M.E. Keeling, B. Olberding, R.D. Hunt, L.V. Meléndez. Natural Herpesvirus hominis infection of tree shrews (Tupaia glis). Lab Anim Sci 22:517-521, 1972.

McClure, H.M., R.B. Swenson, S.S. Kalter, T.L. Lester. Natural genital Herpesvirus hominis infection in chimpanzees (Pan troglodytes and Pan paniscus). Lab Anim Sci 30:895–901, 1980.

Melendez, L.V., C. Espana, R.D. Hunt, M.D. Daniel, F.G. Garcia. Natural herpes simplex infection in the owl monkey (Actus trivirgatus). Lab Anim Care 19:38–45, 1969.

Smith, P.C., T.M. Yuill, R.D. Buchanan, J.S. Stanton, V. Chaicumpa. The gibbon (Hylobates lar): A new primate host for Herpesvirus hominis. I. A natural epizootic in a laboratory colony. J Infect Dis 120:292–297, 1969.

HERPESVIRUS SIMIAE

ICD-10 R00 4 Hernetic encenhalitis


| 10D 10 Door Herpetic encephantis | | TCD TO BOOM |
|---|----------------|-------------|
| .В | .B | : |
| Ĉ Herpesvirus Simiae | | : |
| | .Herpesvirus 1 | 3 |
| .Herpes Simplex | : | : |
| | : | |
| | : | . Macacca |
| | .SA-8 | |
| (Cercopithecus aethiops $\hat{\mathcal{O}}$ |) | |

```
.(papio
                               25
                                                    .1934
                                                               1957
                            .1987 Ô
                                                      1973
            :1989
                        .(Holmes et al., 1990)
    (CDC, 1989)
                                                    1991
    .(Weigler, 1992)
                                                 (mulatta
                            %10
                   .%20
                           %100
                                    %90
                          (M. arctoides
(M. cyclopis \hat{O}
            – (M. radiata
                                          ) (M. fuscata \hat{O}
             %11.2
```

```
3
                                                                   9⁄3
                      %16.6 .
                                                                  %4.2
                      .(Rawls, 1979)
                                                     irus
                                                                  %35
Hutt et al.,)
                                                                 .(1981)
   .(Papio )
                                                           SA-8
                                    %15
                                         .(Rawls, 1979)
           Ô
                                      Ô
5
      5
              .(1990)
                                         .(Rawls, 1979)
                         21 - 3
```

```
.Acyclovir
                                               .(Weigler, 1992) ganciclovir
332
                            14.400
                          .(Keeble, 1960)
                       14 - 7
   (M. fasciciluris
capuchin
                                            (Cebus
                          ) marmoset
     Ô
```

220



.

flask .(Weigler, 1992)

ilask (Weighti, 1)

Ô 18 .(CDC, 1987; Holmes et al., 1990) 3 138 . 21: 159 .(Holmes et al., 1990) Ô - in situ .(Weigler, 1992; Scinicariello et al., 1993) cytopathic

.(4

.1

dot immunobinding


psoralen Ô


Heberling) .

.(and Kelter, 1987

. SA-8

.(Kalter et al., 1978; Hutt et al., 1981)





Bouher, E.A., B. Thornton, D.J. Bauer, A. Bye. Successful treatment of experimental B virus (Herpesvirus simiae) infection with acyclovir. Br Med J 280:681–683, 1980.

Ô

5

Boulter, E.A., H.T. Zwartouw, B. Thornton. Postexposure immunoprophylaxis against B virus (Herpesvirus simiae) infection. Br Med J (Clin Res Ed) 283:1495–1497, 1981.

Heberling, R.L., S.S. Kalter. A dot-immunobinding assay on nitrocellulose with psoralen inactivated Herpesvirus simiae (B virus). Lab Anim Sci 37:304–308, 1987.

Holmes, G.P., J.K. Hilliard, K.C. Klontz, et al. B virus (Herpesvirus simiae) infection in humans: Epidemiologic investigation of a cluster. Ann Intern Med 112:833–839, 1990.

Hunt, R.D., L.V. Melendez. Herpes virus infections of nonhuman primates: A review. Lab Anim Care 19:221–234, 1969.

Hutt, R., J.E. Guajardo, S.S. Kalter. Detection of antibodies to Herpesvirus simiae and Herpesvirus hominis in nonhuman primates. Lab Anim Sci 31:184–189, 1981.

Kalter, S.S., R. Hutt, J.E. Guajardo, R.L. Heberling, T.L. Lester, L.C. Pleasant. Serodiagnosis of herpesvirus infection in primates. Dev Biol Stand 41:235–240, 1978.

Keeble, S.A. B virus infection in monkeys. Ann NY Acad Sci 85:960-968, 1960.

Keeble, S.A. B virus infection in man and monkey. In: Graham-Jones, O., ed. Some Diseases of Animals Communicable to Man in Britain: Proceedings of a Symposium Organized by the British Veterinary Association and the British Small Animal Veterinary Association, London, June 1966. Oxford: Pergamon Press; 1968.

Kissling, R.E. Herpes virus. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas: 1975.

Love, F.M., W.C. Stone. Virus B infection. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals. Ames: Iowa State University Press: 1970. Perkins, F.T. Precautions against B virus in man. In: Graham-Jones, O., ed. Some Diseases of Animals Communicable to Man in Britain; Proceedings of a Symposium Organized by the British Veterinary Association and the British Small Animal Veterinary Association, London, June 1966. Oxford: Pergamon Press; 1968.

Rawls, W.E. Herpes simplex virus types 1 and 2 Herpesvirus simiae. In: Lennette, E.H., N.J. Schmidt, eds. Diagnostic Procedures for Viral, Rickettsial and Chlamydial Infections, 5th ed. Washington, D.C.: American Public Health Association; 1979.

Scinicariello, F., R. Eberle, J.K. Hilliard. Rapid detection of B virus (Herpesvirus simiae) DNA by polymerase chain reaction. J Infect Dis 168:747–750, 1993.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). B-virus infection in humans: Pensacola, Florida. MMWR Morb Mort Wkly Rep 36:289–290, 295–296, 1987.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). B virus infections in humans: Michigan. MMWR Morb Mort Wkly Rep 38:453–454, 1989.

Weigler, B.J. Biology of B virus in macaque and human hosts: A review, Clin Infect Dis 14:555–567, 1992.

Weigler, B.J., D.W. Hird, J.K. Hilliard, N.W. Lerche, J.A. Roberts, L.M. Scott. Epidemiology of cercopithecine herpesvirus 1 (B virus) infection and shedding in a large breeding cohort of rhesus macaques. J Infect Dis 167:257–263, 1993.

ILHEUS FEVER

ICD-10 A93.8

ICD-10 A93.8 Other specified arthropod-borne viral fevers

| В |) Flavivirus |
|---|-----------------|
| | .Flaviviridae (|

368 (%21) 76

.(Prías-Landínez et al., 1968)

| | | | 9 .0 | ncolysis | | |
|-------|---|----------|------|----------------|---------------------|---|
| | Ô | Aedes | . (| :) Psoropi | Ĉ .(Cebus hora : |) |
| Ferox | | .A. serr | · | | | |
| | Ô | Ô | | · Ô | | |
| | | | | | : | |
| | | | ô ô | | · Ô | |

Clarke, D.H., J. Casals. Arboviruses: group B. In: Horsfall, F.L., I. Tamm, eds. Virul and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Fernández, A.S., N.E. Mettler. Virus Ilheus, presencia de anticuerpos en bovinos de la provincia de Buenos Aires. Ver Argentina 2(13):282-285, 1985.

Karabatsos, N., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrutes, 3rd ed. San Antonio: American Society for Tropical Medicine and

Hygiene; 1985. Prias-Landinez, E., C. Bernal-Cubides, A. Morales-Alarcón. Isolation of Ilheus virus from man in Colombia. Am J Trop Med Hyg 17:112-114, 1968. Prier, J.E. Basic Medical Virology. Baltimore: Williams & Wilkins; 1966. **INFLUENZA** Ô ICD-10 J10.1 ICD-10 J10.1 Influenza with other respiratory manifestations, influenza virus identified) Grippe Orthomyxo-.A .B .C : .viridae (H) hemgglutinin .(N) neuraminidase .(WHO, 1980) (N9 N1) 9 (H14 H1) 14 :A (2) (C B A: (3) (**(4)** duck 1963

.A/duck/Ukraine/1/63 (H3N8)

100

```
.(M1 .M2)
                                     (M)
(NP) nucleoprotein
                                                 .helicoidal
  Ô
                                 M1
                                                                 В
          .A
                                                             .A
Fenner et al.,)
                                                                   .(1993
.H .N
                                                        Ô
                                        H .N
                                                         100
                           .(Shortridge, 1982)
                                                       A
                                 A
                 Phylogenetic
  Ô
                   .(Webster et al., 1992)
                                          (N9 H14
                       В.С
                                        .B
                C
                                      15
                                                  :1981
                          .(Gno et al., 1983)
                                                      Ô
   .(Kawano et al., 1978; Mannguerra et al., 1992)
1989 - 1988
                                           134
```

```
%32
                                      C
Vibrio


    cholerae
                            A
                               C/Ann Arbor/1/50
                .(Homma, 1986)
                                                10
                                                          В
                                                    (%3.2) 16
1.030
        (%0.1) 1
                          .В
                                             504
                                       A
                                              Ô
                                         H .N
A
                     .(Kaplan, 1982)
                                        Ô
      .(Laver et al., 1984)
                                                  В
             .A
                                                          \mathbf{C}
                                            (1968 1957 1918
                        .A
A
                . A
                                                          В
```

```
1986 - 1985
                                                 .B
                             .1969 - 1968
                                             В
                                                                Ô
                                        Ô
.B
                                                          (H3N2) A
       В
                                                            Ô
           .(WHO, 1987)
                                             C
          .1919 - 1918
                                                         21
           .H1N1
                    .H3N2
                                    1889
                                                 .interim
                 .%40
                         %15
   .(Flu
                          ) H2N2
                 Ô
                                           1958 - 1957
                                                 70
                                                                  5
       Ô
                                                         %30
                     .%70
                      62.000
                                                  .1958 - 1957
         ) H3N2
                         1969 - 1968
                                             Ô
                                            (A/Hong kong/68 (H3N2)
      1977
                                                             27.900
```

```
HN
                    H1N1 .H3N2
                                                    H3N2
                                                    39
.Н
                Ô
                                      H1N1
                                                               .N
    .(Knez, 1991) Ô
                              6 – 5
(Betts
                                                .and Douglas, 1990)
                             5
                   .9
                                          Ô
                                                        12
:1994 - 1993
              Flu
                    Ô
                                                    3.963
                               Ô
                       .B
                                                     (%99.9) 3.959
                                     4 A
     Ô
                                  .B
                                           (H3N2) A
         (H1N1) A
                                                       1994 - 1993
CDC,)
                       (H3N2) A
                                                            .(1994
                                                     :1994 - 1993
                         A/Beijing/32/92
                                                 A/shangdong/9/93
                                     Ô
                    Α
```

```
.H1N1 .H3N2:
   (H1N1)
                      Ô
                                                            Α
          H1N1
                                     .(Webster et al., 1992)
Dea et al.,)
                                  1918
                                              Ô
                                                     Ô
                                                               .(1992
1919 - 1918
                                       .(H1N1
                                           Ô
                      .(Kaplan, 1982)
                       1919 - 1918
  Ô
      1919 - 1918
                         H1N1
                Ô
                       Ô
                            Ô
                                   Ô
    :1968 :
                              1979
                                                              1976
                        .(Fenner et al., 1993)
%33
       %25
                                   7 - 6
            Ô
                  .(Easterday and Hinshaw, 1992) %45
```

```
(Schild, 1981) 1977 1930
                                    .H3N2
139
                                                        1969 - 1968
     276
                11
                                      .1969/12
                                                          1970/1
            .A/Hong Kong/68 (H3N2) :
                      H3N2
.1976
H3N2
Shortridge et)
                                                         .(al., 1977
H3N2
                                (Wallace, 1979a)
      (Pérez Breňa, 1980)
  H3N2
.A/Hong Kong/68 Ô
                    Ô
                                  H3N2
     A/swine/Hong Kong/3/76 oligonucleotide
                                                         map
                             A/Hong Kong/68
                            .1976
                                                             H3N2
                    (A/swine/Hong Kong/4/76)
     A/swine/Hong Kong/3/76
                                                         Ô
                                  .1968
```



| 32 8 (%76) 19 <t< th=""><th>.(Dasco et</th><th>t al., 1984)</th><th>Ô</th><th>H1N1</th><th></th></t<> | .(Dasco et | t al., 1984) | Ô | H1N1 | |
|---|---------------------|-----------------------------|-------------------|----------------|--------------|
| (%76) 19 | | | | 32 | |
| (%76) 19 | Ô | | 4 Ô | | . 8 |
| 25 | (%76) 19 | . Ô | O | | Ô |
| . (Wells et al., 1991) | , | O | | | 25 |
| . (Wells et al., 1991) | ô ô | | .A/V | Visconsin/3523 | |
| . HINI | | /ells <i>et al.</i> . 1991` | _ | | , |
| Webster et al., 1992 11 | | _ | U | | |
| HIN1 | . 11 | ···· U | | %20 | |
| 11 7 | LIINI | (V | Johnston at al. 1 | | |
| H1N1 11 | | .(V | reoster et at., 1 | (1992) | |
| Wright) .dot – Blot – . 10 .(et al., 1992 | | • | | 0 | |
| . (et al., 1992 . () . (a) . (a) . (a) . (b) . (a) . (c) . (c) . (c) . (d) . (d) . (d) . (d) . (et al., 1992 . (d) . (et al., 1992 . (et al., | | | | 0 | |
| | Wright) .dot – Blot | _ | | . 10 | |
| | | | | .(6 | et al., 1992 |
| | | | | | |
| | | | | | |
| 3 () (H1N1) | | | | .() | |
| 3 () (H1N1) | | | | | |
| 3 () (H1N1) | | | (| ĵ. | |
| () (H1N1) | | | · | | |
| () (H1N1) | 3 | | | | |
| 1956 .A Ô : | |) | Ô | : | |
| <u> </u> | | , O | | | |
| <u> </u> | 1956 . | A | | Ô | · : |
| | | | A/eq | O | 56 (H7N7) |

Η (H7N7) .A/equine/Miami/1/63 (H3N8) . C .90 %60 C 1963 van) 1979 - 1978 A/equine/Miami/63 .(Oirschot et al., 1981 A/equi 2 (H3N8) .(Webster et al., 1992) switch H7N7 H3N8 (Webster *et al.*, 1992) Ô A/equi 2

```
A/Hong Kong/1/68(H3N2) Ô
                                                         .1895 1889
                   A/equine/Miami/1/63 \hat{O}
          15
                 5
          (
                                             Ô
                                                                      10
                  .(Beveridge, 1977)
          .N9
                  N1 H14
                               H1
  Ô
                       (Webster et al., 1978)
                                             .(Webster et al., 1992)
                        Ô
Tern
                         .(Sterna hirundo
                                            (Puffinus pacificus) shearwater
                       .(H7N7
  1984 - 1983
                          Ô
                               11
                                         10
                                                    125.593
```

```
3
1929
                                   Ô
            .(OIE, 1983) H5N2
                                                         .4984)
                                     .(Schild, 1981; WHO, 1981)
                            Ô
                                                          1975
                                .1929
          .A/FPV/Dutch/27 (H7N7):
           A/chicken/Pennsylvania/1370/83 (H5N2):
           138
                        .1994
                                                   41 (
            11 (
                                  ) rhea
       )
                                                           ) cassowary
                         .crane
           .(1994/4/20
                                                         H7N7 H7N1
H5N1
                     .H5N3
                          H5
                                H7
          .avirulent
Easterday and Hinshaw,)
                                            Ô
                                                                .(1991
```

237

| | | | | | • | | | | |
|----------------|-------------------|------|------------|------|-----|---------|---------|--------|--------|
| | | | | | | Ô | | | • |
| • | cloaca | • | | | | | • | | |
| C | Ô | | | | | | | Ô | |
| | 4 | | | | | | | | |
| | 46 | | | : | | | | | |
| | | | | (43) | | | | | .H-N |
| | | | Ô | | | | | | |
| | • | Ć | <u>)</u> . | | | | (|) | |
| Shortridge,) | | | | | | | | • | |
| | | | | | | | | | (1982 |
| (H1N1) | | Ô | Ô | | | (|) | | |
| | | | | | : | | | | |
| | | | | | | | | | |
| | | | | | | | | • | |
| • | | | | | | | | | |
| (Ottis and Bac | chman, 1 | 980) | | | • | | | | |
| .(Mohan et a | <i>l</i> ., 1981) | | | | | | (| Ĉ | Ô |
| | Ô | | A | | Ô | | : | | |
| | | | | | (Ba | laenopt | era acı | ıtoros | trata) |

```
.IHN
            (Phoca vitulina)
                                                   .(Callorhinus ursinus)
                                .1980 - 1979
             %20
                                                  (H7N7)
1983
                   %4
                                                                .H4N5
                             Ferrets
       .(Lang et al., 1981; WHO 1981)
                                                             Ô
Webster)
           33
                                                          .(et al., 1981
                                      Ô
                                      %100
                    3.000
    H10
                      .H10N4
                                       N
                                  .(KLingeborn et al., 1985)
                     A/Hong Kong/68 (H3N2)
                H3N2 .H1N1 Ô
                                                               Ô
                           .(Buonavoglia and Sala, 1983)
                                3 - 1
```

| | Ô | . b 7 | 20 | |
|-----------------------------|-----|--------------|-------------------------|-----------|
| , / Ô | | | | Ô |
| · . | A B | %1 Ô | C | |
| . (Betts and Douglas, 1990) | | Ama) | intadine rimantadine | |
| . Ô . | | : | .(Betts and Dougla | as, 1990) |
| Ô | Ô | | .%3 %1 | Ô |

```
Ô
                                                           Ô
  H1N1 .H2N2 .H3N2
                                                     .A
Gnotobiotic
                  .(Dea et al., 1992)
            Ô
                          . 3 – 2
                                                         Ô
                                                  10 - 2
                          3 – 1
                                          Ô
                          C
(H3N8)
           C
                            (H7N7)
        %20 Ô
                               Ô
   1984 - 1983
            ) H5N2
                             (H7N7)
  Murphy
                          (1991)
```

```
H3N8
   1961
                      (Sterna hirudo) (terns
                                               Flügge
    Ô
            4 - 3
                   Ô
                                Ô
                                           Ô
        drift
                                        shift
.A
                                              .(H, N)
                                                                Ô
      .1956
                                            1933
                                                               H1N1
                  Ô
                                (H2N2)
                                                                :1957
                           .1967
  H1N1
                                         A/Hong Kong/68 (H3N2):
                                        20
                                                       1977
A
```

H1N1 :1977 :1981 . (H3N2) (A/Bangkok/79) H3N2 (A/Brazil/78) H1N1 Ô Ô .(Stuart-Harris, 1981) - drifts Ô shifts Ô A/Hong Kong/68 (H3N2) (H) 1968

(N)

Ô

243

.(H)

```
9
                                                                       14
                                                            ÔΑ
              .B
Stuart-Harris,)
                                                                      .(1981
                                      .(Kilbourne, 1978)
                                           (H3N2)
                              .1968
                                                                         Ô
                A
                                                                    1974
                                    .(H1N1)
                                        .(Easterday, 1978)
                                                              Ô
                                               :1982
                                              ) A/New Jersey/8/76(H1N1) \hat{\bigcirc}
```

| | 47 | 5 | j | | | | Ô | | | |
|---------|-------|--------|--------|-----|----|----------|---------------|--------------|---------|------|
| | | | | .• | | | | | Ô | |
| H1N1 | | ana | amnes | tic | | hete | rotypical | | | |
| Ô | | Ô | | | | | | : | | • |
| .(Patri | aca e | et al. | , 1984 | .) | | | | | | • |
| | | | | | | | | Ô | | |
| | | | . (|) | | A/New Je | ersey/8/76 (I | H1N1) .19 | Ô 18 | Ô |
| | : | | | | | | | | | • |
| | | 5 | Ô | Ô | _ | - | 12.000 | 500 |) | |
| | 5 | | | | | | | | H1N | 1 |
| | | | | | | | A/Victoria/3 | 3/75 (H | 3N2) | |
| | | | | | | | • | | | |
| | | | | Ô | | %10 | | | • | Ô |
| | Ô | | | _ | | _ | | | | |
| | | | | • | | | | | ^ | ^ |
| • | | | | | 50 | | | | Ô | Ô |
| | | | | | | | | | .19 | 930 |
| | | | | | • | | | | Ô | Ô |
| | | | | | | | | | %76 | H1N1 |
| | | | | | | | | | | |

```
(1992)
     Н
                  Ô
                                                          · Ô
          (H7N7)
                     Ô
1981
                 Ô
                                     (H1N1) A
                       .(Aymard et al., 1985)
                                                          1983 - 1982
                        Ô
                                         (A. platyrhncos) (mallard
                 Ô
                                  Ô
                                               Ô
                                                  .(Webster et al., 1992)
                                                         Ô
```

Ô Ô Ô potency shift .B .A (H1N1) .A (H3N2)


.A/Beijine/32/92 (H3N2)

:1993 - 1992

Ô

247

1994 – 1993



Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Anonymous. Avian influenza outlook improving. J Am Ver Med Assoc 184:629–630, 1984.
Aymard, M., A.R. Douglas, M. Fontaine, et al. Antigenic characterization of influenza A
(H1N1) viruses recently isolated from pigs and turkeys in France. Bull World Health Organ
63:537–542, 1985.

Beare, A.S. Live viruses for immunization against influenza. Progr Med Virol 20:49–83, 1975.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 1990. Betts, R.F., R.G. Douglas, Jr. Influenza virus. In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc.: 1990.

Beveridge, W.I. Origen de las pandemias de gripe. Cron OMS 29:513-515, 1975.

Beveridge, W.I. Influenza: The Last Great Plague. An Unfinished Story of Discovery. New York: Prodist: 1977.

Bibrack, B. Vergleichende serologische Unterschungen über das Vorkommen von Schweineinfluenza- und Influenza A2-Hongkong-Infektionen bei Schweinen in Bayern. Zentralb! Veterinarmed [B] 19:397–405, 1972.

Bryans, J.T., E.R. Doll, J.C. Wilson, W.H. McCollum. Immunization for equine influenza. J Am Vet Med Assoc 148:413–417, 1966.

Buonavoglia, C., V. Sala. Indagine sierologica in cani sulla presenza di anticorpi verso ceppi di virus influenzali umani tipo A. Clin Ver (Milan) 106:81–83, 1983.

Dacso, C.C., R.B. Couch, H.R. Six, J.F. Young, J.M. Quarles, J.A. Kasel. Sporadic occurrence of zoonotic swine influenza virus infection. J Clin Microbiol 20:833–835, 1984.

Davenport, F.M. Influenza viruses. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Dea, S., R. Bilodeau, R. Sauvageau, C. Montpetit, G.P. Martineau. Antigenic variant of swine influenza virus causing proliferative and necrotizing pneumonia in pigs. J Vet Diagn Invest 4:380–392, 1992.

Easterday, B.C. Influenza. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas: 1975.

Easterday, B.C. The enigma of zoonotic influenza. Proceedings, 3rd Munich Symposium on Microbiology. Munich, 1978.

Easterday, B.C., V.S. Hinshaw. Influenza. In: Calnek, B.W., H.J. Barnes, C.W. Beard, W.M.

Reid, H.W. Yoder, Jr., eds. Diseases of Foultry, 9th ed. Ames: Iowa State University Press; 1991.

Fenner, F.J., E. Poul, J. Gibbs, et al. Veterinary Virology, 2nd ed. San Diego: Academic Press; 1993.

Francis, T., H.F. Maassab. Influenza viruses. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Guo, Y.J., F.G. Jin, P. Wang, et al. Isolation of influenza C virus from pigs and experimental infection of pigs with influenza C virus. J Gen Wrol 64(Pt 1):177–182, 1983.

Haesebrouck, F., P. Biront, M.B. Pensaert, J. Leunen. Epizootics of respiratory tract disease in swine in Belgium due to H3N2 influenza virus and experimental reproduction of disease. Am J Ver Res 46:1926–1928, 1985.

Harkness, J.W., G.C. Schild, P.H. Lamont, C.M. Brand. Studies on relationships between human and poecine influenza. I. Serological evidence of infection in swine in Great Britain with an influenza A virus antigenically like human Hong Kong-68 virus. Bull World Health Organ 46:709–719, 1972.

Hinshaw, V.S., W.J. Bean, Jr., R.G. Webster, B.C. Easterday. The prevalence of influenza viruses in swine and the antigenic and genetic relatedness of influenza viruses from man and swine. Virology 84:51-62, 1978.

Hirano, T., Y. Ogawa, H. Goto, K. Shimizu, S. Noro, N. Sakurada. Prevalence of Hong Kong (H3N2) influenza virus-antibody in swine. Nippon Julgaku Zasshi 47:633–638, 1985.

Homma, M. Epidemiological characteristics of type C influenza viruses. In: Kendal, A.P., P.A. Patriarca, eds. Options for the Control of Influenza. New York: Alan R. Liss; 1986. Cited in: Manuguerra, J.C., C. Hannoun. Natural infection of dogs by influenza C virus. Res Wrol 143:199-204, 1992.

Kaplan, M.M. The epidemiology of influenza as a zoonosis. Ver Rec 110:395-399, 1982.

Kaplan, M., W.I. Beveridge. WHO coordinated research on the role of animals in influenza epidemiology: Introduction. Bull World Health Organ 47:439–448, 1972.

Kawano, J., T. Onta, H. Kida, R. Yanagawa. Distribution of antibodies in animals against influenza B and C viruses. Jpn J Vet Res 26:74–80, 1978.

Kilbourne, E.D. Pandemic influenza: Molecular and ecological determinants. In: Kurstak, E., K. Marmoeesch, eds. Viruses and Environment. New York: Academic Press; 1978.

Klingeborn, B., L. Englund, R. Rott, N. Juntti, G. Rockborn. An avian influenza A virus killing a mammalian species—the mink. Brief report. Arch Virol 86:347–351, 1985.

Knez, V. Familia Orthomyxoviridae. In: Carballal, G., J.R. Oubiña, eds. Virología médica. Buenos Aires: El Ateneo: 1991.

Kundin, W.D. Hong Kong A-2 influenza infection among swine during a human epidemic in Taiwan. Nature 228:857, 1970.

Lang, G., A. Gagnon, J.R. Geraci. Isolation of an influenza A virus from seals. Arch Virol 68:189–195, 1981.

Laver, W.G., R.G. Webster, C.M. Chu. From the National Institutes of Health. Summary of a meeting on the origin of pandemic influenza viruses. J Infect Dis 149:108–115, 1984.

Manuguerra, J.C., C. Hannoun. Natural infection of dogs by influenza C virus. Res Virol 143:199–204, 1992.

McQueen, J.L., J.H. Steele, R.Q. Robinson. Influenza in animals. Adv Ver Sci 12:285–336, 1968.

Mohan, R., Y.M. Saif, G.A. Erickson, G.A. Gustafson, B.C. Easterday. Serologic and epidemiologic evidence of infection in turkeys with an agent related to the swine influenza virus. Avian Dir 25:11–16, 1981.

Nakajima, K., S. Nakajima, K.F. Shortridge, A.P. Kendal. Further genetic evidence for maintenance of early Hong Kong-like influenza A (H3N2) strains in swine until 1976. Virology 116:562–572, 1982.

International Office of Epizootics (OIE). Otras enfermedades. Bull OIE 95:30-32, 1983.

Ottis, K., P.A. Bachman. Occurrence of Hsw 1N1 subtype influenza A viruses in wild ducks in Europe. Arch Virol 63:185–190, 1980.

Patriarca, P.A., A.P. Kendal, P.C. Zakowski, et al. Lack of significant person-to-person spread of swine influenza-like virus following fatal infection in an immunocompromised child. Am J Epidemiol 119:152–158, 1984.

Pensaert, M., K. Ottis, J. Vandeputte, M.M. Kaplan, P.A. Bachmann. Evidence for the natural transmission of influenza A from wild ducks to swine and its potential importance for man. Bull World Health Organ 59:75–78, 1981.

Pérez Breña, M.P., C. López Galindez, A. Llácer, E. Nájera, E. Valle, R. Nájera. Estudio seroepidemiológico en la especie humana y en cerdos de la nueva cepa de influenza de tipo porcino. Bol Of Sanit Panam 88:146–154, 1980.

Robinson, R.Q., W.R. Dowdle. Influenza: A global problem. In: Sanders, M., M. Schaeffer, eds. Viruses Affecting Man and Animals. St. Louis: Green; 1971.

Sánchez, G., M. Vicente. Anticuerpos para influenza A en sueros de cerdos de diferentes regiones de Chile. Bol Inst Salud Publ Chile 25:248–252, 1984.

Schild, G.C. Influenza infections in lower mammals and birds. In: Kurstak, E., C. Kurstak, eds. Vol 4. Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Schild, G.C., C.M. Brand, J.W. Harkness, P.H. Lamont. Studies on relationships between human and porcine influenza. 2. Immunological comparisons of human A-Hong Kong-68 virus with influenza A viruses of porcine origin. Bull World Health Organ 46:721–728, 1972.

Shortridge, K.F. Avian influenza A viruses of southern China and Hong Kong: Ecological aspects and implications for man. Bull World Health Organ 60:129–135, 1982.

Shortridge, K.F., R.G. Webster, W.K. Butterfield, C.H. Campbell. Persistence of Hong Kong influenza virus variants in pigs. Science 196:1454–1455, 1977.

Stuart-Harris, C.H. Virus of the 1918 influenza pandemic. Nature 225:850-851, 1970.

Stuart-Harris, C.H. The epidemiology and prevention of influenza. Am Sci 69:166-172, 1981.

Tumova, B., G.C. Schild. Antigenic relationships between type A influenza viruses of human, porcine, equine and avian origin. Bull World Health Organ 47:453–460, 1972.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Influenza: United States. MMWR Morb Mortal Wkly Rep 25:47–48, 1976.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Update: influenza activity—United States and worldwide, 1993–94 season, and composition of the 1994–95 influenza vaccine. MMWR Morb Mortal Wkly Rep 43:179–183, 1994.

van Oirschot, J.T., N. Masurel, A.D. Huffels, W.J. Anker. Equine influenza in the Netherlands during winter of 1978–1979; antigenic drift of the A-oqui 2 virus. Tijdschr Diergeneeskd 106(Suppl)3:80–84, 1981.

Wallace, G.D. Natural history of influenza in swine in Hawaii: Swine influenza virus (Hsw INI) in herds not infected with lungworms. Am J Ver Res 40:1159–1164, 1979.

Wallace, G.D. Natural history of influenza in swine in Hawaii: Prevalence of infection with A/Hong Kong/68 (H3N2) subtype virus and its variants, 1974–1977. Am J Vet Res 40:1165–1168, 1979.

Webster, R.G., W.G. Laver. Antigenic variation of influenza viruses. In: Kilbourne, E.D., ed. The Influenza Viruses and Influenza. New York: Academic Press; 1975.

Webster, R.G., W.G. Laver, B. Tumova. Studies on the origin of pandemic influenza viruses.
V. Persistence of Asian influenza virus hemagglutinin (H2) antigen in nature? Virology 67:534–543, 1975.

Webster, R.G., M. Yakhno, V.S. Hinshaw, W.J. Bean, K.G. Murti. Intestinal influenza: Replication and characterization of influenza viruses in ducks. Virology 84:268–278, 1978.

Webster, R.G., J. Geraci, G. Petursson, K. Skimisson. Conjunctivitis in human beings caused by influenza A virus of seals. N Engl J Med 304:911, 1981.

Webster, R.G., W.J. Bean, O.T. Gorman, T.M. Chambers, Y. Kawuoka. Evolution and ecology of influenza A viruses. Microbiol Rev 56:152–179, 1992.

Wells, D., D.J. Hopfensperger, N.H. Arden, et al. Swine influenza virus infections. Transmission from ill pigs to humans at a Wisconsin agricultural fair and subsequent probable person-to-person transmission. JAMA 265:478–481, 1991.

World Health Organization (WHO). Révision du système de nomenclature des virus grippaux: Memorandum OMS. Bull World Health Organ 58:877–883, 1980.

World Health Organization (WHO). The ecology of influenza viruses: A WHO memorandum. Bull World Health Organ 59:869–873, 1981.

World Health Organization (WHO). Influenza in the world. October 1985–September 1986.
Wkly Epidemiol Rep 62:21–23, 1987.

World Health Organization (WHO). Recommended composition of influenza virus vaccines for use in the 1994–1995 season. Wkly Epidemiol Rep 69:53–55, 1994.

Wright, S.M., Y. Kawaoka, G.B. Sharp, D.A. Senne, R.G. Webster. Interspecies transmission and reassortment of influenza A viruses in pigs and turkeys in the United States. Am J Epidemiol 136:488–497, 1992.

| JAPANESE EN | CEPHALITI | S Ô | | |
|--------------------------------|------------------------|--------------|-------------|---|
| | ICD-10 A | 83.0 | | |
| | .B | Ô | : | |
|) Flavivirus | | | : | |
|) | .(| .1(| Togaviridae | В |
| • | . 4 | 100 | | |
| : | (|) | : | |
| | Ô | | ٠ | |
| . (Hanna <i>et al.</i> , 1996; | Van Den Hurk <i>et</i> | . al., 2001) | Ô | |
| | Ô | | : | |
| | (|) | | |
| | В | | | |

```
5.700
          :1958
                                                  8000
          1.800
                                                  1.322
                       50
                                            142
                                                        519
                   100
Ô
            1982
                                       %80
                                       1.179
       70
                        %10
                                                           10.000
      2.143
                                   4.000 - 3.000
       100
                              .1982
                                                            .1980
                                      843
                                                     .(WHO, 1984)
                            396)
                                       1148
                                      (WHO, 1986) 1985
  1982
           .1988 1982
              772
                          .%23.7
                                                          118
                                     .(Kar et al., 1992) .%32.2
                      6 - 3
                                           .(Huang, 1982)
                                      1.000
                                              500
                                                             25:1
          Ô
```

```
.(Burke et al., 1985)
                                                   %70 :
                      .%20
                                                    1.339
                          %56.8
                                                       %59.7
                                  .(Sakai et al., 1982)
                                                        %2.1
                                               Ô
.%50 %20
                                                 14 - 4
     (
                                    paresis
                                        .(Huang, 1982)
      Α
                                      .(Chu and Joo, 1992)
             %70
                     %50
                                      Ô
                     mummified
                                                  .1949 - 1947
         Ô
               Ô
```

Ô venereally .(Chu and Joo, 1992) Ô .(Habu, 1991) 3 1967 1948 1948 100.000 .100.000 337.1 %25 (Sakai et al., 1985) :(16 Culextriaeniorhynchus

```
3
             .(Huang, 1982)
                      culicine
 Ô
                ) Vishnui
.fuscocephala
                                gelidus
                                            5
                                        .(Rosen, 1986)
                             Ô
     (Fauna
                                              ardeid
                     .Egretta
                                                    (Nycticorax nycticorax)
                4 - 2
        Ô
                                              Ô
                                 %5
                                               1963
                                  1.8
:(1964)
                                                                        3
```

<u>257</u> Ô

Ô Ô .(Maeda *et al.*, 1981) Ô :16 18 á 14

```
1965 - 1963
      .Culex pipiens pallens
                         (Eumeces latiscutatus)
                                                   %14.3
                                                     .(Doi et al., 1983)
                                   .(Monath and Trent, 1981)
 .(Rosen et al., 1986)
Ardeid
                  5 - 1
                      C6/36
                                         clone
                                                           .cytopathic
```

```
<u>259</u> Ô
```

```
.(Chu and Joo, 1992)
                                                               A. allapictus
                                                        M
                      Ô
                                        .(Gatus and Rose, 1983)
.(Yamamoto et al., 2002)
                                         Ô
                                                                          M
 Ô
                                                       .(Xinglin et al., 2002)
                     .(Burke and Nisalak, 1982)
                        внк)
             12
                                                        %77
                                                                8 \le
                                     .(Poland et al., 1990) 16 \le
     .(Sugawara et al., 2002; Monath, 2002)
                                                  Ô
                                                                       Vero
        11
 °37 – 36
                                                             100
```

.(Umenai et al., 1985)

()

.(Chu and Joo, 1992)

ÔÓ

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Berge, T.O., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 2nd ed. Atlanta: Centers for Disease Control and Prevention; 1975. (DHEW Publ. CDC 75–8301).

Buescher, E.L., W.F. Scherer. Ecologic studies of Japanese encephalitis virus in Japan. IX. Epidemiologic correlation and conclusions. Am J Trop Med Hyg 8:719–722, 1959.

Burke, D.S., A. Nisalak. Detection of Japanese encephalitis virus immunoglobulin M antibodies in serum by antibody capture radioimmunoassay. J Clin Microbiol 15:353–361, 1982.

Burke, D.S., M. Tingpalapong, G.S. Ward, R. Andre, C.J. Burke. Intense transmission of Japanese encephalitis virus to pigs in a region free of epidemic encephalitis. Southeast Asian J Trop Med Public Health 16:199–206, 1985. Burke, D.S., A. Nisalak, M.K. Gentry. Detection of flavivirus antibodies in human serum by epitope-blocking immunoassay. J Med Virol 23:165–173, 1987.

Clarke, D.H., J. Casals. Arboviruses: Group B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott, 1965.

Chu, R.M., H.S. Joo. Japanese B encephalitis. In: Leman, D., B.E. Straw, W.L. Mengeling, S. D'Allaire, D.J. Taylor, eds. Diseases of Swine, 7th ed. Ames: Iowa State University Press; 1992.

Doi, R., A. Oya, A. Shirusaka, S. Yabe, M. Sasa. Studies on Japanese encephalitis virus infection in reptiles. II. Role of lizards in hibernation of Japanese encephalitis virus. *Jap J Exp Med* 53:125–134, 1983.

Downs, W.G. Arboviruses. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Fujisaki, Y., T. Sugimori, T. Morimoto, Y. Miura, Y. Kawakami. Immunization of pigs with the attenuated S-strain of Japanese encephalitis virus. Nat Inst Anim Hith Q (Tokyo) 15:55–60, 1975.

Gatus, B.J., M.R. Rose. Japanese B encephalitis: Epidemiological, clinical and pathological aspects. J Infect 6:213-218, 1983.

Goto, H., K. Shimzu, T. Shirahata. Studies on Japanese encephalitis of animals in Hokkaido.
I. Epidemiological observation on horses. Res Bull Obihiro Univ 6:1–8, 1969.

Habu, A. Studies on the disorders of spermatogenic function in boars infected with Japanese encephalitis virus and its prevention. Bull Nipon Vet Animal Sci 40:107–108, 1991.

Hanna, J.N., S.A. Ritchie, D.A. Phillips, J. Shield, M.C. Bailey, J.S. Mackenzie et al. An outbreak of Japanese encephalitis in the Torres Strait, Australia, 1995. Med J Aust 165(5):256–260, 1996.

Hsu, S.T., L.C. Chang, S.Y. Lin, et al. The effect of vaccination with a live attenuated strain of Japanese encephalitis virus on still births in swine in Taiwan. Bull World Health Organ 46:465–471, 1972.

Huang, C.H. Studies of Japanese encephalitis in China. Adv Virus Res 27:71–101, 1982.

Inoue, Y.K. An attenuated Japanese encephalitis vaccine. Progr Med Virol 19:247-256, 1975.
Kar, N.J., D. Bora, R.C. Sharma, J. Bhattacharjee, K.K. Dutta, R.S. Sharma.
Epidemiological profile of Japanese encephalitis in Gorakhpur district, Ultar Pradesh, 1982-1988. J Commun Dis 24:145-149, 1992.

Kodama, K., N. Sasaki, Y.K. Inoue. Studies of live attenuated Japanese encephalitis vaccine in swine. J Immunol 100:194–200, 1968.

Konishi, E., M. Yamaoka. Evaluation of enzyme-linked immunosorbent assay for quantitation of antibodies to Japanese encephalitis virus in swine sera. J Virol Meth 5:247–253, 1952.

Konno, J., K. Endo, H. Agatsuma, N. Ishida. Cyclic outbreaks of Japanese encephalitis among pigs and humans. Am J Epidemiol 84:292–300, 1966.

Maeda, O., T. Karaki, A. Kuroda, Y. Karoji, O. Sasaki, K. Takenokuma. Epidemiological studies of Japanese encephalitis in Kyoto city area, Japan. II. Annual patterns of virus dissemination on virus recoveries from unfed Culex tritaeniorhynchus summorosus. Jpn J Med Sci Biol 31:39–51, 1978.

McIntosh, B.M., J.H.S. Gear. Mosquito-borne arboviruses primarily in the Eastern hemisphere. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Monath, T.P., D.W. Trent. Togaviral diseases of domestic animals. In: Kurstak, E., C. Kurstak, eds. Vol 2: Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Monath, T.P. Japanese encephalitis vaccines: Current vaccines and future prospects. Curr Top Microbiol Immunol 267:105–138, 2002.

Ochi, Y. L'encéphalite japonaise des porcs. Bull Off Int Epiz 40:504-517, 1953.

Poland, J.D., C.B. Cropp, R.B. Craven, T.P. Monath. Evaluation of the potency and safety of inactivated Japanese encephalitis vaccine in U.S. inhabitants. J Infect Dis 161:878–882, 1990.

Rosen, L. The natural history of Japanese encephalitis virus. Annu Rev Microbiol 40:395–414, 1986.

Sakai, T., M. Horimoto, H. Goto. Status of Japanese encephalitis infection in cattle: survey of antibodies in various geographical locations in Japan. Nippon Juigaku Zazahi 47:957–962, 1985.

Sugawara, K., K. Nishiyama, Y. Ishikawa, M. Abe, K. Sonoda, K. Komutsu, et al. Development of vero cell-derived inactivated Japanese encephalitis vaccine. Biologiculs 30(4):303–314, 2002.

Sulkin, S.E., R. Allen, T. Miura, K. Toyokawa. Studies on arthropod-borne virus infections in Chiroptera.VI. Isolation of Japanese B encephalitis virus from naturally infected bats. Am J Trop Med Hyg 19:77–87, 1970.

Umenai, T., R. Krzysko, T.A. Bektimirov, F.A. Assaad. Japanese encephalitis: Current worldwide status. Bull World Health Organ 63:625–631, 1985.

Van Den Hurk, A.F., C.A. Johansen, P. Zborowski, D.A. Phillips, A.T. Pyke, J.S. Mackenzie, et al. Flaviviruses isolated from mosquitoes collected during the first recorded outbreak of Japanese encephalitis virus on Cape York Peninsula, Australia. Am J Trop Med Hyg 64(3-4):125-130, 2001.

World Health Organization (WHO). Report of a Working Group on the Prevention and Control of Japanese Encephalitis. Tokyo, 19–21 December 1983. Manila: Regional Office for the Western Pacific; 1984.

World Health Organization (WHO). Japanese encephalitis. Wkly Epidem Rec 61:82, 1986.
Xing, Y.Y., Z.G. Ming, G.Y. Peng, A. Jian, L.H. Min. Safety of a live-attenuated Japanese encephalitis virus vaccine (SA₂₂:14-2) for children. Am J Trop Med Hyg 39:214-217, 1988.

Xinglin, J., C. Huanchun, H. Qigai, W. Xiang, W. Bin, Q. Dexin, et al. The development and application of the latex agglutination test to detect serum antibodies against Japanese encephalitis virus. Ver Res Commun 26(6):495–503, 2002.

Yamamoto, A., M. Nakayama, Y. Kurosawa, K. Sugo, H. Karusawa, T. Ogawa, et al. Development of a particle agglutination assay system for detecting Japanese encephalitis virus-specific human IgM, using hydroxyapatite-coated nylon beads. J Virol Methods 104(2):195–201, 2002.

KYASANUR FOSEST DISEARE

ICD-10 A98.2

| .Flavivirus | | | : |
|-------------|---|---|---------------|
| | | В | :) |
| | | | .(Togaviridae |
| | _ | Ô | |

```
.(Bhat, 1983)
                                                                       1970
                 1957
langur
                                 ) bonnet
                                                         (Presbytis entellus)
                                  181
                                                    466
     :1959
      28
                       13
                                                             ·Ô
1983
             150
                           1.155
                                    1961
                                                   5
                                                              .(Chin, 2000)
                     Haemaphysalis spinigera
                                   .(Baneryee and Bhat, 1977)
    87
                                    (Pavri, 1989)
                       86)
   186 .P. entellus
                                 1.046
                                                        Ô
                                                                      .1957
                           .1973 - 1962
                                                          13 P entellus 118
                     .(Sreenivasan et al., 1986)
```

| | | 8 | 3 | | | | | : | | | |
|-----------|---|---|-----|--------|----------|--------|--------|----------|--------|-------|------|
| | | | | | Ô | | | | | | |
| • | Ô | | | | | | | • | | | |
| Pavri,) | | | | | | | | | | | |
| • | | | Ô | | | • | | | | .(| 1989 |
| Ô | | | | | | | | (| Ĉ | | |
| . 11 – 6 | | • | | | | | | | • | | |
| ä | | | | | | | 21 – 9 | | | | |
| Ô | | | | | | | | • | 12 | - 2 | |
| ٠ | | • | | | | | | · %10 | %5 | | |
| | _ | | | | | | | : | | | |
| | | | | | | | | - | _ | | |
| | | | | | | | | | | | Ô |
| Webb and) | | Ô | | | | | | | | | |
| | | | | | | | | | .(Burs | ston, | 1966 |
| | | | | | Ô | | 1957 | | | | |
| | | | | .(Iy | er et al | !., 19 | 60) | | | 22 | 14 |
| | | | | | | | : | | | | |
| Ô | | | eco | system | ı | | Ô | | | | |
| | | | | | | | | | | | |
| | | | | | | | | • | | | |

| | | • |
|-----|---------------------|----------------------------|
| | Ô · | |
| | | |
| | .(Varma, 1989) | |
| | .(vaima, 1969) | . turturis |
| | : . Ĉ .Argasidae | Ornithoros chiropterphila |
| | .(Harv | vood and James, 1979) |
| | | |
| 493 | . (Harwood and Ja | mes, 1979) |
| %85 | | 4.668 |
| Ô | Ô | biota |
| | | .(Banerjee and Bhat, 1977) |
| | Presbytis | |
| | ٠. | • |

```
Ô
            Suncus murinus (shrew
                      porcupine
                                         Rattus blanfordi
              .(WHO, 1985)
                                                          .P. entellus
                                  <sup>10</sup> Ô
    %72.5
                             %59
Dandawate)
                              %1.8
```

| | | | | .(et al., 1980 |
|---|---|---|--|--|
| | | %100 | %70 | langat |
| | | | | 18 |
| .(Thind, 198 | 1) | | | |
| .(Chin, 2000) | | | Ô | |
| Banerjee, K., H.R. Bhat. Correla Kyasamur Forest disease and the intent 66:175–179, 1977. Bhat, H.R. A brief history of Kyasa K. Clinical, clinicopathologic, and h Infect Dix 11(Suppl 4):S854–S859, 15 Chin, J., ed. Control of Communica American Public Health Association. Clarke, D.H., J. Casals. Arboviruse Rickettsial Infections of Man, 4th ed. Dandawate, C.N., S. Upadhyaya Kyasamur Forest disease virus vaccine trict. J Biol Stand 8:1–6, 1980. Downs, W.G. Arboviruses. In: Eva and Control. New York: Plenum; 1977. Fiennes, R.N. Zoonoses of Primate Relation to Man. Ithaca: Cornell Univ Harwood, R.F., M.T. James. Entom Macmillan; 1979. 1yer, C.G., T.H. Work, D.P. Naras Pathological findings in monkeys Preforest. Indian J Med Res 48:276–286, Karabatsos, N., ed. International Viruses of Vertebrates, 3rd ed. San J. Hygiene; 1985. | tion bet ity of in sur Fore ematolo 89, ble Diss Washing s: Group Philadel, K. B in hum ns, A.S., b. The E, ersity P ology in imha M subptis e 1960, Catalo, Catalo, | st disease. NIV ogic features of eases Manual, tion, D.C.: API p B. In: Horsti phia: Lippinco anerjee. Seroi ans at Sagar at . ed. Viral Infe pidemiology at ress; 1967. Human and A lurthy, et al. 1 intellus and Mo gue of Arbovi | ick population Bull 1:1-4, 1 f Kyasanur 17th ed. An o HA; 2000. all, FL., I. To tt; 1965. ogical respected Sorab tala ctions of Hur aul Ecology of nimal Health Cyasanur For teaca radiata ruses Include | en. Indian J Med Res 1983. Cited in Pavri, Porest disease. Rev official report of the amm, eds. Viral and onse to formolized kas of Shimoga dis- mans. Epidemiology I Simian Diseases in a, 7th ed. New York: est disease. Part 7. b, found dead in the ling Certain Other |
| · | | | | :langat |

Haemafhysalis papuana

Ô

Pavri, K. Clinical, clinicopathologic, and hematologic features of Kyasanur Forest disease. Rev Infect Dis 11(Suppl 4):S854–S859, 1989.

Rhodes, A.J., C.E. van Rooyen. Testbook of Virology for Students and Practitioners of Medicine, 4th ed. Baltimore: Williams & Wilkins; 1962.

Sroenivasan, M.A., H.R. Bhat, P.R. Rajagopalan. The epizootics of Kyasanur Forest disease in wild monkeys during 1964 to 1973. Tranz R Soc Trop Med Hyg 80:810–814, 1986.

Thind, I.S. Attenuated Langat E5 virus as a live virus vaccine against Kyasanur Forest disease virus. Indian J Med Res 73:141-149, 1981.

Varma, M.G. Tick-borne diseases. In: World Health Organization. Geographical Distribution of Arthropod-borne Diseases and their Principal Vectors. Geneva: WHO; 1989.

Webb, H.E., R.L. Rao. Kyasanur Forest disease. A general clinical study in which some cases with neurological complications were observed. Trans R Soc Trop Med Hyg 55:284-298, 1961.

Webb, H.E., J. Burston. Clinical and pathological observations with special reference to the nervous system in Macaca radiata infected with Kyasanur Forest disease virus. Trans R Soc Trop Med Hyg 60:325–331, 1966.

Work, T.H., F.R. Rodríguez, P.N. Bhatt. Virological epidemiology of the 1958 epidemic of Kyasanur Forest disease. Am J Public Health 49:869–874, 1959.

World Health Organization (WHO). Viral Haemorrhagic Fevers. Report of a WHO Expert Committee. Geneva: WHO; 1985 (Technical Report Series 721).

LASSA FEVER

ICD-10 A96.2

| 150 – 80 | |
|----------|-----------------------|
| .(| Ô |
| | |
| | .(Mastomys natalensis |
| Praomys | .(Odend'hal, 1983) |

```
.(Chin, 2000)
                                              .(WHO, 1985)
                 1969
index patient
                    1975 1969
1972 - 1970)
                        (1975)
                                      (1975, 1974, 1970)
                                                       .(1975 - 1973
 Ô
                                                   .(Saluzzo et al., 1988)
                                       .1972 - 1970
  %66
          %20
          .(Casals, 1976; Monath, 1975a) %36
                        %1
                                  .%20
                                           %10
                                                          .(CDC, 2000)
                                    index cases
```

```
63 ( )
                                     W
       .(Fraser et al., 1974) %5
  100.000 .(Monath, 1987)
    .(CDC, 2002) 5.000 .
                                                   300.000
                      458 5
                                              10
                     .1966 - 1965
        281
                23
                                                       48
           %11
Monath,)
                %3,5
                                                   .(1975a
             %52
                  %8
                      .(McCormick et al., 1987 and 1987a) 15
(\%25 - \%55) .
                                 (%7
                                       %4)
              %13 - %12
                                  .(Lukashevich et al., 1993)
                               .(WHO, 1985)
```

```
15
                  641
                                                        - 1972
                                                    10
                                           .(
                                %17
                          82
                 %39
     %3.7
                                                   Ô
                                      %79
                     .(Keenlyside et al., 1983)
       3 Ô
                                  7
                          %80
                        apathetic
Ô
         .%50 %30
                           20
                                        10
```

```
et al.,) .2%
                       \gamma_0
                                                                   .(1982
                Ô
                                                        16 - 10.
WHO,) (
                                                     (Johnson et al., 1982)
                                                                   .(1985
               %20.4
                                      10
                                                    20
            .(Sharp, 1982)
                                                                   14 - 0
                                              1978
               ( / / 60)
                                        .(WHO, 1985) ( / / 30)
                                                 .(Fisher-Hoch et al., 1992)
                  race
              viruria
                             .(
                                                        Ô
Calomys callosus
 .(Johnson, 1981)
                      %100
```

```
(
                                            .(Demartini et al., 1975)
                                                             .(Chin, 2000)
                Ô
      14
<sup>16</sup> Ô
                                                           1970
```

14 Vero 32 seeding 10 7 M G .(Chin, 2000) (Holmes et al., 1990) Ô 10 600 4: 400 9 - 6

Ô Ô

Buckley, S.M., J. Casals. Lassa fever, a new virus disease of man from West Africa. 3. Isolation and characterization of the virus. Am J Trop Med Hyg 19:680–691, 1970.

Carey, D.E., G.E. Kemp, H.A. White, et al. Lassa fever. Epidemiological aspects of the 1970 epidemic. Jos, Nigeria. Trans R Soc Trop Med Hyg 66:402–408, 1972.

Casals, J. Arenaviruses. In: Evans, A.S., ed. Virul Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Casals, J. Arenaviruses. In: Evans, A.S., ed. Viral Infections of Humans, 2nd ed. New York: Plenum; 1982.

Casals, J., S. Buckley. Lassa fever. Progr Med Virol 18:111-126, 1974.

Chin, J., ed. Control of Communicable Diseases Manual, 17th ed. An official report of the American Public Health Association. Washington, D.C.: APHA; 2000.

Demartini, J.C., D.E. Green, T.P. Monath. Lassa fever infection in Mustomys natulensis in Sierra Leone. Gross and microscopic findings in infected and uninfected animals. Bull World Health Organ 52:651–663, 1975.

Fisher-Hoch, S.P., S. Gborie, L. Parker, J. Huggins. Unexpected adverse reactions during a clinical trial in rural West Africa. *Antiviral Res* 19:139–147, 1992.

Frame, J.D., J.M. Baldwin, Jr., D.J. Gocke, J.M. Troup. Lassa fever, a new virus disease of man from West Africa. I. Clinical description and pathological findings. Am J Trop Med Hyg 19:670–676, 1970.

Fraser, D.W., C.C. Campbell, T.P. Monath, P.A. Goff, M.B. Gregg, Lassa fever in the Eastern Province of Sierra Leone, 1970–1972. I. Epidemiological studies. Am J Trop Med 23:1131–1139, 1974.

Henderson, B.E., G.W. Gary, Jr., R.E. Kissling, J.D. Frame, D.E. Carey. Lassa fever. Virological and serological studies. Trans R Soc Trop Med Hyg 66:409–416, 1972.

Holmes, G.P., J.B. McCormick, S.C. Trock, et al. Lassa fever in the United States. Investigation of a case and new guidelines for management. New Engl J Med 323:1120–1123, 1990.

Johnson, K.M. Arenaviruses: Diagnosis of infection in wild rodents. In: Kurstak, E., C. Kurstak, eds. Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Johnson, K.M., J.B. McCormick, P.A. Webb, J.W. Krebs. The comparative biology of Old World (Lassa) and New World (Junin-Machupo) arenaviruses. In: Pinheiro, F.P., ed. Simposio Internacional sobre Arbovirus dos Tropicos e Febres Hemorragicas. São Paulo: Conselho Nacional de Desenvolvimento Científico e Tecnologico; 1982.

Keenlyside, R.A., J.B. McCormick, P.A. Webb, E. Smith, L. Elliot, K.M. Johnson. Case-control study of Mastomys natalensis and humans in Lassa virus-infected households in Sierra Leone. Am J Trop Med Hyg 32:829–837, 1983.

Lukashavich, L.S., J.C. Clegg, K. Sidibe. Lassa virus activity in Guinea: Distribution of human antiviral antibody defined using enzyme-linked immunosorbent assay with recombinant antigen. J Med Wrol 40:210–217, 1993.

McCormick, J.B., I.J. King, P. Webb, et al. A case-control study of the clinical diagnosis and course of Lassa fever. J Infect Dir 155:445–455, 1987.

McCormick, J.B, P.A. Webb, J.W. Krebs, K.M. Johnson, E.S. Smith. A prospective study of the epidemiology and ecology of Lassa fever. J Infect Dis 155:437–444, 1987a.

Monath, T.P. Lassa fever: Review of epidemiology and epizootiology. Bull World Health Organ 52:577-592, 1975a.

Monath, T.P. Riesgos biológicos asociados a la presencia de roedores Mastomys. Crónica de la OMS 29:258–259, 1975b.

Monath, T.P. Lassa fever: New issues raised by field studies in West Africa. J Infect Dis 155:433–436, 1987.

Monath, T.P., V.F. Newhouse, G.E. Kemp, H.W. Setzer, A. Cacciopuoti. Lassa virus isolation from Mastomys natulensis rodents during an epidemic in Sierra Leone. Science 185:263–265, 1974.

Odend'hal, S. The Geographical Distribution of Animal Viral Diseases. New York: Academic Press; 1983.

Saluzzo, J.F., F. Adam, J.B. McCormick, J.P. Digoutte. Lassa fever virus in Senegal. J Infect Dis 157:605, 1988.

Sharp, P.C. Lassa fever in children. J Infect 4:73-77, 1982.

Troup, J.M., H.A. White, A.L. Fom, D.E. Carey. An outbreak of Lassa fever on the Jos Plateu, Nigeria, in January–February 1970. A preliminary report. Am J Trop Med Hyg 19:695–696, 1970.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC), Lassa fever (last updated 1 April 2000), Accessed 23 January 2003, Available at www.cdc.gov/ncidod/dvrd/spb/mnpages/dispages/lassaf.htm

White, H.A. Lassa fever. A study of 23 hospital cases. Trans R Soc Trop Med Hyg 66:390-401, 1972.

World Health Organization (WHO). Viral Haemorrhagic Fevers. Report of a WHO Expert Committee. Geneva: WHO; 1985. (Technical Report Series 721).

LOUPING ILL

 α

| | × | | |
|----|------------------|----------------------------|--------------|
| IC | CD-10 A84.8 Othe | r tick-borne viral encepha | alitis |
| | | | : |
| | | | : |
| | .(| В |) flaviriras |
| Ô | | .(|) |
| | | | В |

ICD-10 A84.8

```
(1993)
                                  %95
                                                                     .%98
    37
Smith and Varma, 1981)
                                  11
                                                           26 .
                                                    .(Davidson et al., 1991
                                    5
     134
                 15
                                                  12
                                8
                       150
.(Davidson et al., 1991)
                                                     Ô
                         (Allces alces) elk
                                                  (Cervus elaphus)
```

```
(Apodemus sylvaticus
shrew
Lagopus lagopus) .grouse
                                                        .(Sorex araneus)
.(Bannatyne et al., 1980)
                                                               (scoticus
                                       K %5
                                     %1
                               %4
                 .(Blood and Radostits, 1989) %60
                                    3
                             8 - 2
                                                            12 - 2
                                                5
Smith)
                                                      .(and Varma, 1981
                                                        Ô
                         18 - 6
      apathy
                                                    hopping
                                                        Ρ.
prostrate
                            %50
                                                                  Ô
```

| | Ixodes ricinus | : |
|---------------------------|----------------|-------------|
| • | | |
| Lagopus lagopus) | | |
| | | . (scoticus |
| | | |
| | 5.5 brood | |
| .(Reid et al., 1978) | | 0,6 |
| :(17 |) | |
| . : | • | |
| | • | |
| Ô | | |
| .concomitant | • | |
| Ô · | | |
| | • | Ô |
| | • | |
| | • | |
| | • | |
| • | • | |
| . (Smith and Varmn, 1981) | | |

Lagopus lagopus)


á

(scoticus

•

.(Reid et al., 1978)

:17



(Ô)

. .(Martin, 1981)

3 . 3 .

.(Davidson et al., 1991)

(Bunnatyne, 1980) 6 13 5 Ô Ô .(Davidson et al., 1991)

ÔÔ

Bannatyne, C., R.L. Wilson, H.W. Reid, D. Buxton, I. Pow. Louping-ill virus infection of pigs. Ver Rec 106:13, 1980.

Blood, D.C., O.M. Radostits. Veterinary Medicine, A Textbook of the Diseases of Cattle, Sheep. Pigs, Goats, and Horses, 7th ed. London: Baillière Tindall; 1989.

Davidson, M.M., H. Williams, J.A. Macleod. Louping-ill in man: A forgotten disease. J Infect 23:241–249, 1991.

Gao, G.F., W.R. Jiang, M.H. Hussain, et al. Sequencing and antigenic studies of a Norwegian virus isolated from encephalomyelitic sheep confirm the existence of louping ill virus outside Great Britain and Ireland. J Gen Wrol 74:109-114, 1993.

Goldblum, M. Group B arthropod-borne viral diseases. In: van der Hoeden, J., ed. Zoonoses. Amsterdam: Elsevier; 1964.

Goedon, W.S. Louping-ill in animals and in man. In: Graham-Jones, O., ed. Some Diseases of Animals Communicable to Man in Britain: Proceedings of a Symposium Organized by the British Veterinary Association and the British Small Animal Veterinary Association, London, June 1966. Oxford: Pergamon Press; 1968.

Gordon Smith, C.E., M.G.R. Varma, D. McMahon. Isolation of louping-ill virus from small mammals in Ayrshire. Nature 203:992–993, 1964.

Jensen, R. Diseases of Sheep. Philadelphia: Lea and Febiger, 1974.

Karabatsos, N., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 3rd ed. San Antonio: American Society for Tropical Medicine and Hygiene; 1985.

Martin, W.B. Virus diseases of sheep and goats. In: Gibbs, E.P., ed. Vol 1: Virus Diseases of Food Animals: A World Geography of Epidemiology and Control. London, New York: Academic Press; 1981.

Reid, H.W., J.S. Duncan, J.D. Phillips, R. Moss, A. Watson. Studies on louping-ill virus (Flavivirus group) in wild red grouse (*Lagopus lagopus scoticus*). J Hyg (Lond) 81:321–329, 1978.

Reid, H.W., I. Pow. Excretion of louping-ill virus in ewes' milk. Vet Rec 117:470, 1985.

Ross, C.A. Louping-ill in man. In: Graham-Jones, O., ed. Some Diseases of Animals Communicable to Man in Britain: Proceedings of a Symposium Organized by the British Veserinary Association and the British Small Animal Veterinary Association, London, June 1966, Oxford: Pergamon Press; 1968.

Smith, C.E., M.G. Varma, Louping-Ill. In: Beran, G.W., section ed. Section B, Vol 1: CRC Handbook Series in Zoonoses. Boca Raton: CRC Press; 1981.

Stamp, J.T. Some viral diseases of sheep. In: Food and Agriculture Organization, Office International des Epizooties. International Conference on Sheep Diseases. Rome: FAO; 1966. Timoney. P.J. Recovery of louping ill virus from the red grouse in Ireland. Brit Vet J.

128:19-23, 1972.

LYMPHOCYTIC

CHORIOMENINGITIS

ICD-10 A87.2

.Armstrong

| Arenavirus | | | : |
|---------------------------|---|-----------|-----------------|
| 130 - 110 | | | |
| Ô· | | | |
| Mus \hat{O}) \hat{O} | Ô | | (musculus |
| Ô | | : | |
| | | | .(Morita, 1997) |
| : | | | |
| | | | |
| | | | |
| • | • | | |
| | | : | |
| | Ô | | |
| • | | | • |
| | | : | |
| | | • | Ô |
| • | | %10 Ô | |
| %0.18 | • | | Ô |
| | | | . %1.6 |
| | | | 1.000 |
| 18 | | .(Ackerma | ann, 1982) |

```
%8
                                        Ô
                                                                    1.600
          7
                                                    .(Casals, 1982)
     1971/5 1968/10
                                               47
             57)
                      12
                                                 181
                                   .1974/4 1973/12
      41
                                      7.227
                                                                     Ô
Ambrosio)
                             %6,1
                                                             .%2,4
                                                             .(et al., 1994
                                          1.149
      ( )
                                                               %4.7
    .(Childs et al., 1991)
 Ô
                                                 cytopathic
                                          Transplantable
                           (Jahrling and Peters, 1992)
        1975 – 1973
                                       65
```

```
.(Gregg, 1975)
                                                        Ô
                                 %10
                           82
.(Dykewicz et al., 1992)
  Ô
                             .(
          .(Johnson, 1990)
.(Mus musculus
                                                         á
  Ô
%40
                      .(Apodemus sylvaticus
  Ô
                                                                   %50
                              (Mesocricetus auratus)
                                 .(Lehmann-Grube, 1982)
  Ô
                                            2 - 1
                                     relapse
```


286

```
21 - 15
         .( 3 – 2)
                                                 3.000
                   %95
                          %80
                                                               100
                                                     myopericarditis
prenatal
                                                    .(Johnson, 1990)
.(Ackermann, 1982) (
· Ô
%50
                .%20
                                          %50
                                                              4
```

. 6 – 5

```
Ô
                                           Ô
                                                                    Ô
               .(Thomsen et al., 1982)
Ahmed et)
                                                                .(al., 1987
 Ô
    ) tolerat
                                                       Ô
                                    .(Skinner et al., 1976)
             1990 - 1980
                                                             12
                              )
  (tamarin
                                         (marmoset
                                           Ô
```

```
et al., 1993)
(Callimico goeldii)
                                  (Cebuella pygmaea)
                                  .(Asper et al., 2001)
              .(Johnson, 1981)
                         :(18
    culicoides
                                             .aedes
              Ô
```



(Brezin et al., 2000) .(Park et al., 1997)

M

Ô Ô neurotropic

Ô Ô

Ackermann, R. Infektionen mit dem Virus de Lymphozytaeren Choriomeningitis. Bundezgesundhbl 25:240–243, 1982.

Ackermann, R., W. Stille, W. Blumenthal, E.B. Helm, K. Keller, O. Baldus. Syrische Gold-hamster als Ubertrager von lymphoxytaeren Choriomeningitis. Disch Med Wochensch 97:1725–1731, 1972.

Ahmed, R., C.C. Kin, M.B.A. Oldstone. Virus-lymphocyte interaction: T cells of the helper subset are infected with lymphocytic choriomeningitis virus during persistent infection in vivo. J Weol 61:1571–1576, 1987.

Ambrosio, A.M., M.R. Feuillade, G.S. Gamboa, J.I. Maiztegui. Prevalence of lymphocytic choriomeningitis virus infection in a human population of Argentina. Am J Trop Med Hyg 50:381–386, 1994.

Asper, M., P. Hofmann, C. Osmann, J. Funk, C. Metzger, M. Bruns, et al. First outbreak of callitrichid hepatitis in Germany: Genetic characterization of the causative lymphocytic choriomeningitis virus strains. Wrology 284(2):203–213, 2001.

Barton, L.L., N.J. Hyndman. Lymphocytic choriomeningitis virus: reemerging central nervous system pathogen. Pediatrics 105(3):E35, 2000.

Brezin, A.P.; P. Thulliez, B. Cisneros, M.B. Mets, M.F. Saron. Lymphocytic choriomeningitis virus chorioretinitis mimicking ocular toxoplasmosis in two otherwise normal children. Am J Ophthalmol 130(2):245–247, 2000.

Casals, J. Arenavirus. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Casals, J. Arenavirus. In: Evans, A.S., ed. Viral Infections of Humans, 2nd ed. New York: Plenum; 1982.

Childs, J.E., G.E. Glass, T.G. Ksizzek, et al. Human-rodent contact and infection with lymphocytic choriomeningitis and Seoul viruses in an inner-city population. Am J Trop Med Hyg 44:117–121, 1991.

Dykewicz, C.A., V.M. Dato, S.P. Fisher-Hoch, M.V. Howarth, G.I. Perez-Oronoz, S.M. Ostroff et al. Lymphocytic choriomeningitis outbreak associated with nude mice in a research institute. JAMA 267(10):1349–1353, 1992.

Fenner, F.J., E.P. Gibbs, F.A. Murphy, R. Rott, M.J. Studdert, D.O. White. Veterinary Virology, 2nd ed. San Diego: Academic Press; 1993.

Gregg, M.B. Recent outbreaks of lymphocytic choriomeningitis in the United States of America. Bull World Health Organ 52:549–554, 1975.

Hotchin, J. The biology of lymphocytic choriomeningitis infection: Virus-induced immune disease. Cold Spring Harb Symp Quant Biol 27:479–499, 1962.

Hotchin, J. Vol. 3, Monograph in Virology: Persistent and Slow Virus Infections. Basel: Karger; 1971.

Hotchin, J.E., L.M. Benson. Lymphocytic choriomeningitis. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals. Ames: Iowa State University Press; 1970.

Hotchin, J., E. Sikora. Laboratory diagnosis of lymphocytic choriomeningitis. Bull World Health Organ 52:555–560, 1975.

Hotchin, J., W. Kinneh, E. Sikora. Some observations on hamster-derived human infection with lymphocytic choriomeningitis virus. Bull World Health Organ 52:561–566, 1975.

Jahrling, P.B., C.J. Peters. Lymphicytic choriomeningitis virus. A neglected pathogen of man. [Editorial]. Arch Pathol Lab Med 116:486–488, 1992. Johnson, K.M. Arenaviruses: Diagnosis of infection in wild rodents. In: Kurstak, E., C. Kurstak, eds. Vol. 4: Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Johnson, K.M. Lymphocytic choriomeningitis virus, Lassa virus (Lassa fever), and other arenaviruses. In: Mandell, G.L., R.G. Douglas, Ir., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc; 1990.

Lehmann-Grube, F. Lymphocytic choriomeningitis virus. In: Foster, H.L., J.D. Small, J.G. Fox. Vol. 2: The Mouse in Biomedical Research. San Diego: Academic Press; 1982.

Maurer, F.D. Lymphocytic choriomeningitis. Lab Anim Care 14:415-419, 1964.

Morita, C. [Epidemiological studies on lymphocytic choriomeningitis virus in Japan.] Nippon Rinsho 55(4):886–890, 1997.

Park, J.Y., C.J. Peters, P.E. Rollin, T.G. Ksiazek, B. Gray, K.B. Waites, et al. Development of a reverse transcription-polymeruse chain reaction assay for diagnosis of lymphocytic choriomeningitis virus infection and its use in a prospective surveillance study. J Med Virol 51(2):107–114, 1997.

Skinner, N.H., E.H. Knight, L.S. Buckley. The hamster as a secondary reservoir host of lymphocytic choriomeningitis virus. J Hyg 76:299–306, 1976.

Swango, L.J. Lymphocytic choriomeningitis. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Thomsen, A.R., K. Bro-Jorgensen, B.L. Jensen. Lymphocytic choriomeningitis virus-induced immunosuppression: Evidence for viral interference with T-cell maturation. Infect Immur 37:981–986, 1982.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Follow up on hamster-associated LCM infection. MMWR Morl. Mortal Wkly Rep 23:131–132, 1974.

Wilsnack, R.E. Lymphocytic chariomeningitis. In: Symposium on Viruses of Laboratory Rodents. Bethesda: National Cancer Institute; 1966. (Monograph 20).

MACHUPO HEMORRHAGIC FEVER

ICD - 10 A96.1

| .Bolivian hemorrhagic fever | Ô | : |
|-----------------------------|-----------------|---------------|
| | | .Black typhus |
| | l achupo | : |
| arenaviridue | | arenavirus |
| .(Ô | :) | Tacaribe |
| | | : |
| | | ô |

```
.1959
1.100 5
                    .1964
                   5.000 	 4.000 \hat{O}
. (%24) 260
                        1962
       600 \, \hat{O}
               1964 1963 ( 122 650)
                   2500
                 1963
         6
                   1971
              index case
                               5.
            pathologist
              4 :1971 Ô
       1975/1 1974/12
                    1994/6
              :1994/9
```

```
Ô
                                              .(D994)
Calomys
          .(\%35 \hat{O} ) cricetids
                              .(Jahnson et al., 1978)
.Calomys callosus
                                          1977
                                                    .(1982
    2 - 1
               Ô
               · Ô
                                      5
                           %30)
                      .10
                               6
                                                 %50
             (%50
                     %30)
                              .9
                                      5
                    furrows
```

```
:cricetid
                                                         .(Johnson, 1981)
                         :(19
                                                              Ô
   Proechimys guyannesis
               Ô
  Ô
                                      122
                                                %24
                                                  Poechimys
                                                            .1959
                  \operatorname{DDT}\, \boldsymbol{\hat{O}}
```

296


.

9 5 . 17 13

. 25.000

: .

.(Johnoon, 1975)



(MARU)

9

297

6 – 3 Ô Ô) Vero .(Chin, 2000) 3.000

60

Ô Ĉ

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins: 1972.

Bond, J.O. Hemorrhagic Fevers in Latin America. Paper presented at the Sixteenth Meeting of the PAHO Advisory Committee on Medical Research. Washington, D.C.: Pan American Health Organization; 1977. (PAHO/ACNR 16.3).

Casals, J. Arenaviruses. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Chin, J., ed. Control of Communicable Diseases Manual, 17th ed. An official report of the American Public Health Association. Washington, D.C.: APHA; 2000.

Comisión de Investigación de la Fiebre Hemorrágica en Bolivia. Fiebre hemorrágica en Bolivia. Bol Of Santt Panam 58:93-105, 1965.

Johnson, K.M. Arenaviruses: Diagnosis of infection in wild rodents. In: Kurstak, E., C. Kurstak, eds. Comparative Diagnosis of Virul Diseases. New York: Academic Press; 1981.

Johnson, K.M., R.B. Mackenzie, P.A. Webb, M.L. Kuns. Chronic infection of rodents by Machupo virus. Science 150:1618–1619, 1965.

Johnson, K.M., S.B. Halstead, S.N. Cohen. Hemorrhagic fevers of Southeast Asia and South America: A comparative appraisal. Progr Med Virol 9:105–158, 1967.

Johnson, K.M., P.A. Webb, G. Justines. Biology of Tacaribe-complex viruses. In: Lehman-Grube, F., ed. Lymphocytic Choriomeningisis Virus and Other Arenaviruses; Symposium Held at the Heinrich-Pette-Institut für experimentelle Virologie und Immunologie, Universität Hamburg, October 16–18, 1972. Berlin and New York: Springer-Verlag; 1973.

Johnson, K.M., P.A. Webb. Rodent-transmitted hemorrhagic fevers. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Johnson, K.M., P.A. Webb, G. Justines, F.A. Murphy. Ecology of hemorrhagic fever viruses: Arenavirus biology and the Marburg-Ebola riddle. In: Proceedings, 3rd Munich Symposium on Microbiology, June 7-8, 1978.

Mackenzie, R.B., H.K. Beye, L. Valverde, H. Garron. Epidemic hemorrhagic fever in Bolivia. I. A preliminary report of the epidemiologic and clinical findings in a new epidemic area in South America. Am J Trop Med Hyg 13:620-625, 1964.

Organización Panamericana de la Salud. Fiebre hemorrágica: Bolivia. Inf Epidemiol Sem 47:264, 1975.

Organización Panamericana de la Salud. Fiebre hemorrágica boliviana. Bol Epidemiol 3(5):15-16, 1982.

Peters, C.J., P.A. Webb, K.M. Johnson. Measurement of antibodies to Machupo virus by the indirect fluorescent technique. Proc Soc Exp Biol Med 142:526-531, 1973.

Peters, C.J., R.W. Kuehne, R.R. Mercado, R.H. Le Bow, R.O. Spretzel, P.A. Webb. Hernorrhagic fever in Cochabamba, Bolivia, 1971. Am J Epidemiol 99:425–433, 1974.

Symposium on some aspects of hemorrhagic fevers in the Americas. Am J Trop Med Hyg 14:789-818, 1965.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). International notes Bolivian hemorrhagic fever—El Beni Department, Bolivia, 1994. MMWR Morb Mortal Wkly Rep 43(50):943–946, 1994.

MARBURG VIRUS DISEASE

ICD-10 A98.3

| .green monkey disease | | · Ô | : |
|-----------------------|-------------|------------|-----------|
| | | | : |
| - | Filoviridae | | filovirus |
| .(R | eston |) | _ |
| 1.000 - 700 | . 80 | | |
| | | | • |
| 1967 | | : | |
| Ô | | • | |
| Cercopithecus (| ĵ) | | (aethiops |
| . 20 | • | 5 : | . 7 |
| | | <i>3</i> . | . , |
| • | | | |
| | | | Ô |
| | | 1975 | · Ô |
| | • | | - |
| | | (|) |
| | | • | 1980 |
| | .1987 | | |
| .(Chin, 2000) | 1999 | .1987 | |
| 16: 1 | 7 | | : |

```
.K
           et al., 1982)
                                          481
                                                 128:1
              499
                                64:1
                                    .(Saluzzo et al., 1982)
                   .(WHO, 1984)
                                               .%29
                   1967
                  5 - 3
                           %100
```

```
136
                 (Johnson et al., 1982)
          1967
                                     index case
                                                         (vectoral
                              .( ô
                                           .Vero E6
                 .Vero
             10 - 7
```

Ô
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴
 ∴

Benenson, A.S., ed. Control of Communicable Disease in Man, 15th ed. An official report of the American Public Health Association, Washington, D.C.: American Public Health Association; 1990.

Chin, J., ed. Control of Communicable Disease in Man Manual, 17th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 2000.

Borwen, E.T., G. Lloyd, W.J. Harris, G.S. Platt, A. Baskerville, E.E. Vella. Viral hemorrhagic fever in southern Sudan and northern Zaire. Preliminary studies on the aetiological agent. Lancet 1:371–373, 1977.

Gear, J.S., G.A. Cassel, A.J. Gear, et al. Outbreak of Marburg virus disease in Johannesburg. Brit Med J 4:489-493, 1975.

Johnson, B.K., L.G. Gitau, A. Gichogo, et al. Marburg, Ebola and Rift Valley Fever virus antibodies in East African primates. Trans R Soc Trop Med Hyg 76:307–310, 1982.

Johnson, K.M., J.V. Lange, P.A. Webb, F.A. Murphy. Isolation and partial characterization of a new virus causing acute hemorrhagic fever in Zaire. Lancet 1:569–571, 1977.

Karabasson, N., ed. International Casalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 3rd ed. San Antonio: American Society for Tropical Medicine and

Hygiene: 1985.

Kiley, M.P., E.T. Bowen, G.A. Eddy et al. Filoviridae: A taxonomic home for Marburg and Ebola viruses? Intervirology 18:24–32, 1982.

Kissling, R.E. Epidemiology of Marburg disease. In: Sanders, M., M. Schaeffer, eds., Wruses Affecting Man and Animals. St. Louis, Missouri: Green; 1971.

Kissling, R.E. Marburg virus. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas: 1975.

Kissling, R.E., F.A. Murphy, B.E. Henderson. Marburg virus. Ann NY Acad Sci 174:932–945, 1970.

Knobloch, J., E.J. Albiez, H. Schmitz. A serological survey on viral haemorrhagic fevers in Liberia. Ann Virol (Inst Pasteur) 133E:125–128, 1982.

Saluzzo, J.F., J.P. González, A.J. Georges. Mise en evidence d'anticorps anti-virus Marburg dans les populations humaines du sud-est de la Republique Centrafricaine. Ann Virol (Inst. Patteur) 133E:129–131, 1982.

Slenczka, W., G. Wolff, R. Siegert. A critical study of monkey sera for the presence of antibody against the Marburg virus. Am J Epidemiol 93:496–505, 1971.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Update on viral hemorrhagic fever—Africa. MMWR Morb Mortal Wkly Rep 25:339, 1976.

World Health Organization (WHO). Viral haemorrhagic fever surveillance. Wkly Epidem Rec 59:300–301, 1984.

World Health Organization (WHO), Viral Haemorrhagic Fevers: Report of a WHO Expert Committee, Geneva: WHO: 1985. (Technical Report Series 721).

MAYARO FEVER

ICD-10 A92.8

ICD-10 A92.8 Other specified mosquito-borne viral fevers

| | | .Uruma | : |
|----|----|--------|------------------------------|
| .(| .(| A | :) alphavirus . Tagoviridae |
| | | : | |
| | | (Tala | rmin <i>et al.</i> , 1998) |

```
%50 %10
                                50
                                              :1955
                   1955 – 1954 "jungle fever"
%10
                                                    400
             :1978 – 1977 .(
                                                    %15
                                   Ô
    4.000
           %20 .
                                      .(LeDuc et al., 1981)
                1962
                      %6.3
        3
                     55
                                         1978 - 1977
  %20
                    .(Pinheiro et al., 1981)
```

```
9.000
                                         Haemagogus janthinomys
                                                  9
                                                                      26
                                            736
                                                                   62
                   1: 82 Haemagogus janthinomys
                                                            Ô
                                                                  368:1
Haemagogus
                                                             janthinomys
Mansonia
                  Culex
                      Sabethes
                                        Psorophora
                                                           Aedex
                                        .(Hoch et al., 1981)
          1.200
                      %1.3
                                                    585
                                                               %5.6
.(Callithrix argentata)
                                                    (%27) 32 howler
                                             119
                                                %29
                                           (Icterus spurious) Oriloe
(Proechimys)
                             (Oryzomys
```

(Nectomys) .(Hoch et al., 1981) .(Junt et al., 1999) .(Talarmin et al., 1998)

Andrewes, C.H., H.G. Pereira. Visuses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Casals, J., D.H. Clarke. Arboviruses: Group A. In: Horsfall, F.L., I. Tamm, eds. Wral and Rickettsial Infections of Man. 4th ed. Philadelphia: Lippincott; 1965. Groot, H., A. Morales, H. Vidales. Virus isolations from forest mosquitoes in San Vicente de Chucuri, Colombia. Am J Trop Med Hyg 10:397–402, 1961.

Hoch, A.L., N.E. Peterson, J.W. LeDuc, F.P. Pinheiro. An outbreak of Mayaro virus disease in Belterra, Brazil. III. Entomological and ecological studies. Am J Trop Med Hyg 30:689–698, 1981.

Junt, T., J.M. Heraud, J. Lelarge, B. Labeau, A. Talarmin. Determination of natural versus laboratory human infection with Mayaro virus by molecular analysis. *Epidemiol Infect* 123(3):511–513, 1999.

Karabatson, N., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Versebrates, 3rd ed. San Antonio: American Society for Tropical Medicine and Hygiene: 1985.

LeDuc, J.W., F.P. Pinheiro, A.P. Travassos da Rosa. An outbreak of Mayaro virus disease in Belterra, Brazil. II. Epidemiology. Am J Trop Med Hyg 30:682–688, 1981.

Metselaar, D. Isolation of arboviruses of group A and group C in Surinam. Trop Geogr Med 18:137–142, 1966.

Pinheiro, F.P., R.B. Freitas, J.F. Travassos da Rosa, Y.B. Gabbay, W.A. Mello, J.W. LeDuc. An outbreak of Mayaro virus disease in Belterra, Brazil. I. Clinical and virological findings. Am J Trop Med Hyg 30:674–681, 1981.

Schaeffer, M., D.C. Gajdusek, A. Brown, H. Eichenwald. Epidemic jungle fevers among. Okinawan colonists in the Bolivian rain forest. Am J Trop Med Hyg 8:372–396, 1959.

Talarmin, A., L.J. Chandler, M. Kazanji, B. de Thoisy, P. Debon, J. Lelarge, et al. Mayaro virus fever in French Guiana: Isolation, identification, and seroprevalence. Am J Trop Med Hyg 59(3):452–456, 1998.

Tesh, R.B. Arthritides caused by mosquito-borne viruses. Annu Rev Med 33:31-40, 1982.
Work, T.H. Semliki Forest-Mayaro virus disease. In: Beeson, P.B., W. McDermott, J.B.
Wyngaarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

MEASLES

ICD - 10 B05

| us |
|----|
| |
|) |
| |
| |
| |

```
.(Beneson, 1990)
                                       817.161
                      2000
                                       40 - 30
                   777.000
                                    (%90 ≥)
 100
                50.000
                                                    .1999
         :2000 34.971
Ô
                                                     %50
          .(WHO, 2002) 2000
                               36.306 1981 300.000
                                537
                                           :2001
                         D6 Ô
                                          .1990
                                                   %99
                             - 1995
         2001
                    2001 - 1997
          ·Ô
                       indigenous
                                           Ô
     2001
                         Ô
                               .(CDC, 2002) 2002
                        (M. mullata
```

```
(M. fascicularis
         (Colobus guereza) colobus
(Saguinus Oedipus)
                                           (Presbytis cristatus)
                                            .(Callithrix jacchus)
                                      .(Montrey et al., 1980)
                                                                     (
                                   .(Soave, 1981) %100
             170
                                                           195 (
         (Presbytis entellus) (Langur
            .(Bhatt et al., 1966)
Kalter et)
                                                     (Papio)
                        87
                                                          65
                                                                   .(al., 1967
                     3
                                                   1985
                                 3
                                                   5
(%41.3) 36
                                     7
                                3
     .(Welshman, 1989)
                                                  (84)
     18 - 8
                                                    7 - 4
                                    Ô
                                                         100.000
```


```
1990) 1/0
                                                  %
                         .₿
                                                           .(Karstad, 1981)
                                    Ô
P.)
                                     24
 Ô
                               31
                                                                 (cristatus
                                                      9 - 6
                     (Montrey et al., 1980)
                                              (C. guereza) colobus
                                                       .(Hime et al., 1975)
                            87
                                  63
                  .ventral
 Ô
                                                                        7
                                                   .(Welshman, 1989)
                                 :(20
                                           )
                                                      .(Chin, 2000)
                       Ô
```

Yamanouchi et) Ô

.(al., 1969

Welshman,)

.(1989



.Potent

| | 1980 | 14000 | 500000 |
|-------|---------------------|-------------------|---------------|
| | | | K 982) |
| (|) .(Black, 1984) | lapse | · |
| · | | .(Yamanouchi et a | d., 1969) |
| | | Edmonston | |
| 1981) | | | .(Karstad, |
| | .V | Velshman,) (1989 | |
| | Ô | Ô | |

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: APHA; 1990.

Bhatt, P.N., C.D. Brandt, R.A. Weiss, J.P. Fox, M.F. Shaffer. Viral infections of monkeys in their natural habitat in southern India. II. Serological evidence of viral infection. Am J Trop Med Hyg 15:561–566, 1966.

Black, F.L. Measles. In: Warren, K.S., A.A.F. Mahmoud, eds. Tropical and Geographical Medicine. New York: McGraw-Hill; 1984.

Chen, J.C., ed. Control of Communicable Diseases in Man, 17th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 2000. Hime, J.M., I.F. Keymer, C.J. Baxter. Measles in recently imported colobus monkeys (Colobus guereza). Ver Rec 97:392–394, 1975.

Kalter, S.S., J. Ratner, G.V. Kalter, A.R. Rodríguez, C.S. Kim. A survey of primate sera for antibodies to viruses of human and simian origin. Am J Epidemiol 86:552–568, 1967.

Karstad, L. Miscellaneous viral infections. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals, 2nd ed. Ames: Iowa State University Press; 1981.

Katz, S.L. Measles. In: Wyngaarden, J.B., L.H. Smith, Jr., eds. Vol 2: Cecil Textbook of Medicine, 16th ed. Philadelphia: Saunders; 1982.

Montrey, R.D., D.L. Huxsoll, P.K. Hildebrandt, B.W. Booth, S. Arimbalam. An epizootic of measles in captive silvered leaf-monkeys (*Presbytis cristatus*) in Malaysia. *Lab Anim Sci* 30:694–697, 1980.

Soave, O. Viral infections common to human and non-human primates. J Am Vet Med Assoc 179:1385–1388. 1981.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Outbreak of measles—Venezuela and Colombia, 2001–2002. MMWR Morb Mortal Wkly Rep 51(34):757–760, 2002.

Welshman, M.D. Measles in the cynomolgus monkey (Macaca fascicularis). Ves Rec 124:184-186, 1989.

World Health Organization (WHO). Global messles mortality reduction and regional elimination, 2000–2001. Part I. Wkly Epidemiol Rec 77(7):49–56, 2002.

Yamanouchi, K., A. Fakuda, F. Kobune, M. Hikita, A. Shishido. Serologic survey with the sera of monkeys in regard to their natural infection with measles virus. *Jpn J Med Sci Biol* 22:117–121, 1969.

MURRY VALLEY ENCEPHALITIS

| ICD-10 A83.8 Other mosquito-borne viral encephalitis | | | | | | | |
|--|--|-----|---|---|---|---|--|
| | | | | X | : | | |
| | | | | | : | | |
| .(| | | В |) | | | |
| | | .(1 | | | |) | |

Ô

ICD-10 A83.9

```
134 (X )
                                                        .1918 - 1917
.1974 1971
                                                  1951
                                                  1.000 - 500
                     11
                                              .%89
                                                     %7
                                                              %86
                                                      .%89
                          .1974
.(Hawkes et al., 1981)
         2.873
.(Hawkes et al., 1993) 1981
                                                                    1991
           .1972
                                               kunjin 1
               .(Hawkes et al., 1993) enzootic
                      18
                                Ô
                                                                   .1991
                                                    )
                                      .(liehne et al., 1976)
                                                          .(Doherty, 1981)
```

```
culex
                                                         %78
                                                               .annulirostris
                                                               sentinel
                                                  .(Smith et al., 1991)
           marsupials
              10
                                                           (%40
                         Ô
.(Gard et al., 1977)
 Ô
                             .1974
                                             (Ardea novaehollandiae) Heron
                               .(Kay et al., 1981)
                                                   Ô
                                          15
```

| | | : |
|-----------------|---------------------|---|
| | | |
| | - | _ |
| feral | • | |
| 1974 | Ô | |
| | | |
| | | , |
| .(Gard <i>e</i> | t al., 1976) (| |
| | (W / 1 1001) | |
| | .(Kay et al., 1981) | |
| Ô | ·· Ô | |
| | Ô | : |
| : | | |

. :

Ô Ô

Andrewes, C.H., H.G. Pereitz. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins: 1972.

Berge, T.O., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 2nd ed. Atlanta: Centers for Disease Control and Prevention, 1975. (DHEW Publ. CDC 75–8301).

Clarke, D.H., J. Casals. Arboviruses: Group B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Doherty, R.L. Arboviral zoonoses in Australasia. In: Beran, G.W., section ed. Section B, Vol. 1: CRC Handbook Series in Zoonoses. Boca Raton: CRC Press; 1981.

Downs, W.G. Arboviruses. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum: 1976.

Gard, G.P., J.R. Giles, R.J. Dwyer-Grey, G.M. Woodroofe. Serological evidence of interepidemic infection of feral pigs in New South Wales with Murray Valley encephalitis virus. Aunt J Exp Biol Med Sci 54:297–302, 1976.

Gard, G.P., I.D. Marshall, K.H. Walker, H.M. Acland, W.G. Sarem. Association of Australian arboviruses with nervous disease in horses. Aust Vet J 53:61–66, 1977.

Hawkes, R.A., C.R. Boughton, H.M. Naim, J. Wild, B. Chapman. Arbovirus infections of humans in New South Wales. Seroepidemiology of the flavivirus group of togaviruses. Med J Aust 143(12–13):555–561, 1985.

Hawkes, R.A., J. Pamplin, C.R. Boughton, H.M. Naim. Arbovirus infections of humans in high-risk areas of south-eastern Australia: a continuing study. Med J Auxr 159:159–162, 1993.

Kay, B.H., P.L. Young, I.D. Fanning, R.A. Hall. Which vertebrates amplify Murray Valley encephalitis virus in Southern Australia? In: Fowler, M.E., ed. Wildlife Diseases of the Pacific Basin and Other Countries. Proceedings of the Fourth International Conference of the Wildlife Diseases Association, Sydney 25–28 August, 1981. Davis: University of California; 1981.

Liehne, C.G., N.F. Stanley, M.P. Alpers, S. Paul, P.F. Liehne, K.H. Chan. Ord River arboviruses: serological epidemiology. Aust J Exp Biol Med Sci 54:505–512, 1976.

Miles, J.A. Epidemiology of the arthropod-borne encephalitides. Bull World Health Organ 22:339–371, 1960.

Smith, D.W., A.K. Broom, A. Keil, J.S. Mackenzie. Murray Valley encephalitix acquired in Western Australia. Med J Aust 154:845–846, 1991.

NEWCASTLE CONJUNCTIVITIS¹

ICD-10 B30.8 Other viral conjunctivitis

pneumoencephalitis

| paramyxovirus 1pseudofowl pest (| | | | | | | |
|----------------------------------|-----------------|---------------------------------|-----------------------------|--|--|--|--|
| Ô | .Newcastle : | | | | | | |
| | (avian parainfl | (avian parainfluenza virus 1) 1 | | | | | |
| | .Av | vulavirus | | | | | |
| Ô | .(9 2) | | 8 | | | | |
| protype | | .mu | mps | | | | |
| Ô. | | | _ | | | | |
| 0 . | _ | | Ô | | | | |
|) pathogenic types | | | inculated | | | | |
| .(|) lentogenic | | (pathotype | | | | |
| .(|) velogenic | .(|) Mesogenic | | | | |
| | | tropic velog | | | | | |
| Ô : |) Visceroi | nopic velog | .(exotic | | | | |
| | | | . (exone | | | | |
| • | | | • | | | | |
| | • | | • | | | | |
| • | | | | | | | |
| 40 | • | | | | | | |
| | | | 8 | | | | |
| | .(Russell and | Alexander, | 1983) | | | | |
| | | | : | | | | |
| | | | | | | | |
| | • | • | | | | | |
| | 40 |) | | | | | |
| () | 17 | , | 90 | | | | |
| \ / | 1 / | • | <i>7</i> U | | | | |

| | | | | | • | | |
|-----------------------|-------|----------|---------|-----------|--------|---------|-------|
| | | | | | | | |
| | | | | | • | | |
| | | | 0/64 | • | | | |
| | • | | %64 | | | | â |
| • | | | | | • | | O |
| | | | • | | | | |
| | | | | | : | | |
| | | | | | • | | |
| : | | • | | | | | |
| | | | | | | | |
| | | | | | | 1926 | |
| • | • | | | | | 1920 | |
| | | | | | | | |
| | | • | | | | panzo | otics |
| | | 1970 | | | | 1968 – | |
| | | | | | | .1971 – | |
| epizootic | | | | | | | |
| - | 56 | | 3 | 1971 | | | |
| | | | 1991 | episo | ode | | |
| | | 1 | | / | | | |
| | | (Amazona | ochroce | ephala or | atrix) | | |
| Bruning-Fann <i>e</i> | t al) | | | | | Ô | |


```
.(1992
                      neurotropic
                1984 - 1981
                                                .1981
                                                            Ô
             23
             8 - 6
Pearson et al.,) lentogenic
                                                                    90
                                                                        .(1985
                       :1992 1990
                                                 <sup>1</sup>(Phalacrocorax auritus)
(Pelecanus erythrorhynchos)
               %50
                                                             %20
                               26.000
Wobeser et al., 1993; USDA,)
                                                                        .(1992
    3.736
                                                               :cormorant :
```

```
17
                                                                    67
                        et al., 1986)
                                                            1999
Aust Vet J,)
                                             Ô
                                                                    .(2000
                                                           .1932 1930
                                                                      1964
                                                                  Ô
                                                    1999
                                                                      1932
           .(Murray, 1999) endemic
                                                      .1970
.1927
100\,\hat{O}
            2 – 1
```

```
4 – 3
15 – 2
                            6 – 5
                                                    velogenic
            %10
    %90
        .mesogenic
                                               .%50
                                                       %10
  Ô
          preponderant
                .proventriculus
```

3 – 1 wattle Ô :(21 episodes .1926 (Hanson, 1978) 19 – 15

B1



34

· Ô . 190

.(

```
panzootic
                        .(Hanson, 1976)
      9.446
                    :(Pearson and Cann, 1975)
                                                              exotic
(Passer domesticus)
                                3
                     Ô
                            .(Corvus brachyrhynchos)
                              4.367
                                       (%0.76) 33
                   3.780
                            (%1.01) 38
                                   .toucan
```

| | | | . | | | , 1975) | | | |
|---|---|---|----------|---|---|---------|--------------------|-------|-----|
| | | • | | | | | | | |
| | | | | • | | | | | |
| | | | | | | | | | |
| â | | | | : | | | | | |
| Ô | | | | • | | | | | |
| | | | | | | | (| |) |
| • | • | | • | | ٠ | | : | | |
| | | | | | | | · | | |
| | | | | | | | | | |
| | | | | | | • | | | |
| | | | | 3 | 2 | | | | |
| | : | | | ı | • | | | | |
| | | | | | | | Ô | | |
| | | | | | • | | | (|) |
| | | | | | | .(Hlin | ak <i>et al</i> ., | , 199 | 92) |
| | | | | | | | | | |

```
10 – 9
average
.(Alexander, 1991)
                      .lasota
                                   Hitchner B1
                                                         lentogenic
     Ô
                     instilling
               .(Hanson, 1978)
                                                  ä
```

ÔÔ

Alexander, D.J., J.S. Mackenzie, P.H. Russell. Two types of Newcastle disease viruses isolated from feral birds in Western Australia detected by monoclonal antibodies. Aust Vet J 63:365–367, 1986.

Alexander, D.J. Newcastle disease and other paramyxovirus infections. In: Calnek, B.W., H.J. Barnes, C.W. Beard, W.M. Reid, H.W. Yoder, Jr., eds. Diseases of Poultry, 9th ed. Ames: Iowa State University Press; 1991.

Allan, W.H. The problem of Newcastle disease. Nature 234:129-131, 1971.

Andrewes, C.H., H.G. Pereira. Viruses of Versebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Benson, H.N., D.R. Wenger, P.D. Beard. Efficacy of a commercial Newcastle vaccine against velogenic viscerotropic Newcastle disease virus. Avian Dis 19:566–572, 1975.

Brandly, C.A. The occupational hazard of Newcastle disease to man. Lab Anim Care 14:433–440, 1964.

Bruning-Fann, C., J. Kanene, J. Heamon. Investigation of an outbreak of velogenic viscerotropic Newcastle disease in pet birds in Michigan, Indiana, Illinois, and Texas. J Am Ver Med Assoc 201:1709–1714, 1992.

Francis, D.W., E. Rivelli. Newcastle disease in Paraguay. Aviun Dis 16:336-342, 1972.

Hanson, R.P. Newcastle disease. In: Hofstad, N.S., ed. Diseases of Poultry, 6th ed. Ames: Iowa State University Press; 1972.

Hanson, R.P., J. Spalarin, G.S. Jacobson. The viscerotropic pathotype of Newcastle disease virus. Avian Dis 17:354–361, 1973.

Hanson, R.P. Paramyxovirus infections. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas: 1975.

Hanson, R.P. Avian reservoirs of Newcastle disease. In: Page, L.A., ed. Wildlife Diseases. Proceedings of the Third International Wildlife Disease Conference held at the University of Munich's Institute for Zoology and Hydrobiology in Munich. 1975 and sponsored by the Wildlife Disease Association. New York: Plenum; 1976.

Hanson, R.P. Newcastle disease. In: Hofstad, N.S., B.W. Calnek, C.F. Hembolt, W.M. Reid, H.W. Yoder. Ir., eds. Diseases of Poultry, 7th ed. Ames: Iowa State University Press; 1978.

Hlinak, A., H. Dahms, P. Minning, Beitrag zur Wertung verschiedener Testmethoden zum Machweis von Antikörpern gegen Newcastle virus. Monatshefte Vet Med 47:443–447, 1992.

Lancaster, J.E. Newcastle disease: Modes of spread. Ver Bull 33:221–226;279–285, 1963.
Murray, G. Controlling the major Newcastle disease outbreak at Mangrove Mountain.

NSW, Aust Ver J 77(7):472, 1999.

No author. Four million chickens get Newcastle disease vaccine. Aust Ver J 78(2):73, 2000.

Pearson, G.L., M.K. McCann. The role of indigenous wild, semidomestic, and exotic birds in the epizootiology of velogenic viscerotropic Newcastle disease in Southern California, 1972–1973. J Amer Vet Med Assoc 167:610–614, 1975.

Pearson, J.E., D.A. Senne, L.A. Petersen. Newcastle disease virus infection of pigeons: Is it a threat to poultry? Proc 89th Ann Meet US Animal Hith Assoc 89:293-295, 1985.

Russell, P.H., D.J. Alexander. Antigenic variation of Newcastle disease virus strains detected by monoclonal antibodies. Arch Virol 75:243–253, 1983.

Snyder, D.B., W.W. Marquardt, E.T. Mallinson, E. Russek. Rapid serological profiling by enzyme-linked immunosorbent assay. I. Measurement of antibody activity titer against Newcastle disease virus in a single serum dilution. Avian Dis 27:161–170, 1983.

Spalatin, J., R.P. Hanson. Epizootiology of Newcastle disease in waterfowl. Avian Dis 19:573–582, 1975.

United States of America, Department of Agriculture (USDA), Animal and Plant Health Inspection Service, Veterinary Services, Emergency Programs. Foreign Animal Dis Rep 20:3–4, 1992. 329

Walker, J.W., B.R. Heron, M.A. Mixson. Exotic Newcastle disease eradication programs in the United States. Avian Dis 17:486–503, 1973.

Westbury, H.A. Newcastle disease virus in Australia. Aust Vet J 57:292–298, 1981.
Wobeser, G., F.A. Leighton, R. Norman et al. Newcastle disease in wild water birds in Western Canada, 1990. Canad Vet J 34:353–359, 1993.

OMSK HEMORRHAGIC FEVER Ĉ

ICD-10 A98.1 Ô В) Flavivirus 600 1946 200 1945 11992 - 1988(%83.3).(Belov et al., 1995) 10 9 7 - 3(40 - 39)12 - 5meningism Ô .exanthem

```
(Ondatra zibethicus)
                                                                   3
                                                .(Seymour and Yuill, 1981)
                                                      .Dermacentor pictus
                                                                   40
    (Ondatra zibethicus)
                 (Arvicola terrestris)
           (Sorex araneus) shrew
                                                (Microtus economus
                      (Citellus erythrogenus)
Seymour and)
```

.**Y** , 1981

)

(

) Ô

Ô

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins: 1972.

Belov, G.F., E.V. Tofaniuk, G.P. Kurzhukov, V.G. Kuznetsova. [The clinico-epidemiological characteristics of Omsk hemorrhagic fever in 1988–1992.] Zh Mikrobiol Epidemiol Immunobiol Jul-Aug;(4):88–91, 1995.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: APHA; 1990.

Casals, J., B.E. Henderson, H. Hoogstraal, K.M. Johnson, A. Shelokov. A review of Soviet viral hemorrhagic fevers, 1969. J Infect Dis 122:437–453, 1970.

Clarke, D.H., J. Casals. Arboviruses: Group B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Downs, W.O. Arboviruses. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Karabatson, N., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 3rd ed. San Antonio: American Society for Tropical Medicine and Hygiene; 1985.

Prier, J.E. Basic Medical Virology. Baltimore: Williams & Wilkins; 1966.

Seymour, C., T.M. Yuill. Arboviruses. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals, 2nd ed. Ames: Iowa State University Press; 1981.

World Health Organization (WHO). Viral Haemorrhagic Fevers: Report of a WHO Expert Committee. Geneva: WHO; 1985. (Technical reports series 721).

OROPOUCHE VIRUS DISEASE


ICD-10 A93.0

Bunyavirus 18 Simbu 1955 Ô 46 .(Anderson et al., 1961) 3 1978 1961 14.000 (1961)11.000 (1975)165.000 .(Pinherio et al., 1981) 1978 1980 - 1979.(LeDuc et al., 1981) .1981/2 1980/10 1980/6 5 %4.2 6 496 650.000 97.000 %16.7 1987/12 .(Borborema et al., 1982) .(Vasconcelos et al., 1989) %56 .19 10

```
LeDuc et al.,)
                                                                  .(1981
 .(Pinheiro et al., 1981)
                                                           .(Chin, 2000)
                  .(Berge, 1975)
   .(Pinheiro et al., 1981) (Bradypus tridactylus) sloth
Alouatta seniculus) B
                              26
.(Anderson et al., 1961) (Cebus
                                                               (insularis
                                                    26
                                                          8
           %11.9
                               %1
                                                %2.8
                                                                   %4.1
Pinheiro et al.,)
                                                                  .(1981
                                   (°40 Ô)
         exanthematic (
                         %5
      2 - 1
```

```
.(Vasconcelos, 1989) 1987
Pinheiro et al.,)
                                        1980
                                                                       .(1982
                                                       .(Pinheiro et al., 1981)
                                :(22
                                                .(Pinheiro et al., 1981)
          (Cebus
                                                               .(formicariidae
                                                     (Saimiri
                         (Saguinus
                               Coquilletidia venezuelensis
                               .Aedes serratus
                        ) hematophagous
                                                                  (Culicoides
                                                      ) .Culicoides paraensis
 Ô
                     .(Pinheiro et al., 1982a)
                                      Culex quinquefasciatus
```

.(Hoch et al., 1987)



. %40.6 0

LeDuc et al.,)

.1981

paraenris

(Pinheiro *et al.*, 1981)

 \hat{O} M () \hat{O}

.(Moreli et al., 2002)

Ô Ô

Anderson, C.R., L. Spence, W.G. Downs, T.H.G. Aitken. Oropouche virus: A new human disease agent from Trinidad, West Indies. Am J Trop Med Hyg 10:574–578, 1961.

Berge, T.O., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 2nd ed. Atlanta: Centers for Disease Control and Prevention; 1975. (DHEW Publ. CDC 75–8301).

Borborema, C.A., F.P. Pinheiro, B.C. Albuquerque, A.P. Travassos da Rosa, J.F. Travassos da Rosa, H.V. Dourado. Primeiro registro de epidemias causadas pelo virus Oropouche no estado de Amazonas. Rev Inst Med Trop Sao Fundo 24:132–139, 1982.

Chin, J., ed. Control of Communicable Diseases Manual, 17th ed. An official report of the American Public Health Association. Washington, D.C.: APHA, 2000.

Hoch, A.L., F.P. Pinheiro, D.R. Roberts, M.L. Gomes. El virus Oropouche, transmisión en el laboratorio por Culex guinquefusciatus. Bol Of Santi Panam 103:106–111, 1987.

LeDuc, J.W., A.L., Hoch, F.P. Pinheiro, A.P. Travasson da Rosa. Epidemic Oropouche virus disease in northern Brazil. Bull Pan Am Health Organ 15:97–103, 1981.

Moreli, M.L., V.H. Aquino, A.C. Cruz, L.T. Figueiredo. Diagnosis of Oropouche virus infection by RT-nested-PCR. J Med Virol 66(1):139-142, 2002.

Pinheiro, F.P., A.P. Travassos da Rosa, J.F. Travassos da Rosa, et al. Oropouche virus. I. A review of clinical, epidemiological and ecological findings. Am J Trop Med Hyg 30:149–160, 1981. Pinheiro, F.P., A.G. Rochs, R.B. Freitas, et al. Meningite associada as infeccoes por virus Oropouche. Rev Inst Med Trop San Poulo 24:246–251, 1982.

Pinheiro, F.P., A.P. Travassos da Rosu, M.L. Gomes, J.W. LeDuc, A.L. Hoch. Transmission of Oropouche virus from man to hamster by the midge Culicoides paraensis. Science 215:1251–1253, 1982a.

Vasconcelos, P.F., J.F. Travassos da Rosa, S.C. Guerreiro, N. Degallier, E.S Travassos da Rosa, A.P. Travassos da Rosa, Primeiro registro de epidemias causadas pelo virus Oropouche nos estados do Maranhao e Goias, Brasil. Rev Inst Med Trop Sao Paulo 31:271–278, 1989.

ORUNGO FEVER

. ICD-10 B33.3

ICD-10 B33.3 Retrovirus infections, not elsewhere classified .Reoviridae Orbivirus 80 - 60.(Tomori, 1978) 60 .(Fabiyi et al., 1975) 1972 1.197 %23 .(Tomori and Fabiyi, 1976) %24 99 %14 44 %52 .Cercopithecus 7 - 3

.

.

Ô Ô

Fabiyi, A., O. Tomori, M.S. el-Bayoum. Epidemics of a febrile illness associated with UgMP 359 virus in Nigeria. West Afr Med J Niger Med Dent Pract 23:9-11, 1975.

Tomori, O. Orungo (ORU). Strain UgMP 359. In: Karabatsos, N. Supplement to International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates. Am J Trop Med Hyg 27(2 Pt 2 Suppl):372–440, 1978.

Tomori, O., A. Fabiyi. Neutralizing antibodies to Orungo virus in man and animals in Nigeria. Trop Geogr Med 28:233–238, 1976.


Tomori, O., A. Fabiyi. Susceptibility of laboratory and domestic animals to experimental infection with Orango virus. Acta Virol 21:133–138, 1977.

Ø ICD-10 A 84.8 ICD-10 A84.8 Other tick-borne viral encephalitis

. (B) Flavivirus
. (¹)
. (()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
. ()
.

```
.1958
                         27
                                   :1998
(Gholom et al., 1999)
                                                               Ô
                               :2001
                                                   1999
CDC,)
                                                                 .(2001
                %5
                         %1
                                                                  Ô
         Ô
                            14
                                      .(Monath, 1979)
                                      .(Leonova et al., 1991)
                                                 :
             725
               22
         %50 :
                 ) skunk
Mephitis
                                                        (Canis latrans)
                                                        %26 (mephitis
Arstob et al.,) (Proyon lotor)
                                       %10 .
                                                                 .(1986
                                          .(Spilogale putorius)
                       .(Johnson, 1987) (
                                              13
                                                              Ô
                 .(Keane et al., 1987)
                                      170
      .(Artsob et al., 1984)
                                    %1.1
                          .Rodentia
```

```
14
                 .pleocytosis
                                                (1991)
                             (Marmota monax) woodchuck
                                                   (Didelphis marsupialis
    11 - 6
                              3 - 1
              .(Kokernot et al., 1969)
Urocyon)
                                                        .(cinereoargeteus
                               :(23
      cookei
                                                                 Ioaxdes
                                      .Dermacentor
                    spinipalpis
                                                           marxi
Наетар-
                                                      hysalis longicornis
```



Ô

.(Ralph, 1999) M

ÔĈ

Andrewes, C.H., H.G. Pereira. Wruses of Vertebruses, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Arstob, H., L. Spence, L. Surgeoner et al. Isolation of Francisella tularensis and Powassan. virus from ticks (Acari: Ixodidae) in Ontario, Canada. J Med Entomol 21:165–168, 1984.

Arstob, H., L. Spence, C. Th'ng, et al. Arbovirus infections in several Ontario mammals, 1975–1980. Can J Ver Rev 50:42–46, 1986.

Gholam, B.I.A., S. Puksa, J.P. Provias. Powassan encephalitis: A case report with neuropathology and literature review. CMAJ 171(11):1419-1422, 1999.

Johnson, H.N. Isolation of Powassan virus from a spotted skunk in California. J Wildl Dis 23:152–153, 1987.

Karabatsos, N., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Versebrates, 3rd ed. San Antonio: American Society of Tropical Medicine and

Hygiene; 1985.

Keane, D.P., J. Parent, P.B. Little. California serogroup and Powassan virus infection of cats. Can J Microbiol 33:693–697, 1987.

Kokernot, R.H., B. Radivojevic, R.J. Anderson. Susceptibility of wild and domestic mammals to four arboviruses. Am J Ver Res 30:2197–2203, 1969.

Leonova, G.N., M.N. Sorokina, S.P. Krugliak. Kliniko-epidemiologicheskie osobennosti entsefalita Povassan na iuge Sovetskogo Dal'nego Vostoka [The clinico-epidemiological characteristics of Powassan encephalitis in the southern Soviet Far East]. Zh Mikrobiol Epidemiol Immunobiol 3:35–39, 1991.

Lvov, D.K. Epizootiology and ecology of viral zoonoses transmitted by ticks. In: WHO Collaborating Centre for Collection and Evaluation of Data on Comparative Virology. Proceedings, Third Munich Symposium on Microbiology. Munich: WHO Collaborating Centre for Collection and Evaluation of Data on Comparative Virology; 1978.

Monath, T.P. Anthropod-borne encephalitis in the Americas. Bull World Health Organ 57:513-533, 1979.

Odend'hal, S. The Geographical Distribution of Animal Viral Diseases. New York: Academic Press; 1983.

Ralph, E.D. Editorial: Powassan encephalitis. CMAJ 161(11):1416, 1999.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Powassan virus—New York. MMWR Morb Mortal Wkly Rep 24:379, 1975.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Outbreak of Powassan encephalitis—Maine and Vermont, 1999–2001. MMWR Morb Mortal Wkly Rep 50(35):761–764, 2001.

Whitney, E. Serologic evidence of group A and B Arthropod-borne virus activity in New York State. Am J Trop Med Hyg 12:417–424, 1963.

POXES OF MONKEYS

1980

B08.8

ICD-10 B04

ICD-10 B04 Monkeypox; B08.8 Other specified viral infections characterized by skin and mucous membrane lesions

. .1967 1958) 1978 / .(1978

.1958 .1 **MONKEYPOX** (variola) smallpox .Orthopoxvirus vaccinia cowpox

345 âa

```
Ô
                     .(Hutchinson et al., 1977)
                 .(Marennikova et al., 1981)
                                                    Ô
                                                .(Tripathy et al., 1981)
                                   .1970
     :1987
%95
                                      7
                                                404
        %93)
                             .(Benenson, 1990)
                            15
                                                   10
                                                %15
                                                          .%1
                                4
  130
                                                    214
                                                                2.510
          14
                                 62
                                                    22
```

```
et al., 1986)
                                    Æ.
                                           10
           1958
                                                                  2.242
                                  .(Arita et al., 1972)
                                        7
                3
         5
                                     .(Foster et al., 1972)
                                                                        372
         10
                      115
                7
                                                            6
                                   .(Breman et al., 1977b)
             195
                                             %8
.(Breman et al., 1977a)
                                                  %21
                         pangolin
                                          porcupine
                .(Arita et al., 1985; Baxby, 1988)
.(Funisciurus anerythrus)
                                                  1985
```

347 â

```
320
                                                   2/4
           27
Khodakevich et al.,)
                                  (Heliosciurus rufobrachium)
                                                                   .(1987
   3 - 2
                  .prodromal
                                                                15 - 7
   10
                                                 3
                                        .(Baxby, 1988)
                                                          4 – 1
             .acanthosis
```

```
.(H. rufobrachium F. anerythrus)
         Ô
                              6
                                                    253
                                                           (%6.3) 16
                        .(Khodakevich et al., 1987)
                                            Ô
                                                      .(%95)
.Weber and) (Rutala, 2001
 Ô
.(Weber et al., 2001)
                      .(
```

349 â

.2 **TANAPOX** .Poxiviridae . Yatapoxvirus .() yaba yaba 1962 1957 163 Arita and Gromyko,) 1981 1978 1966 23 .(1982 %9.2 1976 (Axford and Downie, 1979) Jezek et al.,) 23.4 .(1985 %30 %76 263 %15 55 Ô Hall and)

.₩967 258 %59 4 - 3 Ô pruriginous Hyperplasia Ô .(Jezek et al., 1985) 6 .(Fuscata 8 - 6

3 - (1985)
(%57)
...

Ô
...

Mansonia

...(Jezek et al., 1985)

...(Hall and McNulty, 1967)

()

...

...

...

...

...

...

POXES CAUSED BY OTHER YATAPOXVIRUSES

: Yatapoxvirus .

1966 1965

Ô·

epidermal histiocytoma

4 - 2

.(Esposito and Nakano, 1991)

ÔÔ

Andrewes, C.H., J.R. Walton. Viral and bacterial zoonoses. In: Brander, G.C., P.R. Ellis. The Control of Disease. London: Baillière Tindall; 1977. (Animal and Human Health Series). Arita, L., D.A. Henderson. Smallpox and monkeypox in non-human primates. Bull World Health Organ 39:277–283, 1968.

Arita, I., R. Gispen, S.S. Kalter, et al. Outbreaks of monkeypox and serological surveys in non-human primates. Bull World Health Organ 46:625–631, 1972.

Arita, I., A. Gromyko. Surveillance of orthopoxvirus infections, and associated research, in the period after smallpox eradication. Bull World Health Organ 60:367–375, 1982.

Arita, I., Z. Jezek, L. Khodakevich, K. Ruti. Human monkeypox: A newly emerged zoonosis in the tropical rain forests of Africa. Am J Trop Med Hyg 34:781–789, 1985.

Axford, J.S., A.W. Downie. Tanapox. A serological survey of the lower Tana River Valley. J Hyg (Lond) 83:273–276, 1979.

Baxby, D. Human poxvirus infection after the eradication of smallpox. Epidemiol Infect 100:321–334, 1988.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association: 1990.

Breman, J.G., J. Bernadou, J.H. Nakano. Poxvirus in West African nonhuman primates: Serological survey results. Bull World Health Organ 55:605-612, 1977a.

Breman, J.G., J.H. Nakano, E. Coffi, H. Godfrey, G. Gautun. Human poxvirus disease after smallpox eradication. Am J Trop Med Hyg 26:273–281, 1977b.

Bruestle, M.E., J.G. Golden, A. Hall, III, A.R. Banknieder. Naturally occurring Yaba tumor in a baboon (Papio papio). Lab Anim Sci 31:286–294, 1981.

Downie, A.W., C.H. Taylor-Robinson, A.E. Caunt, et al. Tanapox: A new disease caused by a pox virus. Br Med J 1:363–368, 1971.

Downie, A.W., C. España. Comparison of Tanapox virus and Yaba-like viruses causing epidemic disease in monkeys. J Hyg (Lond) 70:23–32, 1972.

Esposito, J.J., J.H. Nakano. Poxvirus infections in humans. In: Balows, A., W.J. Hamsler, Jr., K.L. Hermann, H.D. Isenberg, H.J. Shadomy, eds. Mursual of Clinical Microbiology, 5th ed. Washington, D.C.: American Society for Microbiology; 1991.

Foster, S.O., E.W. Brink, D.L. Hutchins, et al. Human monkeypox. Bull World Health Organ 46:569–576, 1972.

Hall, A.S., W.P. McNulty, Jr. A contagious pox disease in monkeys. J Am Vet Med Assoc 151:833–838, 1967. Hutchinson, H.D., D.W. Ziegler, D.E. Wells, J.H. Nakano. Differentiation of variola, monkeypox, and vaccinia antisers by radioimmunoassay. Bull World Health Organ 55:613–623, 1977.

Jezek, Z., I. Arita, M. Szczeniowski, K.M. Paluku, K. Ruti, J.H. Nakano. Human tanapox in Zaire: Clinical and epidemiological observations on cases confirmed by laboratory studies. Bull World Health Organ 63:1027–1035, 1985.

Jezek, Z., S.S. Marennikova, M. Matumbo, J.H. Nakano, K.M. Paluku, M. Szczeniowski.
Human monkeypox: A study of 2,510 contacts of 214 patients. J Infect Dis 154:551–555, 1986.

Khodakevich, L., M. Szczeniowski, Z. Manbu-ma-Disu, et al. Role of squirrels in sustaining monkeypox virus transmission. Trop Geogr Med 39:115–122, 1987.

Knight, J.C., F.J. November, D.R. Brown, C.S. Goldsmith, J.J. Esposito. Studies on Tanapox virus. Virology 172:116–124, 1989.

Marennikova, S.S., E.M. Seluhina, N.N. Mal'ceva, K.L. Cimiskjan, G.R. Macevic. Isolation and properties of the causal agent of a new variola-like disease. Bull World Health Organ 46:599-611, 1972.

Marennikova, S.S., N.N. Mal'ceva, N.A. Habahpaseva. ELISA—a simple test for detecting and differentiating antibodies to closely related orthopoxviruses. Bull World Health Organ 59:365–369, 1981.

Munz, E. Afrikanische virusbedingte Zoonosen [African zoonoses caused by viruses]. Munch Med Wochenschr 115:1–9, 1973.

Tripathy, D.N., L.E. Hanson, R.A. Crandell. Poxviruses of veterinary importance: Diagnosis of infections. In: Kurstak, E., C. Kurstak, eds. Vol 4: Comparative Diagnosis of Wral Diseases. New York: Academic Press; 1981.

Tsuchiya, Y., J. Tagaya. Sero-epidemiological survey on Yaba and 1211 virus infections among several species of monkeys. J Hyg (Lond) 69:445–451, 1971.

Weber, D.J. W.A. Rutala. Risks and prevention of nosocomial transmission of rare zoonotic diseases. Clin Infect Dis 32:446–456, 2001.

World Health Organization (WHO). Le point sur l'orthopoxvirose simienne de l'homme: Mémorandum d'une Réunion de l'OMS. Bull World Health Organ 63:255-263, 1985.

PSEUDOCOWPOX

ICD-10 B08.0


ICD-10 B08.0 Other orthopoxvirus infections

| .(Ps | eudovaccina pa | arava | ccina) | | • | |
|---------|----------------|-------|--------|---------|---------|---------|
| | | | | | | |
| | .poxviridae | | | | .Parapa | oxvirus |
| | | | 16 | 0 × 260 | | |
| |) | | | | (Orf |) |
| sealpox | | | .(| | |) (|

```
addendum
    .orthopoxvirus
                                                 .(Nagington et al., 1967)
                                              .(Rosenhusch and Reed, 1983)
    .(Tripathy et al., 1981; Hernández-Pérez and Serpas de López, 1981)
                           (%13)
                                             358
                                                      46
                    Ô
                         46
Hernández-Pérez and Serpas de López, 1981; Tripathy et al.,)
                                             44
  .(Kuokkanen et al., 1976)
                                                                    .(1981)
                                                                      7 - 5
                    2 - 0.5
                                                                     6 - 4
       44
              10
.(Schwartz et al., 1967)
                                                   .(Kuokkanen et al., 1976)
```

3 - 2 .(Fenner et al., 1993) 10 - 7.(Nagington et al., 1967) :(24) Ô 6 .(Tripathy et al., 1981) 3 – 2 .Livestock .(Schuler et al., 1982) .2 Ô

Ô



Ô Ô

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Andrewes, C.H., J.R. Walton. Viral and bacterial zoonoses. In: Brander, G.C., P.R. Ellis, eds. The Control of Disease. London: Baillière Tindall; 1977. (Animal and Human Health Series.)

Cheville, N.F., D.L. Shey. Pseudopox in dairy cattle. J Am Vet Med Assoc 150:855–861, 1967.

Dekking, F. Milker's nodules. In: van der Hoeden, J., ed. Zoonoses. Amsterdam: Elsevier, 1964.

Fenner, F.J., E. Poul, J. Gibbs, et al. Veserinary Virology, 2nd ed. San Diego: Academic Press; 1993.

Hernández-Pérez, E., M.E. Serpas de López. Nódulo de los ordeñadores. Dermatología (Mexico) 25:142–149, 1981.

Kuokkanen, K., J. Launis, A. Morttinen. Erythems nodosum and erythems multiforme associated with milker's nodules. Acta Derm Venereol 56:69–72, 1976.

Nagington, J., I.M. Lander, J.S. Smith. Bovine papular stomatitis, pseudocowpox and milker's nodules. Vet Rec 81:306–313, 1967. Rosenbusch, R.F., D.E. Reed. Reaction of convalescent bovine antisera with strain-specific antigens of parapoxvirus. Am J Vet Res 44:875–878, 1983.

Schuler, G., H. Honigsmann, K. Wolff. The syndrome of milker's nodules in burn injury: Evidence for indirect viral transmission. J Am Acad Dermatol 6:334–339, 1982.

Schwartz, K., F. Ott, H. Eichenberger, H. Storck. Melkerknoten mit Erythema exsudativum multiforme [Milkers' nodules with erythema exudativum multiforme]. *Dermatologica* 134:327–328, 1967.

Timoney, J.F., J.H. Gillespie, F.W. Scott, J. E. Barlough. Hagan and Bruner's Microbiology and Infectious Diseases of Domestic Animals: With Reference to Etiology. Epizootiology. Pathogenesis, Immunity, Diagnosis, and Antimicrobial Susceptibility, 8th ed. Ithaca: Comstock: 1988.


Tripathy, D.N., L.E. Hanson, R.A. Crandell. Poxviruses of veterinary importance: Diagnosis of infections. In: Kurstak, E., C. Kurstak, eds. Vol 3: Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Addendum

SEALPOX

Parapoxvirus

(Halichoerus grypus)



Hicks, B.D., G.A. Worthy. Sealpox in captive gray seals (Helichoerus grypus) and their handlers. J Wildl Dis 23:1-6, 1987.

RABIES

ICD-10 A82

| | .lyssa (| () | .Hydrophobia | : |
|-----|----------------|-----------|--------------|----------------------|
| | .Rhabdoviridae | | | 180 |
| (N) | • | : (G) | (| Ĵ |
| | Ô (| Ô | (1 |) " ") |
| • | . "fixed | " "street | | .(Wunner, 1989) Ô |
| | | Ô | 6 | – 4 |

.

.(WHO, 1984)

.

kinetic

.(Díaz Verela-Díaz, 1980)

•

.(Wiktor et al., 1980) reactivity

8

14

.(Whetstone et al., 1984)

204

20

Ô

.(Sureau et al., 1983)

impression

| .(Barrat et al., 198 | 89) | | |
|-----------------------------------|------------------|--------------|-----------|
| Ô | | | |
| . ecosytem | Ô | | N G |
| .(Rupprecht et al., 1991) epitope | Ô | (.(1989) |) reindee |
| Ô· | · | | • |
| .N | | | Ô |
| (Vulpes vulpes) | | 37 | |
| • | (Alopex lagopus) | | |
| | Ô | | skunks |
| :enzootics | Ô | | |
| .(Smith, 19 | . (289) | | |

361 ââ

```
Ô
                                           17
                                                             288
                                               (Díaz, et al., 1994)
                    8
                              .(N)
                                                             3 1
                                      3
  3 1
                                                              1
                                                  5 2
  8 7 - 6
                           .(Tadarida brasiliensis)
      T. brasiliensis
                             8
                                                             .8 7
   Tadarida
                                              .(Smith, 1989)
.(Desmodus rotundus)
                               Ô
                 : Ô
                                                 .(V. vulpes)
Nyctereutes)
    .(Chomel, 1993)
                                                             (procyonoides
                                .(Smith, 1989)
                                           .(Tragelaphus strepsiceros) kudu
                                               .(Smith, 1989)
```

| | Ô· | | |
|---|--------------------------------|--------------------|--------|
| %80 %50 | | (G) .G | |
| | Lyssavirus | | |
| | Ô | :1 | : - |
| . (CVS)"ch | allenge virus standard" .Lagos | :2 | _ |
| shrew (Foggin, 1983) | . Mokola | :3 (Crocidura) | _ |
| | Duvenhage | :4 | _ |
| (Eptesicus serotinus) (EBL-1) "European 550 104 | _ | (EBL-2) Myotis | ı |
| · | · Ô | | |

363 â

```
.(Bourhy et al., 1992) 5
                                       Kotonkan
                         Obodhiang
                                                               Culicoides
                                                     (Mansonia uniformis
                   epitopes
           (Foggin, 1983)
                              Ô
                                                                  tropism
.(
                                                          (OBOD)
Cuolicoides
```

```
Ô
                                 .(
                                        ) ä
        47
                                                        .1938
                               3 0
    1.326
                       1991
                                1.135
                                                        .1984
                     .1989 - 1980
                                                       283
                                     .(
                                             280) 1979 – 1970
                         5
                                             2000 - 1980
                     1999 - 1990
PAHO data,) (30)
                     (41)
                                       .(66)
                                                           .(2000
                .(%35.4) 10
                                                   (%58.7)
     .(PAHO data, 2000) (%5.4)
                                          (%76.2)
                                                         .(
```

365 ââ

Ô .
%100 :
..

Ô .
453.769 .
.933.260 1999 . 106 1991 .
.(PAHO data, 2000) %33

Ô :5

| 2000 | 1999 – 1990 | 1989 – 1980 | 1 |
|------|-------------|-------------|---|
| 18 | 65.9 | 79.0 | |
| 3 | 10.3 | 11.1 | |
| 7 | 5.2 | 14.3 | |
| 3 | 21.6 | 21.5 | |
| 4 | 26.6 | 26.4 | |
| 1 | 2.2 | 5.7 | Ô |
| 1 | 4.8 | 5.0 | Ô |
| 0 | 0.5 | 0.8 | |
| 0 | 0.1 | 0.8 | |
| 1 | 4.2 | 3.4 | |
| 0 | 0 | 0 | |
| 26 | 40.9 | 84.8 | T |
| 11 | 19.7 | 32.4 | |
| 0 | 0 | 0.5 | |
| 0 | 0 | 0 | |
| 2 | 8.9 | 16.4 | |
| 6 | 7.0 | 8.0 | |
| | | | |

| 3 | 2.8 | 5.4 | | | |
|----|-------|------|---|---|---|
| 0 | 1.0 | 2.1 | | | |
| 0 | 0 | 0 | | | |
| 4 | 30.6 | 62.0 | | | |
| 1 | 2.9 | 6.2 | Ô | Ô | |
| 0 | 0.5 | 0 | | | |
| 0 | 1.2 | 4.0 | | | |
| 1 | 1.2 | 2.2 | | Ô | |
| 6 | 2.7 | 1.0 | | | |
| 1 | 0 | 0 | | | |
| 5 | 2.7 | 1.0 | | | |
| 67 | 167.5 | 70.4 | | | |
| | | | | | - |

.(PAHO) SIRVERA

106 1991

•

•

.2000 1990 Ô Ĉ

Ô .2000 − 1990 . Ô Ô

| 2000 | 1999 – 1995 | 1994 – 1990 | 1 |
|------|-------------|-------------|---|
| 255 | 1.229 | 2.649 | |
| 0 | 252 | 1.115 | |
| 66 | 101 | 162 | |
| 79 | 502 | 708 | |
| 54 | 247 | 574 | |
| 56 | 125 | 90 | Ô |
| 57 | 466 | 336 | Ô |
| | | | |

367 ââ

| 4 | 10 | 61 | | |
|-------|-------|-------|---|---|
| 0 | 0 | 1 | | |
| 53 | 456 | 274 | | |
| 0 | 0 | 0 | | |
| 761 | 1.072 | 669 | | |
| 179 | 3.729 | 623 | | |
| ••• | 7 | 1 | | |
| 0 | 0 | 0 | | |
| 35 | 138 | 92 | | |
| 126 | 163 | 144 | | |
| 18 | 52 | 342 | | |
| 0 | 19 | 44 | | |
| 0 | 0 | 0 | | |
| 244 | 3.669 | 4.803 | | |
| 94 | 97 | 107 | Ô | Ô |
| 24 | 34 | 28 | | |
| 31 | 27 | 28 | | |
| 39 | 36 | 51 | | Ô |
| 1.590 | 3.912 | 9.187 | | |

•

.(PAHO) SIRVERA

1991 18.634 (WHO data, 1991)

.

.

.1940 .(V. vulpes)

```
(A. lagopus)
                    58
                                                    .(Pseudalopex griseus)
Durán and Favi,)
                                %8.62
                                                                   .(1989
                                                 (Herpestes auropunctatus)
Beran,)
                     .(Winkler, 1991)
                                                                   .(1981
       %80
                                                 104
                                                         1984 1971
                                             .(1984 - 1980
                     (%80)
                                                   (Marmota monax) (
.(Procyon lotor)
            .(Rattus
                                                          3
```

369 â

```
Rupprecht et)
                                                                  .(al., 1991
                                                         1953
                        Eptesicus serotinus
         104
                                   550
                                             .Pipistrellus
                                                                Myotis
          23
                                   .1986
                                  ) 1989
(E. serotinus Pipistrellus
                                                                        249
                                     .(Netherlands epidemiologic data, 1990)
                                         1
                          13
                                         530
                             :(
                                                         (G)
                   8.645
                                                .(Oelofsen and Smith, 1993)
                                   647
Krebs et al.,)
                                                  1992
    :1993
                                                                     .(1993
                                    3
                                                                    17
       .(Chomel, 1993)
```

```
1
                                             3
.Desmodus rotundus, Diphylla:
                                            .Diaemus youngi ecaudata,
                                 Ô
      Desmodus
                                                   (D. rotundus)
                             livestock
  .1999 1991.1990
                                                                     7
                            ä
                                    livestock
                                                           Ô
                                                           50.000
                            44
                                                   .1929
           1953
                                                     180
                          43
         1990
                      4
                                           29
                                                        (Nehaul, 1955)
.(López et al., 1992)
                       636
                        Ô
```

| | 21 | 20 . | | |
|----------|--------------------|------|----|-------|
| | .2000 | | | |
| 8.505 | .(PAHO data, 2001) | 100 | | |
| 182 1992 | • | 1945 | Ô | |
| .(ĵ | %2.11) | Ô | | |
| | | | Ô | |
| | | | | |
| | | | ·Ô | |
| | | | | .1971 |

:1999 .1991 .1990 :7

| 1999 | 1991 | 1990 |
|-------|-------|-------|
| 31 | _ | 1 |
| 6 | 0 | 0 |
| 41 | ••• | ••• |
| 2.628 | 1.781 | 1.871 |
| 0 | 0 | 0 |
| 0 | 45 | 51 |
| 2 | 3 | 7 |
| 7 | | |
| 6 | | |
| 20 | 25 | 26 |
| 5 | 17 | 10 |
| 3 | 26 | 23 |
| 6 | 4 | 11 |
| 108 | | |
| 3 | 1 | 2 |
| 96 | 4 | 15 |
| 95 | 62 | 48 |

| 49 | 20 | 32 | |
|--------------|-------------------------|----------------------|------------------|
| 0 | 0 | 0 | |
| 30 | 198 | 128 | Ô |
| 3.136 | 2.186 | 2.225 | |
| | | | |
| .Bull E | pi Surv Rabies in the A | mericas 31:30.2000 : | : |
| | 8 - 2 | | : |
| . 8 (| - Ĉ | ¹⁰ Ô | . 90 – 20 |
| 6 | | Bernard and Fishbein | , 1990) ^ |
| | . 500 | | %10 %4 |
| | • | | |
| | • | \$ | |
| | | · Ô | |
| • | | | |
| • | • | | |
| | | exci | tation |
| | | | |
| | | | |
| | | Ĉ | |
| | | C | |
| .hydrophobia | | • | Ô· |
| | | | |
| | | | · Ô |
| | | | |
| . 6 – 2 | | Ô | |
| | | | |
| Bernard) | | : | • |
| , | | | |

373 â

```
.(and Fishbein, 1990
                                                        .(
                                               furious
                 .dumb
                                           10
                                                                  prodromal
                                                                      3 – 1
                                                 Ô
      ä
                                                            11 - 1
.oulou fato
```

```
.furious
                     .Negri
                                                Ô
                                          Oulou fato
     .(Beran, 1981)
Ô
         4 - 2
         25
                                                                   150
                                          .paretic
           .priapism
 tonic-clonic
                                   Ô
                                     n spittle
                                                            .emaciation
           snout
                                    3 - 2
                                    : 10 – 8
                                                                  5 - 2
    Ô
```

Canidae
Skunk coyote
raccoon mongoose

100 Ô
10
. 6

. :

: . Ô : .

. 18 Ô Ô :

| | - Ô | | _ | | |
|---|-------|------|-----------------|--------------|---------------|
| | : | .() | ٠ | myocytes | |
| | axons | Ô | (Baer, 199 | Ô 1) Ô | |
| | | | . centripetally | _ | centrifugally |
| | • | | (germinal | | Ô |
| | | () | | | • |
| Ô | | () | Ô : | | |
| Ô | | 0 4 | : | : 14 Ô | . 3 1 |

 \hat{a}

```
13
                        16
                              8
                      7
                         10
    .(Fekadu et al., 1982)
                 3 – 1
              .14
                                    .2 1
                       Ô
.(Beran, 1981)
                      Ô
                                  lagomorphs
                                       :(25 Ø )
%90
        .rabid
                                          Ô
           13 Ô .3 2
```

%75 %60 · ä

· ä

: .

:


Fishbein and Robinson,)

370.000

%40 .(1993

.(Helmick, 1983; Bernard and Fishbein, 1990)

ä %20



. 260.000

```
854)
             3.295
                                                          100.000
                                    15
                      %43.8
                               %47.9
  .(Szyfres et al., 1982)
                                                           Ô
                                      .(Diesch et al., 1982)
                                                    Ô
                 "abortive
                 114
                           1.015
                                             cerebroneutralization
                                               .(Díaz et al., 1975)
                                \hat{O})
```

```
39
                                     47
                                                                         8
                                        Ô
                                                                        10
                                                       á
                                   .(Fekadu and Shaddock, 1984) anamnestic
                           1.083
                                    5
                                                                 bitch
305 169 42
                                     16
Fekadu et al., 1981; Fekadu)
                                                              .(et al., 1983
    .(Fekadu, 1991)
                                            impression
```

```
ecosystem
    (Urocyon cinereoargenteus Vulpes fulva)
        (Mephitis mephitis
                                            1992
           %50
          (Krebs et al., 1993; Chomel, 1993)
Raccoons
                                                       (Procyon lotor)
                            Ô
     .(Alopex lagopus)
       enzootics
                                            .(Beran, 1981)
       renewal
                              %70
```

| . (%30) | | ä 4 | Ĉ |
|---------|---------|--------|---|
| | : | Ô | |
| | | | • |
| _ | 10 : | 18 | |

.

```
383
                                     ââ
                                                          .(Lord et al., 1975)
                                                            ·ä
                                               .(Frio Cave)
Tadarida brasi-) (Constantine, 1971)
                                                                    . (liensis
     .(Winkler et al., 1972)
           dams
                         cannibalism
```

| | | ·ä | | | | Ô |
|----------|---|-------------|----------------|-----|-------------|---|
| reagents | | Ô (| | | : | |
| | | | • | | (WHO, 1984) | |
| | ä | · | | | | |
| | | | ı | | : | |
| | Ô | | | | | Ô |
| | | .(WHO, 1992 | ?) | kit | | |
| 3 Ô | Ô | | - , | | | |

```
%90
                                  %80
immunogenic
                                                                capacity
         .(Budzko et al., 1983)
                                                           (Díaz, 1983)
                         Ô
                                          .(Nicholson and Prestage, 1982)
neuroblastoma Ô
                                                      .(Na CI300)
                                                       15 - 10
```

```
.(WHO 1992)
                         (1:
                                     (3
                                                                            (4
                                                                         .1
<sup>40</sup> Ô Ô
          .(Escobar Cifuentes, 1988)
                                            13 - 8
                             (1993)
                                                                 .(
        .(Beran, 1991)
```

```
.(Meslin, 1989)
                                                         culling
    %80
                                                                 Ô
                           -
Ô
                                   Ô
                                            Ô
                                                       · Ô
     (LEP ."
                               (HEP ."
  Ô
                                                         .(ERA
(SMB)
CEPANZO data,)
                                                 .(Fuenzalida-Palacios)
                                                               .(1980
```

```
Flury
.(Sikes, 1975)
                             %80
                   3
                (PV-BHK-EL)
                                              BHK
     %89.
                        25 12
                   .(Larghi et al., 1979)
                 Ô
                                                          3
                                3
  %70
                               %100
                          .(PAHO data, 2000)
                         ä
          Ô
```

389 â

```
.(Hanlon, 2002b)
                                                           .2
                   .terrestrial
                    ERA
                             PV-BHK-EL SMB
                                       diphenadione
                                                          ("mist
              Ô
gas chromatography
```

```
%1.17
(Burns and Bullard, 1980)
                      Vaseline
                                             warfarine
                           .valid
Everard et al., 1972; Everard et)
                                           .(al., 1981; Cavey et al., 1978
                   ) WIRAB
                              ERA
                                                             .(внк
Street Alabama Duffering (SAD)
                        .Vnukovo-32 SAD-B19 SAD-Bern
             innocuous
SAD
        mutant
                       SAG
```

```
SAD-Bern
                                              1.3
                                        SAD-B19
                                  20
                                     ) range
              SAG
1989
                                                  250.000
                   .(WHO, 1992)
                                                                 1991
                                     SAG-2
                                          .(Hanlon et al., 2002a) skunks
                  (RVG)
                    .vaccinia
                               pathogenicity
    1990 1988
                                         .(WHO, 1992)
                                      .(Aguilar-Setein et al., 2002)
        .1955
                              1950
                                                    .1966
                       1.200.000
                                      1991
                                                                   1986
                .1993
                           1992
                                                 .(WHO, 1994)
```

RVG SAD-B19 .3 6 Ô Ô 8):) ·Ô SMB immunogenic 10 \times 1.700 encephalitogenic 12 10 .booster 0.5 IU/ml 6

```
.(HDCV)
                                                          Ô
                       %99
                                                         .(WHO, 1992)
                                                                %100
     .28 7 0:
                                                            inoculation
                   %1
Turner et al., 1982; Dreesen et al.,)
                                                               .(1982
                 46
                                                       108
            .(HDCV
                                                 11)
                                     10.000
                                            anaphylaxis
    :9:
                     108 Ô
                    21
                          2)
                                     I; 87
                                            ) ш
                                                                .(
                                                         12 (
                         .(CDC, 1984)
                         inoculated
   %0.1
                                            %70
                                                     %40
```

394

:8 10 () ä () ä (.) 5 (ä () () ä 5 (.) () .(()

```
1.500.000 - 500.000
                                            Vero
              Ô
                .(Sureau, 1988; Larghi, 1991; Fishbein and Robinson, 1993)
                784.026 .1992
                                            240
                                   1.000
                                           .encephalitogenic
                                             SMB
      3 (6
                0
                                  24
                                                      7
                                               60 \ 20 \ 10
                                                14:
                           24
      .(Guarnera et al., 1994)
                          Ô
                                      immunogenicity
                                                          .(WHO, 1992)
```

```
.30 14 7 3 0
.(
    1 - 1 - 2 Ô
                                   .21
                                           7
                         .lyophilized
                   .(Lin, 1990)
          heterologous
           IU 40
                                                      .homologous
                             IU 20
                                                       90 20 10
               .( °22
                                                          ) Fermi
 Ô (
```

```
%25
                                                      %15
    34
           1.2
                                                                   10.000
         1980
                                     SMB
               1970
            3
                                13
                                                                      141
                           .(Acha, 1981)
                                            11
 Ô
                                                 HDCV
                                   .(Boe and Nyland, 1980)
                               .(Bernard et al., 1982)
enzootic
                                                                   10
Escherichia coli
                                                            (GP)
                                                  (Yelverton et al., 1983)
```

microcarrrier

fermenter

Ô Ô

Acha, P.N. Epidemiología de la rabia bovina paralítica y de la rabia del murciélago. In: Primer seminario internacional sobre rabia en las Américas. Washington, D.C.: Pan American Health Organization; 1968. (Scientific Publication 169.)

Acha, P.N. A review of rabies prevention and control in the Americas, 1970–1980. Overall status of rabies. Bull Off Int Epiz 93:9–52, 1981.

Acha, P.N., P.V. Arambulo III. Rubies in the tropics—history and current status. In: Kuwert, E., C. Merieux, H. Koprowski, K. Bögel, eds. Rubies in the Tropics. Berlin: Springer-Verlag; 1985.

Aguilar-Setien, A., Y.C. Leon, E.C. Tesoro, R. Kretschmer, B. Brochier, P.P. Pastoret. Vaccination of vampire bats using recombinant vaccinia-rabies virus. J Wildl Dis 38(3):539-544, 2002.

Andrewes, C.H., J.R. Walton. Viral and bacterial zoonoses. In: Brander, G.C., P.R. Ellis, eds. The Control of Disease. London: Baillière Tindall; 1977. (Animal and Human Health Series.)

Atanasiu, P. Étude sur les voies d'élimination du virus rabique. In: International Symposium on Rabies (II). Lyon, 1972. Basel: Karger, 1974.

Baer, G.M. Rabies: Mode of infection and pathogenesis. In: International Symposium on Rabies (II), Lyon, 1972. Basel: Karger; 1974.

Baer, G.M., ed. The Natural History of Rabies, 2nd ed. Boca Raton: CRC Press; 1991.

Baer, G.M. Pathogenesis and pathology. Overview. In: Baer, G.M., ed. The Natural History of Rabies, 2nd ed. Boca Raton: CRC Press; 1991.

Baer, G.M., M.K. Abelseth, J.G. Debbie. Oral vaccination of foxes against rables. Am J Epidemiol 93:487–490, 1971.

Barrat, J., H. Bourhy, J.H. Cox. Diagnosis of rabies and typing strains of rabies virus. Rev Sci Tech Off Int Epiz 8:909–910, 1989.

Bell, J.F., G.J. Moore, G.H. Raymond. Protracted survival of rabies-infected insectivorous bat after infective bite. Am J Trap Med Hyg. 18:61–66, 1969.

Beran, G.W. Rabies and infections by rabies-related viruses. In: Beran, G.W., section ed. Section B, Vol. 2: CRC Handbook Series in Zoonoses, Boca Raton: CRC Press; 1981.

Beran, G.W. Urban rabies. In: Baer, G.M., ed. The Natural History of Rabies, 2nd ed. Boca Raton: CRC Press; 1991.

Bernard, K.W., D.B. Fishbein. Rabies virus. In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc.; 1990.

Bernard, K.W., P.W. Smith, F.J. Kader, M.J. Merand. Neuroparalytic illness and human diploid cell rabies vaccine. JAMA 248:3136–3138, 1982.

Bernard, K.W., D.B. Fishbein, K.D. Miller, et al. Pre-exposure rabies immunization with human diploid cell vaccine: decreased antibody responses in persons immunized in developing countries. Am J Trop Med Hyg 34:633–647, 1985.

Bigler, W.J., G.L. Hoff, J.S. Smith, R.G. McLean, H.A. Trevino, J. Ingwersen. Persistence of rabies antibody in free-ranging raccoons. J Infect Dis 148:610, 1983.

Boe, E., H. Nyland. Guillain-Barré syndrome after vaccination with human diploid cell rabies vaccine. Scand J Infect Dis 12:231–232, 1980.

Bogel, K., H. Moegle, F. Steck, W. Krocza, L. Andral. Assessment of fox control in areas of wildlife rabies. Bull World Health Organ 59:269-279, 1981.

Bourhy, H., B. Kissi, M. Lafon, D. Sacramento, N. Tordo. Antigenic and molecular char-

acterization of bat rabies in Europe. J Clin Microbiol 30:2419-2426, 1992.

Budzko, D.B., L.J. Charamella, D. Jelinek, G.R. Anderson. Rapid test for detection of rabies antibodies in human serum. J Clin Microbiol 17:481–484, 1983.

Burns, R.J., R.W. Bullard. Diphacinone residue from whole bodies of vampire bates: A laboratory study. Bull Pan Am Health Organ 13(4):365–369, 1979.

Carey, A.B., R.H. Giles, R.G. McLean. The landscape epidemiology of rabies in Virginia. Am J Trop Med Hyg 27:573–580, 1978.

Chomel, B.B. The modern epidemiological aspects of rabies in the world. Comp Immunol Microbiol Infect Dis 16:11–20, 1993.

Constantine, D.G. Bat rabies: Current knowledge and future research. In: Nagano, Y., F.M. Davenport, eds. Rabies. Proceedings of the Working Conference on Rabies, Tokyo, 1970. Baltimore: University Park Press; 1971.

Crick, J. Rabies. In: Gibbs, E.P.J., ed. Vol 2: Virus Diseases of Food Animals: A World Geography of Epidemiology and Control. London: Academic Press; 1981.

Dean, D.J., M.K. Abelseth. Fluorescent antibody test. In: Kaplan, M.M., H. Koprowski, eds. Laboratory Techniques in Rabies, 3rd ed. Geneva: World Health Organization; 1976. (Monograph Series 23.)

Debbie, J.G. Rabics. Progr Med Virol 18:241-256, 1974.

Delpietro, H., A.M. de Díaz, E. Fuenzalida, J.F. Bell. Deserminación de la tasa de ataque de rabia en murciélagos. Bol Of Sanit Panam 73:222–230, 1972.

de Díaz, A.M. Rabies neutralizing antibodies determination by the modified counterimmunoelectrophoresis test and the rapid fluorescent focus inhibition test. Zentralhl Bakterial Mikrobiol Hyg [A] 256:1–6, 1983.

de Díaz, A.M., V.M. Varela-Díaz. Persistence and variation of Mangosta street rabies virus antigens during adaptation into mice. Zentralbl Bakzeriol Mikrobiol Hyg [B] 171:73–78, 1980.

de Díaz, A.M., E. Fuenzalida, J.F. Bell. Non-fatal rabies in dogs and cats. Ann Microbiol (Paris) 126:503-509, 1975.

de Díaz, A.M., G. González Resigno, A. Fernández Munilla, O.P. Larghi, N. Marchevsky, J.C. Arrossi. Vacuna antirrábica de cerebro de ratón lactante. Esquemas reducidos de inmunización posexposición. Rev Argent Microbiol 11:42–44, 1979.

de Díaz, A.M., S. Papo, A. Rodriguez, J.S. Smith. Antigenic analysis of rabies-virus isolates from Latin America and the Caribbean. Zentralbl Veterinarmed [B] 41:153–160, 1994.

Diesch, S.L., S.L. Hendricks, R.W. Currier. The role of cats in human rabies exposures. J Am Vet Med Assoc 181:1510–1512, 1982.

Dreesen, D.W., J.W. Sumner, J. Brown, D.T. Kemp. Intradermal use of human diploid cell vaccine for preexposure rabies immunizations. J Am Vet Med Assoc 181:1519–1523, 1982.

Durán, J.C., M. Favi. Rabia en zorro gris (Psendalopes griseus) patagónico. Magallanes. Chile. Avances Cienc Ver 4:146–152, 1989.

Escobar Cifuentes, E. Program for the elimination of urban rabies in Latin America. Rev Infect Dix 10(Suppl 4):S689–S692, 1988.

Everard, C.O., D. Murray, P.K. Gilbert. Rabies in Grenada. Trans R Soc Trop Med Hyg 66:878–888, 1972.

Everurd, C.O., G.M. Baer, M.E. Alls, S.A. Moore. Rabies serum neutralizing antibody in mongooses from Grenada. Trans R Trop Med Hyg 75:654–666, 1981.

Fekadu, M. Asymptomatic non-fatal canine rabies. Lancet 1:569, 1975.

Fekadu, M. Latency and aborted rabies. In: Baer, G.M., ed. The Natural History of Rabies, 2nd ed. Boca Raton: CRC Press; 1991.

Fekadu, M., J.H. Shaddock. Peripheral distribution of virus in dogs inoculated with two rabies virus strains. Am J Vet Res 45:724–729, 1984.

Fekadu, M., J.H. Shaddock, G.M. Baer. Intermittent excretion of rabies virus in the saliva of a dog two and six months after it had recovered from experimental rabies. Am J Trop Med Hyg 30:1113–1115, 1981.

Fekadu, M., J.H. Shaddock, G.M. Baer. Excretion of rubies virus in the saliva of dogs. J

Infect Dis 145:715-719, 1982.

Fekadu, M., J.H. Shaddock, F.W. Chandler, G.M. Baer. Rabies virus in the tonsils of a carrier dog. Arch Virol 78:37-47, 1983.

Fernandez, M.V., P.V. Arambulo III. Rabies as an international problem. In: Koprowski, H., S.A. Plotkin, eds. Vol. 3: World's Debt to Pasteur: Proceedings of a Centennial Symposium Commemorating the First Rabies Vaccination. Held as the Children's Hospital of Philadelphia, January 17–18, 1985. New York: A.R. Liss; 1985.

Fishbein, D.B., L.E. Robinson. Rabies. N Engl J Med 329:1632-1638, 1993.

Fishbein, D.B., A.J. Belotto, R.E. Pacer, et al. Rabies in rodents and lagomorphs in the United States, 1971–1984: Increased cases in the woodchuck (Marmota monax) in mid-Atlantic states. J Wildl Dis 22:151–155, 1986.

Flores Crespo, R., S. Said Fernandez, D. de Anda López, F. Ibarra Velarde, R.M. Anaya. Nueva técnica para el combate de los vampiros: warfarina por vía intramuscular al ganado bovino. Bol Of Sanit Panam 87:283–299, 1979.

Foggin, C.M. Mokola virus infection in cats and a dog in Zimbabwe. Ver Rec 113:115, 1983.

Fuenzalida, E. Human pre-exposure rabies immunization with suckling mouse brain vaccine. Bull World Health Organ 46:561–563, 1972.

Guarnera, E.A., E. Álvarez Peralta, J.J. Velázquez, J.S. Sempértegui, eds. Guía para el tratamiento de la rabia en el hombre. Buenos Aires: Instituto Panamericano de Protección de Alimentos y Zoonosis; 1994. (Technical Publication 2.)

Hanlon, C.A., M. Niezgoda, P. Morrill, C.E. Rupprecht. Oral efficacy of an attenuated rabies virus vaccine in skunks and raccoons. J Wildl Dis 38(2):420-427, 2002a.

Hanlon, C.A., M. Niezgoda, C.E. Rupprecht. Postexposure prophylaxis for prevention of rabies in dogs. Am J Vet Res 63(8):1096–1100, 2002b.

Held, J.R., E. Fuenzalida, H. López Adaros, J.C. Arrossi, N.O. Poles, A. Scivetti. Immunización humana con vacuna antirrábica de cerebro de ratón factante. Bol Of Sanir Panam 72:565–575, 1972.

Helmick, C.G. The epidemiology of human rabies postexposure prophylaxis, 1980–1981, IAMA 250:1990–1996, 1983.

Hubbard, H.B. Rabies immunity in vaccinated cattle. Proc Annu Meet US Anim Health Assoc 73:307–322, 1969.

Johnson, R.T. The pathogenesis of experimental rabies. In: Nagano, Y., F.M. Davenport, eds. Rabies, Proceedings of the Working Conference on Rabies, Tokyo, 1970. Baltimore: University Park Press; 1971.

Koprowski, H. Mouse inoculation test. In: Kaplan, M.M., H. Koprowski, eds. Laboratory Techniques in Rubies, 3rd ed. Geneva: World Health Organization; 1976. (Monograph Series 23.)

Koprowski, H. Rabies. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

Krebs, J.W., T.W. Strine, J.E. Childs. Rabies surveillance in the United States during 1992.
J Am Vet Med Assoc 203:1718–1731, 1993.

Larghi, O.P. Familia Rhabdoviridae. In: Carballal, G., J.R. Oubiña, eds. Virología médica. Buenos Aires: El Ateneo; 1991.

Larghi, O.P., E. Jimenez. Methods for accelerating the fluorescent antibody test for rabies diagnosis. Appl Microbiol 21:611–613, 1971.

Larghi, O.P., E. Gonzalez, J.R. Held. Evaluation of the corneal test as a laboratory method for rabies diagnosis. Appl Microbiol 25:187–189, 1973.

Larghi, O.P., V.L. Savy, A.E. Nebel, A. Rodríguez. Vacuna antirrábica inactivada con etilenimina. Duración de inmunidad en perros. Rev Argent Microbiol 11:102–107, 1979.

Lecocg, J.P., M.P. Kieny, Y. Lemoine, et al. New rabies vaccines: Recombinant DNA approaches. In: Koprowski, H., S.A. Plotkin, eds. Vol. 3: World's Debt to Pasteur: Proceed-

ings of a Centennial Symposium Commemorating the First Rabies Vaccination, Held at the Children's Hospital of Philadelphia, January 17-18, 1985. New York: A.R. Lins; 1985.

Lewis, V.J., W.L. Thacker. Limitations of deteriorated tissue for rabies diagnosis. Health Lab Sci 11:8-12, 1974.

Lin, F.T. The protective effect of the large-scale use of PHKC rubies vaccine in humans in China. Bull World Health Organ 68:449-454, 1990.

López, A., P. Miranda, E. Tejada, D.B. Fishbein. Outbreak of human rabies in the Peruvian jungle. Loscer 339:408–411, 1992.

Lord, R.D., E. Fuenzalida, H. Delpietro, O.P. Larghi, A.M. de Díaz, L. Lázaro. Observations on the epizootiology of vampire but rabies. Bull Pan Am Health Organ 9:189–195, 1975.

M\u00e5laga Alba, A. Rabia bovina transmitida por vampiros. In: Memorias del Primer Seminario Internacional y Tercer Seminario Nacional de Rabia. Cali, Colombia: Ministry of Public Health; 1974.

Mayr, A., H. Kraft, O. Jaeger, H. Haucke. Orale Immunisierung von Fuchsen gegen Tollwut. Zentralbl Veterinarmed [B] 19:615–625, 1972.

Mertz, G.J., K.E. Nelson, V. Vithayasai, et al. Antibody responses to human diploid cell vaccine for rabies with and without human rabies immunoglobulin. J Infect Dis 145:720–727, 1982

Meslin, F.X. Experience gained in canine rabies control programme planning and implementation. Rabies Control in Asian Countries. Samarkand, 19–21 September, 1989.

Meyer, H.M., Jr. Rabies vaccine. J Infect Dis 142:287-289, 1980.

Nagano, Y., F.M. Davenport, eds. Rabies, Proceedings of the Working Conference on Rabies, Tokyo, 1970. Baltimore: University Park Press; 1971.

Nehaul, B.B. Rabies transmitted by bats in British Guiana. Am J Trop Med Hyg 4:550–553, 1955.

Nicholson, K.G., H. Prestage. Enzyme-linked immunosorbent assay: A rapid reproducible test for the measurement of rabies antibody. J Med Virol 9:43–49, 1982.

Oelofsen, M.J., M.S. Smith. Rabies and buts in a rabies-endemic area of southern Africa: Application of two commercial test kits for antigen and antibody detection. *Onderstepoort J Vet Res* 60:257–260, 1993.

Pan American Health Organization (PAHO). Informe de la vigilancia epidemiológica de la rabia en las Américas, 1991–1992, VIII Reuntón Interamericana de Salud Animal a Nivel Ministerial (RIMSA), 1993. Washington, D.C.: PAHO; 1993. (RIMSA 8/18.)

Pan American Health Organization (PAHO), Pan American Zoonoses Center. Encuesta sobre laboratorios productores de vacunas antirrábicas en América Latina y el Caribe. Año 1980. Buenos Aires: Pan American Zoonoses Center; 1980.

Plotkin, S.A. Rabies vaccine prepared in human cell cultures: Progress and perspectives. Rev Infect Dis 2:433–448, 1980.

Rausch, R. Observations on some natural-focal zoonoses in Alaska. Arch Environ Health 25:246–252, 1972.

Rupprecht, C.E., B. Dietzschold, W.H. Wunner, H. Koprowski. Antigenic relationships of Lyssaviruses. In: Baez, G.M., ed. The Natural History of Rabies, 2nd ed. Boca Raton: CRC Press; 1991.

Schneider, L.G., U. Schoop. Rabies-like viruses. In: International Symposium on Rabies (III), Lyon, 1972. Basel: Karger; 1974.

Schoop, U. Praumys (Mastomys) natalensis: An African mouse capable of sustaining persistent asymptomatic rabies infection. Ann Microbiol (Paris) 128:289–296, 1977.

Shope, R.E. Rabies, In: Evans, A. S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Sikes, R.K. Rabies. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals. Ames: Iowa State University Press; 1970.

Sikes, R.K. Rabies. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man. 6th ed. Springfield: Thomas; 1975. Smith, J.S. Rabies virus epitopic variation: Use in ecologic studies. Adv Virus Res 36:215–253, 1989.

Steck, F. Epizootiology of rabies. In: International Symposium on Rabies (II), Lyon, 1972.
Basel: Karger; 1974.

Sureau, P. Acquisitions nouvelles sur le diagnostic, l'epidémiologie et la prophylaxie de la rage. Arch Inst Pasteur Madagascar 54:41-55, 1988.

Sureau, P., P. Rollin, T.J. Wiktor. Epidemiologic analysis of antigenic variations of street rabies virus: Detection by monoclonal antibodies. Am J Epidemiol 117:605–609, 1983.

Systemic allergic reactions following immunization with human diploid cell rabies vaccine.

MMWR Morb Mortal Wkly Rep 13;33:185–187, 1984.

Szyfres, L., J.C. Arrossi, N. Marchevsky. Rabia urbana; el problema de las lesiones por mordeduras de perro. Bol Of Sanit Panam 92:310-327, 1982.

Thompson, R.D., C.G. Mitchell, R.J. Burns. Vampire bat control by systemic treatment of livestock with an anticoagulant. Science 177:806–808, 1972.

Tierkel, E.S. Rapid microscopic examination for Negri bodies and preparation of specimens for biological tests. In: Kaplan, M.M., H. Koprowski, eds. Laboratory Techniques in Rabies, 3rd ed. Geneva: World Health Organization; 1976. (Monograph Series 23.)

Timoney, J.F., J.H. Gillespie, F.W. Scott, J.E. Barlough. Hagan and Bruner's Microbiology and Infectious Diseases of Domestic Animals: With Reference to Etiology. Epizootiology. Pathogenesis, Immunity. Diagnosis, and Antimicrobial Susceptibility, 8th ed. Ithaca: Comstock; 1988.

Turner, G.S., K.G. Nicholson, D.A. Tyrrell, F.Y. Aoki. Evaluation of a human diploid cell strain rabies vaccine: Final report of a three year study of pre-exposure immunization. J Hyg (London) 89:101–110, 1982.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC), Changes in rabies control. CDC Vet Public Health Notes, February 1975.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Epidemiologic notes and reports: systemic allergic reactions following immunization with human diploid cell rabies vaccine. MMWR Morb Mortal Wkly Rep 33(14):185–187, 1984.

Visser, G. Veterinaire Hoofdinspectie van de Volksgezondheid. Rabies bij vleermuizen. [The Veterinary Chief Inspection of Public Health. Rabies in bats]. Tijdschrift Voor Diergeneeskunde 115:752–753, 1990.

Whetstone, C.A., T.O. Bunn, R.W. Emmons, T.J. Wiktor. Use of monoclonal antibodies to confirm vaccine-induced rables in ten dogs, two cats and one fox. J Am Ver Med Assoc 185:285–288, 1984.

Wiktor, T.J., S.A. Plotkin, H. Kopeowski. Development and clinical trials of the new human rabies vaccine of tissue culture (human diploid cell) origin. Dev Biol Stand 40:3–9, 1978.

Wiktor, T.J., A. Flamand, H. Koprowaki. Use of monoclonal antibodies in diagnosis of rabies virus infection and differentiation of rabies and rabies related viruses. J Virol Meth 1:33-46, 1980.

Winkler, W.G. Rodent rabies. In: Baer, G.M., ed. The Natural History of Rabies. 2nd ed. Boca Raton: CRC Press; 1991.

Winkler, W.G., E.F. Baker, C.C. Hopkins. An outbreak of nonbite transmitted rabies in a laboratory animal colony. Am J Epidemiol 95:267–277, 1972.

Winkler, W.G., J.H. Shaddock, L.W. Williams. Oral rabies vaccine: Evaluation of its infectivity in three species of rodents. Am J Epidemiol 104:294-298, 1976.

World Health Organization (WHO). Rables in the Tropics: Proceedings of an International Conference on Rables Control in the Tropics, Tunis, 1983. Berlin: Springer-Verlag; 1985.

World Health Organization (WHO), WHO Expert Committee on Rabies, Seventh Report, Geneva: WHO; 1984. (Technical Report Series 709.)

World Health Organization (WHO), WHO Expert Committee on Rabies. Eighth Report. Geneva: WHO, 1992. (Technical Report Series 824.) World Health Organization (WHO), Rabies. Oral immunization of foxes. Wkly Epidemiol Rec 69:40-42, 1994.

Wunner, W.H. Molecular basis of antigenic differences among rabies viruses. Rev Sci Tech Off Int Epiz 8:933, 1989.

Yelverton, E., S. Norton, J.F. Obijeski, D.V. Goeddel. Rabies virus glycoprotein analogs: Biosynthesis in Escherichia coli. Science 219:614–620, 1983.

RIFT VALLEY FEVER

ICD-10 A92.4

| | .Enzootic he | epatitis | Ô | | : | |
|----------|-----------------|------------|------------|------------|----------|--------|
| | | | | | : | |
| 100 00 | Bunyaviridae | | .Ph | lebovirus | | |
| 100 – 90 | · nucleocapsids | | • | | | |
| | | | .symn | netry Ô | | 5 |
| | | | | : | | |
| | | | • | | | |
| | | | .1 | 931 | : | |
| 100.000 | Ô.19 | 951 – 1950 | | | e | pisode |
| | • | 20. | .000 | • | | |
| | | | (|) | | |
| | | 1976 – 197 | ' 4 | .1969 | 1956 | 1953 |
| | | 4 | | | | |
| | . 8 | ; | ٠ | | | |
| | | | .(Shimsl | nony and B | arzilai, | 1983) |

| | | | .197′ | ⁷ Ô |
|--------------|------------|-----------|-------|----------------|
| | 200.000 20 | 0.000 | | |
| | | | 400 | . 600 |
| | %25 %1 | | . % | 63 |
| | | .(Brés, | 1981) | |
| Ô | | livestock | | |
| | ä | | | |
| (%19.3) | (%56.6) | (%35.7) | | • |
| Hoogstraal 6 | et al.,) | | .(| %31.4) |
| :1978 | | | | (1979 |
| | • | %12.1 | %18.8 | %28 |
| .(Mal | ik, 1981) | %20.4 | %17.5 | %20: |
| : | | | | |
| Ô | Ô | | | |
| • | Ô | | | • |
| | • | | | |
| | | | | |
| | | | | • |
| | | | • | |
| • | | • | | |
| | | • | | • |
| | _ | | 1007 | • |
| | 337 | | .1987 | • |
| | 221 | | | |

```
49
                                                88
%65
                                       173
                   64
. M
                                    \cdotG
  .(WHO, 1988) livestock
1.264 :
                       Ô
Walsh,)
                                                   224
                                                     .(1988
                                         12
                                               .1993
                                 Ô
                                   M
                                                          41
                                                    35
                                                          27
                                                   6.000
                                                500 24
            M
                                                .(WHO, 1994)
                                             1991 - 1989
               1993
                                             Ô
                     .1998
          ) 2000
                      .(
```

```
882
                                          .2001
          .(Balkhy and Memish, 2003)
                                             124
    <sup>490</sup> Ô
                               (%11) 121
                                                                     1.087
         M
                         (%26) 136
                          .(CDC, 2000)
                                                                 (%3) 17
                                    <sup>12</sup> Ô
                                                              1976 - 1974
.(Meegan et al., 1981)
                          15 - 5
         pleocytosis
                                                                     80
                                         15 5
.(Meegan et al., 1981)
```

| | - | | Ô |
|------------|---|---|---------|
| | Ô | _ | _ |
| | | | |
| | | : | |
| · .%95 | | | 72 – 20 |
| %20 . | : | | Ô |
| . greasy | | | |
| 30 |) | : | |
| Culicoides |) | | 6 |

| | 17 | (1983) | Ô | .(Simulium |
|-----------------------------------|------------|-------------|---------------|------------|
| 14 | | | | |
| | | | | |
|) Aea | las | • | â | O · |
| | ncintoshi | Vexan | · Ô | dalzieli |
| . (<i>n</i> 1993 | nciniosni | rexun | | |
| Culex | caspius | | | |
| Culex | | .Culex pipi | iens | perexiguus |
| | 1977 | Caballus | | theileri |
| | poicilipes | | | : |
| Diallo et al., 2000; Fontenille e | | et al.,) | | .Ochraceus |
| | | | | .(1998 |
| | | .1 | Eretmapodites | ä |
| | | | .(Lefevre, 19 | 989) |
| | . 7 | | | |
| | | | | |
| | | | â | |

| | Ô | livestock |
|---|-----------------------------|--------------------|
| | . (Swanepoel, 1981) dambos | |
| Ô | Ô . | Ô |
| O | | .livestock |
| _ | | .(Davies, 1985) |
| | | Ô |
| | · Ô | · Ô |
| | . (OIE, 1983) | lineatopennis : |

```
.(Yedloutschnig et al., 1981)
                                                        21 11
         3
                                          .(Brown et al., 1981)
                  .(Hoogstraal et al., 1979)
(300 Ô)
              .1977
.1976
                                        .(Shimshony Barzilai, 1983)
  ä
                                                                 3 - 2
                   M
     %27
                               M
                             .(Morvan et al., 1992)
```

```
.(Drosten et al., 2002; Espach et al., 2002; Stall et al., 2002)
                                    Ô
.seeding
                                           Wesselsbron
                                                                      Ô
                          - 1978
     .(Shope et al., 1982)
        2 - 1
```

```
0.05)
     0.40
                                                            0.80
 Ô
           .teratogenic
Caplen et al.,) Fluoracil-5
                                 −5:
            MP-12
                                             .(1985; Hubbard et al., 1991
                                                              immunogenic
                              MP-12
                virulence
                                                                 .13
                                          sentinel
Lupton et al., 1982;)
                                                         (House et al., 1992
                                                          .1979
```

.(House et al., 1992)

Ô Ô

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Halkhy, H.H., Memish, Z.A. Rift Valley fever: An uninvited zoonosis in the Arabian Peninsula. Int J Antimicrob Agents 21(2):153–157, 2003.

Berge, T.O., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 2nd ed. Atlanta: Centers for Disease Control and Prevention; 1975. (DHEW Publ. CDC 75-8301.)

Brés, P. Prevention of the spread of Rift Valley fever from the African Continent. Contrib Epidemiol Biostat 3:178–190, 1981.

Brown, J.L., J.W. Dominik, R.L. Morrissey. Respiratory infectivity of a recently isolated Egyptian strain of Rift Valley fever virus. Infect Immun 33:848–853, 1981.

Caplen, H., C.J. Peters, D.H. Bishop. Mutagen-directed attenuation of Rift Valley fever virus as a method for vaccine development. J Gen Virol 66:2271–2277, 1985.

Davies, F.G. Observations on the epidemiology of Rift Valley fever in Kenya. J Hyg (Lond) 75:219–230, 1975.

Davies, F.G., K.J. Linthicum, A.D. James. Rainfall and epizootic Rift Valley fever. Bull World Health Organ 63:941–943, 1985.

Diallo, M., L. Lochouarn, K. Ba, A.A. Sall, M. Mondo, L. Girault, et al. First isolation of the Rift Valley fever virus from Culex poicilipes (Diptera: Culicidae) in nature. Am J Trop Med Hyg 62(6):702–704, 2000.

Drosten, C., S. Gottig, S. Schilling, M. Asper, M. Panning, H. Schmitz, et al. Rapid detection and quantification of RNA of Ebola and Marburg viruses, Lassa virus, Crimean-Congo hemorrhagic fever virus, Rift Valley fever virus, dengue virus, and yellow fever virus by real-time reverse transcription-PCR. J Clin Microbiol 40(7):2323–2330, 2002.

Easterday, B.C. Rift Valley fever. Adv Ver Sci 10:65-127, 1965.

Espach, A., M. Romito, L.H. Nel, G.J. Viljoen. Development of a diagnostic one-tube RT-PCR for the detection of Rift Valley fever virus. Onderstepoort J Vet Res 69(3):247-252, 2002.

Foetenille, D., M. Traore-Lamizana, M. Diallo, J. Thonnon, J.P. Digoutte, H.G. Zeller. New vectors of Rift Valley fever in West Africa. Emerg Infect Dis 4(2):289–293, 1998.

Henning, M.W. Animal Diseases in South Africa, 3rd ed. Pretoria: Central News Agency; 1956.

Hoogstraal, H., J.M. Meegan, G.M. Khalil, F.K. Adham. The Rift Valley fever epizootic in Egypt 1977–78. 2. Ecological and entomological studies. Trans R Soc Trop Med Hyg 73:624–629, 1979.

House, J.A., M.J. Turell, C.A. Mebus. Rift Valley fever: Present status and risk to the Western Hemisphere. Ann NY Acad Sci 653:233-242, 1992.

Hubbard, K., A. Baskerville, J.R. Stephenson. Ability of a mutagenized virus variant to protect young lambs from Rift Valley fever. Am. J Vet Res. 52:50–55, 1991.

International Office of Epizootics (OIE). Aislamiento del virus de la fiebre del Valle de Rift en unas larvas de Aedes lineatopennis. Bull OIE 95:47, 1983.

Lefevre, P.C. La fièvre de la Vallée du Rift. Ann Med Vet 133:453-463, 1989.

Lupton, H.W., C.J. Peters, G.A. Eddy. Rift Valley fever: Global spread or global control? Proc 86th Ann Meet U.S. Animal Hith Assoc 261–275, 1982.

Malik, S.K. Epidemiology of Rift Valley fever in domestic animals in Egypt. In: Rift Valley Fever, Paris: International Office of Epizootics; 1981. (Technical Series 1.)

McIntosh, B.M., J.H. Gear. Mosquito-borne arbovirus, primarily in the Eastern hemisphere. In: Hubbert, W.T., W.F. McCulloch, P.R. Schmirrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Meegan, J.M., R.H. Watten, L.W. Laughlin. Clinical experience with Rift Valley fever in humans during the 1977 Egyptian epizootic. Contrib Epidemiol Biostat 3:114–123, 1981.

Meegan, J.M., J.P. Digoutte, C.J. Peters, R.E. Shope. Monoclonal antibodies to identify zinga virus as Rift Valley fever virus. *Lancet* 1:641, 1983.

Morvan, J., P.E. Rollin, S. Laventure, J. Roux. Duration of immunoglobulin M antibodies against Rift Valley fever virus in cattle after natural infection. Trans R Soc Trop Med Hyg 86:675, 1992.

Sall, A.A., E.A. Macondo, O.K. Sene, M. Diagne, R. Sylla, M. Mondo, et al. Use of reverse transcriptase PCR in early diagnosis of Rift Valley fever. Clin Diagn Lab Immunol 9(3):713– 715, 2002.

Shimshony, A., R. Barzilai. Rift Valley fever. Adv Vet Sci Comp Med 27:347-425, 1983.

Shope, R.E., C.J. Peters, F.G. Davies. The spread of Rift Valley fever and approaches to its control. Bull World Health Organ 60:299–304, 1982.

Swanepoel, R. Observation on Rift Valley fever in Zimbabwe. Contrib Epidemiol Biostat 3:83–91, 1981.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Outbreak of Rift Valley fever—Yemen, August-October 2000. MMWR Morb Mortal Willy Rep 49(47):1065–1066, 2000.

Walsh, J. Rift Valley fever rears its head. Science 240:1397-1399, 1988.

World Health Organization (WHO). Rift Valley fever. Wkly Epidemiol Rec 63:49–56, 1988.
World Health Organization (WHO). Rift Valley fever: Egypt. Wkly Epidemiol Rec 69:74–75, 1994.

Yedloutschnig, R.J., A.H. Dardiri, J.S. Walker. Persistence of Rift Valley fever virus in the spleen, liver and brain of sheep after experimental infection. Contrib Epidemiol Biostat 3:72-76, 1981.

ROCIO ENCEPHALITIS

| ICD-10 A83.6 Rocio virus disease | ICD-10 A83.6 | |
|----------------------------------|--------------|--|
|) Flavivirus | : | |

```
.(
) Flaviviridae
                                                                 В
                                                 .1(
   Ô
         Ô
                         1975/3
                                                 .emerging zoonosis
             821
                        .1978/6
                                      1975/3
                                                    .%10
                                                                 20
          .(Iversson, 1980)
                                     153
                                             (%22.2) 34
                                      1.007
                                        (Zonotrichia capensis)
                               .(de Souza Lopes, 1978a)
                     12
                  %50
Ô
          Ô
                                                               %20
                                   %20
               Ô
                        .(Rosemberg, 1977)
                         %75
                                            Ô
                             В
```

```
(de Souza Lopes et al., 1986b)
                                   .(Iversson, 1980)
.1:2
          .(de Souza Lopes, 1986)
                                      30 - 15
                                 Entomological
 Ô
                            Aedes scapularis
A. serratus
     2.230
                                                            .(Forattini, 1981)
                                                              23.896
                                                                    .(
                          47
                          .(de Souza Lopes et al., 1981) (Psorophora ferox)
                                                                  competence
                                                               ferox
                                    .(Mitchell and Foratini, 1984)
  .(Mitchell et al., 1981)
```

```
1975
                                                 100.000
                                                                  55
  1976
1977
                                           100.000
                                                                90
                                                   .(Iversson, 1980) 1978
                                          .(Iversson et al., 1982)
                     .nonanthropophilic
                                              .(Iversson, 1980)
          6
                                  .(de Souza Lopes, 1986)
Romano-Lieber and) (MAC-ELISA) M
                                                           .(Iversson, 2000
```

Ô Ĉ

Forattini, O.P., A. de Castro Gomes, J.L. Santos, E.A.B. Galati, E.X. Rabello, D. Natal. Observações sobre atividade de mosquitos Culicidae em mata residual no Vale do Ribeira, S. Paulo, Brasil. Rev Smide Publ (São Paulo) 15:557–586, 1981.

Iversson, L.B. Aspectos da epidemia de encefalite por arbovirus na Região do Vale do Ribeira, S. Paulo, Brasil, no período de 1975 a 1978. Rev Saúde Publ (S Paulo) 14:9–35, 1980.

Iversson, L.B., A.P.A.T. Rosa, J.T. Rosa, C.S. Costa. Estudos serologicos para pesquisa de anticorpos de arbovirus em população humana da região do Vale do Ribeira. Rev Saúde Publ (São Paulo) 16:160–170, 1982.

Mitchell, C.J., O.P. Porattini. Experimental transmission of Rocio encephalitis virus by Aedes scapularis (Diptera: Culicidae) from the epidemic zone in Brazil. J Med Entomol 21:34–37, 1984.

Mitchell, C.J., T.H. Monath, C.B. Cropp. Experimental transmission of Rocio virus by mosquitoes. Am J Trop Med Hyg 30:465-472, 1981.

Romano-Lieber, N.S., L.B. Iversson. [Serological survey on arbovirus infection in residents of an ecological reserve.] Rev Saude Publica 34(3):236–242, 2000.

Rosemberg, S. Neuropathological study of a new viral encephalitis: The encephalitis of São Paulo South coast (preliminary report). Rev Inst Med Trop (S Paulo) 19:280–282, 1977.

de Souza Lopes, O. Rocio (ROC) strain: SPH 34675. Am J Trop Med Hyg 27:418–419, 1978a.

de Souza Lopes, O.S., L. de Abreu Sacchetta, T.L. Coimbra, G.H. Pinto, C.M. Glasser, Emergence of a new arbovirus disease in Brazil. II. Epidemiologic studies on 1975 epidemic. Am J Epidemiol 108:394–401, 1978b.

de Souza Lopes, O., L. de Abreu Sacchetta, D.B. Francy, W.L. Jakob, C.H. Calisher. Emergence of a new arbovirus disease in Brazil. III. Isolation of Rocio virus from Psorophora ferox (Humboldt, 1819). Am J Epidemiol 113:122–125, 1981.

de Souza Lopes, O. Encefalitis pelo virus Rocio. Rev Inst Adolfo Lutz 46:95-101, 1986.

ROTAVIRAL GASTROENTERITIS

ICD-10 A08.0

ICD-10 A08.0 Rotaviralenteritis

Nebraska

Rotavirus

A .Reoviridae

```
419 <u>à</u>ââ
```

```
.tentative
                             G
                                                F
                                                                     .E
                                Orbivirus
.orthoreovirus
      rota Ô
                                    .(
                                                               ) spokes
                60
                                                   11
VP6
                     %99
                                             .A serogroup
Gómez); G
              В
                                .(and Grinstein, 1991; Paul and Lyoo, 1993
              (
                                                      A
                                                  Ô
11 (
                               A
           VP6
                                                     .serotypes
                   VP4 VP7
      electropherotypes
                                                         .polyacrylamide
Α
```

1 .1 1 4 A - G9 .(Steele and Ivanoff, 2003; Kirkwood et al., 2002; Cunliff et al., 2001) 5 4 7 6 9 8 Herrmann and Blacklow,) .(1991 2 Ô 25 .(1991a) .4 3 2 1 .2 .1 .2 1 3 6 Ô 6 Ô .2 1 1 .plaque 6 Ô) feline

```
421
                    àââ
    )
                                                             (cat
                                 (K9)
                                                                        97
                                  .(FR-I
                                                                   (AU-1
                                              constellation
                                        Ô
Nakagomi and Nakagomi,)
          (Flores et al., 1986)
                                                                    .(1991
                     (
      .(Hoshino et al., 1983b) 3
                                                               gnotobiotic
                         .(Holmes, 1979)
                        .(Schwers et al., 1982)
                                 ( Ô
                                                    ) Ô
                  Ô
Rodríguez et) al.,
```

.(1978

Woode) .(Murakami et al., 1983) 5 3 (and Bridger, 1975 5 3 3 .(Hoshino et al., 1983a) .(McNulty et al., 1980) \cdot A E C B Ôá .(McNulty., 1991) - 1973

```
%50
           .(Davidson et al., 1975)
                                   5
                                          Ô
                                                                    6
                                                           Ô
            5
                                   3
                                                   5
                                                           8
                                       .(Yolken and Murphy, 1982)
   1989
      (1990 - 1989)
                                                                   99
                         23
         %20
                                                               48.035
             %6
                                 %36:
     .(CDC, 1991)
                                             %20
5 - 0
                                                  557
                %4.1
        266
                                               291
                                                      %29.2
                                              %96.6
                                                                  .11
                                                        13
       392
                                 .(Cardoso et al., 1992)
   %27
                                .1987
                                                    1986
```

```
.(Gomwalk et al., 1993)
  %25.4:
                                                                     665
                        (%15.3) 44
            288
                                               \cdot^{A}
                                                 10 - 5 .
                   .(Kapikian et al., 1980)
                                                       %40
                                                               %20
        %60
                 %40
                                                                       5
                    3
                                                            %14 %7
                                                  Ô
                   .(PAHO, 1982)
            .%45.3
Mata et al.,) %13.4
                                                                   .(1983
                                                                  %60
            .(PAHO, 1982)
```

Ô %100 %90 %38. Ô· coronavirus %90 Ô Ô .(WHO, 1980) Woode,) .(1978 Ô Ô 14 - 36 - 4Ô 3 - 133 .(Woode, 1978) %57.5 33 6 %50 36

%55.6 Cryptosporidium

%50

%88.9


```
39.4
          .(Bellinzoni et al., 1990)
                                               %3
                                                                  %11.1
                                                    %70
                                                  .(Takahashi et al., 1979)
· 7 Ô
%25
  %30
    °39
                                                                    %50
          10
        .(Stals et al., 1984)
                                          5
                                                  2
          5
                                                           nursing
                  .(Yolken and Murphy, 1982)
             absorbent
                                        erosion
        crypt
```

```
427
                     àââ
                                                         gnotobiotic
                       18
               8 - 6
            30
Fenner et al.,)
                                                                       .(1993
                                                    10^{11} - 10^7
   9 - 5
                                                             .(Woode, 1978)
                                                                      10 - 5
                         .(Holmes, 1979)
                                          .(Gillespie and Timoney, 1981)
```

```
.(Hopkins et al., 1984)
   .(PAHO, 1982)
  A
Hermann and Blacklow, 1990; Stals et al., 1984 Santosham et)
                       30
                                                               .(al., 1983
                                                             12
                                                                        9
                                                    .(Fragoso et al., 1986)
                                                .(
                   .(WHO, 1980)
          .8
                                                       5 3
                  · Ô
                        immunoelectroosmophoresis
```

erythroimmunoassay VP6 1 Gómez and) electropherotype reliable .(Grinstein, 1991 .(Chen et al., 1999) · Ô .(Haikala et al., 1983) Ô .screening (MA 104) (Sato et al., 1981) M .A В

| 5 Ô | | : | .(|) | | |
|--------------|------------------|-----------|----------------|---------------|--------------|----------------------|
| | .acid .ethy | lenediami | netetraacetic | | | |
| | • | • | | | | |
| | | | | | | _ |
| | | | | | | |
| | | | | | | |
| | • | • | : | Ô· | | |
| | | | (Saif et al | , 1983) incor | mnlete Frei | ınd |
| | parenterally | | ·(Suif et ut.) | ; 1303) incol | inprote Tree | <i>1</i> 11 G |
| | • | | 5 – 3 Ô | • | Ô | |
| | $10 - 7 \hat{O}$ | | | | | |
| (Paul and Ly | 00, 1993) | | | Ô | | |
| · Ô . | | A | | | | |
| | | | | | | |
| 6 – 5 | | | | | : | |
| | | RIT 4 | .237 | | | |
| | | | | | | |



Avendaño, L.F., S. Dubinovsky, H.D. James, Jr. Comparison of viral RNA electrophoresis and indirect ELISA methods in the diagnosis of human rotavirus infections. Bull Pan Am Health Organ 18:245–249, 1984.

Bellizoni, R.B., J. Blackhall, N.R. Terzolo, et al. Microbiology of diarrhoea in young beef and dairy calves in Argentina. Rev Argent Microbiol 22:130–136, 1990.

Bellizoni, R.B., N.M. Mattion, D.O. Matson, et al. Poecine rotaviruses antigenically related to human serotypes 1 and 2. J Clin Microbiol 28:633-636, 1990a.

Bohl, E.H. Enteric viral infections as related to diarrhea in swine. In: Acres, S.D., ed. Proceedings of the Third International Symposium on Neonatal Diarrhea. University of Saskatchewan, Saskatone, Saskatchewan, Canada, 1980. Cited in: Hoshino, Y., R.G. Wyatt, H.B. Greenberg, A.R. Kalica, J. Flores, A.Z. Kapikian. Isolation, propagation, and characterization of a second equine rotavirus serotype. Infect Immun 41:1031–1037, 1983a.

Cardoso, D., R.M. Martins, E.W. Kitajima, et al. Rotavirus e adenovirus em criancas de 0–5 anos hospitalizados com ou sem gastroenterite em Goiânia-GO. Brasil. Rev Inst Med Trop Sao Paulo 34:433–439, 1992.

Chasey, D., P. Davies. Atypical rotaviruses in pigs and cattle. Ver Rec 114:16-17, 1984.

Chen, J.C., ed. Control of Communicable Diseases in Man. 17th ed. An official report of the American Public Health Association. Washington, D.C.: American Public Health Association; 2000.

Chen, Y., J. Zhao, L. Yan. [Comparison of three methods in detection of rotavirus infection in neonates.] Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi 30;13(2):180–182, 1999.

Cunliffe, N.A., W. Dove, J.E.G. Bunn, M.B. Ramadam, J.W.O. Nyangao, R.L. Riveron et al. Expanding global distribution of rotavirus serotype G9: Detection in Libry, Kenya, and Cuba. Emerg Infect Diseases 7(5):890–892, 2001.

Davidson, G.P., R.F. Bishop, R.R. Townley, I.H. Holmes. Importance of a new virus in acute sporadic enteritis in children. *Lancet* 1:242-246, 1975.

Espejo, R., P. Romero, E. Calderón, N. González. Diagnóstico de rotavirus por electroforesis del RNA viral. Bol Med Hosp Infant Mex 35:323–331, 1978.

Fenner, F.J., E. Poul, J. Gibbs, et al. Veterinary Virology, 2nd ed. San Diego: Academic Press: 1993.

Flewett, T.H., A.S. Bryden, H. Davies, G.N. Woode, J.C. Bridger, J.M. Derrick. Relation between viruses from acute gastroenteritis of children and newborn calves. *Lancet* 2:61–63, 1974.

Flores, J., Y. Hoshino, E. Boeggeman, R. Purcell, R.M. Chanock, A.Z. Kapikian. Genetic relatedness among animal rotaviruses. Arch Virol 87:273–285, 1986.

Fragoso, M., A. Kumar, D.L. Murray. Rotavirus in nanopharyngeal secretions of children with upper respiratory tract infections. *Diagn Microbiol Infect Dis* 4:87–88, 1986.

Gaul, S.K., T.F. Simpson, G.N. Woode, R.W. Fulton. Antigenic relationships among some animal rotaviruses: Virus neutralization in vitro and cross-protection in piglets. J Clin Microbiol 16:495–503, 1982.

Gerna, G., A. Sarasini, S. Arista, et al. Prevalence of human rotavirus serotypes in some European countries 1981–1988. Scand J Infect Dis 22:5–10, 1990.

Gillespie, J.H., J.F. Timoney. Hagan and Brioser's Infectious Diseases of Domestic Animals: With Reference to Etiology, Pathogenicity, Immunity, Epidemiology, Diagnosis, and Biologic Therapy, 7th ed. Ithaca: Cornell University Press; 1981.

Gómez, J.A., S. Grinstein. Rotavirus. In: Carballal, G., J.R. Oubiña, eds. Virología Médica. Buenos Aires: El Ateneo; 1991.

Gomwalk, N.E., N.J. Umoh, L.T. Gosham, A.A. Ahmad. Influence of climatic factors on rotavirus infection among children with acute gastroenteritis in Zaria, northern Nigeria. J Trop Pediatr 39:293–297, 1993.

Haikala, O.J., J.O. Kokkonen, M.K. Leinoen, T. Nurmi, R. Mantyjarvi, H.K. Sarkkinen. Rapid detection of rotavirus in stool by latex agglutination: Comparison with radioimmunoassay and electron microscopy and clinical evaluation of the test. J Med Virol 11:91–97, 1983.

Herrmann, J.E., N.R. Blacklow. Rotavirus. In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases. 3rd ed. New York: Churchill Livingstone, Inc.: 1990.

Holmes, I.H. Viral gastroenteritis. Progr Med Virol 25:1-36, 1979.

Hopkins, R. S., G.B. Gaspard, F.P. Williams, Jr., R.J. Karlin, G. Cukor, N.R. Blacklow, A community waterborne gastroenteritis outbreak: Evidence for rotavirus as the agent. Am J Public Health 74:263–265, 1984.

Hoshino, Y., R.G. Wyatt, H.B. Greenberg, A.R. Kalica, J. Flores, A.Z. Kapikian. Isolation, propagation, and characterization of a second equine rotavirus serotype. *Infect Immun* 41:1031–1037, 1983a.

Hoshino, Y., R.G. Wyatt, H.B. Greenberg, A.R. Kalica, J. Flores, A.Z. Kapikian. Serological comparison of canine rotavirus with various simian and human rotaviruses by plaque reduction neutralization and haemagglutination inhibition tests. *Infect Immun* 41:169–173, 1983b.

Kapikian, A.Z., H.W. Kim, R.G. Wyatt, et al. Reovirus like agent in stools: Association with infantile diarrhea and development of serologic tests. Science 185:1049–1053, 1974.

Kapikian, A.Z., R.G. Wyatt, H.B. Greenberg, et al. Approaches to immunization of infants and young children against gastroenteritis due to rotaviruses. Rev Infect Dis 2:459–469, 1980.

Kirkwood, C., N. Bogdanovic-Sakran, R. Clark, P. Masendycz, R. Bishop, G. Barnes. Report of the Australian Rotavirus Surveillance Program, 2001/2002. Commun Dis Intell 26(4):537-540, 2002.

Lambert, J.P., D. Marissens, P. Marbehant, G. Zissis. Prevalence of subgroups 1, 2, and 3 rotaviruses in Belgian children suffering from acute diarrhea (1978–1981). J Med Virol 11:31–38, 1983.

Mata, L., A. Simbon, R. Padilla, et al. Diarrhea associated with rotaviruses, enterotoxigenic Escherichia coli, Campylobacter, and other agents in Costa Rican children, 1976–1981. Am J Trop Med Hyg 32:146–153, 1983.

McNulty, M.S. Rotavirus infections. In: Calnek, B.W., H.J. Barnes, C.W. Beard, W.M. Reid, H.W. Yoder, Jr., eds. Diseases of Poultry, 9th ed. Ames: Iowa State University Press; 1991.

McNulty, M.S., G.M. Allan, D. Todd, et al. Isolation of rotaviruses from turkeys and chickens: Demonstration of distinct serotypes and RNA electropherotypes. Avian Pathol 9:363–375, 1980.

Mebus, C.A., R.G. Wyatt, R.L. Sharpee, et al. Diarrhea in gnotobiotic culves caused by the reovirus-like agent of human infantile gastroenteritis. Infect Immun 14:471–474, 1976.

Middleton, P.J., M. Petric, M.T. Szymanski. Propagation of infantile gastroenteritis virus (orbi-group) in conventional and germfree piglets. Infect Immun 12:1276–1280, 1975.

Much, D.H., I. Zajac. Purification and characterization of epizootic diarrhea of infant mice virus. Infect Immun 6:1019–1024, 1972.

Murakami, Y., N. Nishioka, Y. Hashiguchi, C. Kuniyasu. Serotypes of bovine rotaviruses distinguished by serum neutralization. Infect Immun 40:851–855, 1983.

Nakagomi O., T. Nakagomi. Genetic diversity and similarity among mammalian rotaviruses in relation to interspecies transmission of rotavirus. Arch Virol 120:43–55, 1991.

Nakagomi, O., A. Ohshima, Y. Aboudy, et al. Molecular identification by RNA-RNA hybridization of a human rotavirus that is closely related to rotaviruses of feline and canine origin. J Clin Microbiol 28:1198–1203, 1990.

Newman, J.F. E., F. Porown, J.C. Bridger, G.N. Woode. Characterization of a rotavirus. 20b. Nature 258:631–633, 1975.

Pan American Health Organization (PAHO). The rotaviruses. Bol Epidemiol 3(5):12–15, 1982.

Paul, P.S., Y.S. Lyoo. Immunogens of rotaviruses. Vet Microbiol 37:299-317, 1993.

Plaza, A., S. Grinstein, G. Muchinik, M. Valvano, J. Gómez. Estudio clínico y epidemiológico de la diarrhea por rotavirus en la infancia. Arch Argent Pediatr 80:289-308, 1982.

Rodriguez, W.J., H.W. Kim, C.D. Brandt, et al. Sequential enteric illnesses associated with different rotavirus serotypes. Lancet 2:37, 1978.

Rotaviruses of man and animals [editorial]. Lancer 1:257-258, 1975.

Saif, L.J., D.R. Redman, K.L. Smith, K.W. Theil. Passive immunity to bovine rotavirus in newborn calves fed colostrum supplements from immunized or non immunized cows. *Infect Immun* 41:1118–1131, 1983.

Santosham, M., R.N. Yolken, E. Quiroz, et al. Detection of rotavirus in respiratory secretions of children with pneumonia. J Pediatr 103:583-585, 1983.

Sato, K., Y. Inaba, T. Shinozaki, R. Fujii, M. Matumoto. Isolation of human rotavirus in cell cultures: Brief report. Arch Virol 69:155–160, 1981.

Schroeder, B.A., J.E. Street, J. Kalmakoff, A.R. Bellamy. Sequence relationships between the genome segments of human and animal rotavirus strains. J Virol 43:379-385, 1982.

Schwers, A., P. Hoyois, G. Chappuis, L. Dagenais, P.P. Pastoret. Propagation of bovine rotavirus by cats and dogs. Ann Rech Vet 13:303-308, 1982.

Simbon, A. Virología de los rotavirus y epidemiología de la diarrhea por rotavirus. Bol Of Sanit Panam 98:295–310, 1985.

Spence, L. Rotavirus. In: Warren, K.S., A.A.F. Mahmoud, eds. Tropical and Geographical Medicine. New York: McGraw-Hill; 1984.

Stair, E.L., M.B. Rhodes, R.G. White, C.A. Mebus. Neonatal calf diarrhea: Purification and electron microscopy of a coronavirus-like agent. Am J Vet Res 33:1147-1156, 1972.

Stals, F., F.J. Walther, C.A. Bruggeman. Faecal and pharyngeal shedding of rotavirus and rotavirus IgA in children with diarrhoea. J Med Virol 14:333–339, 1984.

Steele, A.D., B. Ivanoff. Rotavirus strains circulating in Africa during 1996–1999: emergence of G9 strains and P[6] strains. Vaccine 17;21(5-6):361–367, 2003.

Takahashi, E., Y. Inaba, K. Sato, et al. Antibody to rotavirus in various animal species. Natl Inst Anim Health Q (Tokyo) 19:72–73, 1979.

Torres-Medina, A., R.G. Wyatt, C.A. Mebus, N.R. Underdahl, A.Z. Kapikian. Diarrhea caused in gnotobiotic piglets by the reovirus-like agent of human infantile gastroenteritis. J. Infect Dis 133:22–27, 1976.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Rotavirus surveillance: United States, 1989-1990. MMWR

Morb Mort Wkly Rep 40:80-81, 87, 1991.

White, R.G., C.A. Mebus, M.J. Twiehaus. Incidence of herds infected with neonatal calf diarrhea virus (NCDV). Vet Med Small Anim Clin 65:487-490, 1970.

Woode, G.N. Transmissible gastroenteritis of swine. Ver Bull 39:239-248, 1969.

Woode, G.N. Epizootiology of bovine rotavirus infection. Ver Rec 103:44-46, 1978.

Woode, G.N., J.C. Bridger. Viral enteritis of calves. Ver Rec 96:85-88, 1975.

Woode, G.N., J.C. Bridger, G. Hall, M.J. Dennis. The isolation of reovirus-like agent associated with diarrhea in colostrum-deprived calves in Great Britain. Res Ver Sci 16:102–105, 1974.

World Health Organization (WHO). Rotavirus and other viral diarrhoeas: WHO scientific working group. Bull World Health Organ 58:183–198, 1980.

Yolken, R., M. Murphy. Sudden infant death syndrome associated with rotavirus infection. J Med Virol 10:291–296, 1982.

Yolken, R.H., G.A. Losonsky, S. Vonderfecht, F. Leister, S.B. Wee. Antibody to human rotavirus in cow's milk. N Engl J Med 312:605–610, 1985.

RUSSIAN AND CENTRAL EUROPEAN SPRING-SUMMER ENCEPHALITIS

) Ø ICD-A84.0 Ø A84.1 (

ICD-10 A84.0 Far Eastern tick-borne encephalitis (Russian spring-summer encephalitis); A84.1 Central European tick-borne encephalitis

B :
biphasic :

Casals) Flavivirus

1 () .(B
Powassan :
Langat . Omsk .

Ô

В

Ô Ô .(Hou et al., 1991) Ixodes ovatus Ô Ô Ô .1951 660 ²⁰ Ô 2.000 .(Monath, 1982) 100.000 8 3 %80 .(1989) persulcatus .Ixodes 12 %14.6 2.922 6 Clethriononys

435

Ô

```
Kozuch et al.,)
                                    I. ricinus
                                                               .glareolus
                                                        5
                                                                   .(1990
                                                  15
Kahl and)
   %0.9
                                                           .(Radda, 1988
   .(Chambouris et al., 1989)
                                                  429
                                                         %8.6
                                                                     206
                   · Ô
                                 Ô
                                               Ô
                                                           .(Asher, 1979)
                                     %20
                          Ô
                                                  10 - 7
                        .%2 %1
                                   %0.2
                                                             %2
 Ô
                               (McNeil et al., 1985
                                                            .Kunz)
                     7 - 4
                                                                   20 - 8
```

437 Ô -

```
5
   6 - 5
                                             .(Gresíková and Beran, 1981)
    ) rear
                                  paresis
                          (lockjaw
       chattering
                                       .(
                           %12
                   tetraparesis
%100
                      .opisthotonos
                                                       .(Poppensiek, 1986)
                                  :(26
               nidal
Ixodes
                                                               .persulcatus
                .I. ricinus
               Haemaphysalis concinna
                                           H. japonica douglasi
   Dermacentor
               %6
                           4 – 2
```

•

.(Varma, 1989) 10 .(Gresíková and Beran, 1981) Ô (dormouse - Ô :26

vehicle

```
.(Gresíková and Beran, 1981)
                                                                      Ô
                                               Ô
Roggendorf et)
                                            .(al., 1981; Hofmann et al., 1983
                                                                        20
.%99
        .(Brandt 1990, Kunz et al., 1980:
                                                  Kunz)
```

Ô

439

Ô Ĉ

Andrewes, C.H., H.G. Pereira. Viruses of Verselvates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Asher, D.M. Persistent tick-borne encephalitis infection in man and monkeys: Relation to chronic neurologic disease. In: Kurstak, E., ed. Arctic and Tropical Arboviruses. New York: Academic Press; 1979.

Brandt, W.E. From the World Health Organization. Development of dengue and Japanese encephalitis vaccines. J Infect Dis 162:577–583, 1990.

Clarke, D.H., J. Casals. Arboviruses: Group B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man. 4th ed. Philadelphia: Lippincott; 1965.

Chambouris, R., W. Sixl, D. Stunzner, M. Kock. Antikorper bei Hunden gegen das Virus der Zeckenencephalitis in Griechenland. Geogr Med Suppl 3:11–14, 1989.

Fox, J.P. Russian spring-summer encephalitis and looping-ill. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine, 12th ed. Philadelphia: Saunders: 1967.

Goldblum, N. Group B arthropod-borne viral diseases. In: van der Hoeden, J., ed. Zoonoses, Amsterdam: Elsevier: 1964.

Gresíková, M., G.W. Beran. Tick-borne encephalitis (TBE). In: Beran, G.W., section ed. Section B, Vol. 1: CRC Handbook Series in Zoonores. Boca Raton: CRC Press; 1981.

Hofmann, H., F.X. Heinz, H. Dippe. ELISA for IgM and IgG antibodies against tick-borne encephalitis virus: Quantification and standardization of results. Zentralbl Bakteriol Mikrobiol Hyg. (A) 255:448–455, 1983.

Hou, Z.L., D.I. Zi, W.L. Huang, et al. [Two virus strains related to the Russian spring-summer encephalitis virus have been isolated from Ixodes ovurus in Yunan.] Chinese J Virol 7:75–77, 1991.

Kahl, O., A.C. Radda. Occurrence of tick-borne encephalitis (TBE) virus in Berlin (West). Zentralbl Bakteriol Mikrobiol Hyg [A] 268:482-486, 1988.

Karabatsos, N., ed. Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 3rd ed. San Antonio: American Society for Tropical Medicine and Hygiene; 1985.

Klockmann, U., K. Krivanec, J.R. Stephenson, J. Hilfenhaus. Protection against European isolates of tick-borne encephalitis vaccine after vaccination with a new tick-borne encephalitis vaccine. Vaccine 9:210–212, 1991.

Kozuch, O., M. Labuda, J. Lysy, P. Weismann, E. Krippel. Longitudinal study of natural foci of Centre European encephalitis virus in West Slovakia. Acta Virol 34:537–544, 1990.

Kunz, Ch., F.X. Heinz, H. Hofmann. Immunogenicity and reactogenicity of a highly purified vaccine against tick-borne encephalitis. J Med Virol 6:103–109, 1980.

McNeil, J.G., W. M. Lednar, S.K. Stansfield, R.E. Prier, R.N. Miller. Central European tick-borne encephalitis: Assessment of risk for persons in the armed services and vacationers. J Infect Dis 152:650–651, 1985.

Monath, T.P. Arthropod-borne viral encephalitides. In: Wyngaarden, J.B., L.H. Smith, Jr., eds. Vol. 2: Cecil Textbook of Medicine, 16th ed. Philadelphia: Saunders; 1982.

Poppensiek, G.C. Foreign Animal Diseases. Ithaca: Cornell University; 1986.

Rhodes, A.J., C.E. van Rooyen. Textbook of Virology for Students and Practitioners of Medicine, 4th ed. Baltimore: Williams & Wilkins; 1962.

Roggendorf, M., F. Heinz, F. Deinhardt, C. Kunz. Serological diagnosis of acute tick-borne encephalitis by demonstration of antibodies of the IgM class. J Med Virol 7:41–50, 1981.

Varma, M.G.R. Tick-borne diseases. In: World Health Organization (WHO). World Health Organization, Vector Biology and Control Division. Geographical Distribution of Arthropod-borne Diseases and their Principal Vectors. Geneva: WHO; 1989. (WHO/VBC/89.967)

SINDBIS FEVER

ICD-10 A92.8 ICD-10 A92.8 Other specified mosquito-borne viral fevers

```
30
  .1961
                                                                      5
                                                %20
                                         .(Niklasson, 1988)
Ô
                  .(Guard et al., 1982)
         .Mayaro
                         .Chikungunya
                                   ) Ross River
    (Tesh, 1982)
                                                        .O'nyong-nyong
                                                       .Barmah
                  Ô
   . or nith ophilous\\
```

Ô

C. annulirostris

Culex univittatus

Culicines

C. pseudovishnui

ÔĈ

Casals, J., D.H. Clarke. Arbovinsses: Group B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Guard, R.W., M.J. McAuliffe, N.D. Stallman, B.A. Bramston. Haemorrhagic manifestations with Sindbis infection. Case report. Pathology 14:89–90, 1982.

Karubutson, N., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 3rd ed. San Antonio: American Society for Tropical Medicine and Hygiene; 1985.

Lundstrom, J.O., S. Vene, J.F. Saluzzo, B. Niklasson. Antigenic comparison of Ockelbo virus isolates from Sweden and Russia with Sindbis virus isolates from Europe, Africa, and Australia: Further evidence for variation among alphaviruses. Am J Trop Med Hyg 49: 531–537, 1993.

McIntosh, B.M., D.B. Dickinson, G.M. McGillivray. Ecological studies in Sindbis and West Nile viruses in South Africa. V. The response of birds to inoculation of virus. S Afr J Med Sci 14:77–82, 1969.

McIntosh, B.M., J.H. Gear. Mosquito-borne arboviruses, primarily in the eastern hemisphere. In: Hubbert, W.T., W.F. McCulloch, P.R. Schourrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield, Illinois: Thomas; 1975.

Niklasson, B., A. Espmark, J.O. Lundstrom. Occurrence of arthralgia and specific IgM antibodies three to four years after Ockelbo disease. J Infect Dis 157:832–835, 1988.

Tesh, R.B. Arthritides caused by mosquito-borne viruses. Annu Rev Med 33:31-40, 1982.

SPONGIFORM ENCEPHALOPATHIES OF ANIMALS AND MAN

 ${\bf \hat{O}}$ ICD-10 A81 ICD-10 A81 Slow virus infections of the central nervous system

| | Ô | (| Ô | |) | |
|-------------------|---------------|----|-------|---|-----------------|---|
| | Lumbar pruri | go | | Ô | | |
| Creutzfeldt-Jakob | - | | ,Kuru | | ."scrapie" : | |
| 1986 | | Ô | • | | | |
| • | Ô | | • | | | |
| .(Gajdusek, 1977) |) | | | | • | • |
| - | | | | | • | |
| | , | | | | | • |
| | .astrocytosis | Ô | | | | Ô |

```
vacuoles
                                           .neuropil
                                      .(Tuler, 1991)
                                                      .determinant
                                              .(Brown et al., 1991)
                                                     .scrapie-associated fibrils
             Ô
                                     .stain \hat{O}
                   Ô
infectious
                                                                    .amyloidosis
Unconventional
                                     .prion
                                                       slow virus degenerative
                                             Ô
                                                                      ().
                                                filterable
                          ().
                                     <sup>25</sup> Ô
50 - 30 .
                                                                           (1
                                      Ô
·Ô
                                                                          (2
                                                         "virine
```

| | | | .(Kimberl | in, 1992 |) |
|---------------------------|------------|------------|---------------|-------------------|-------|
| | :' | 'viroid | II | | (3 |
| .(| |) | | | |
| .1982 | | | :"prion | " | (4 |
| | | | | | |
| proteinaceous Ĉ |) | | | | |
| | | | | .(PrP) | |
| | | (PrPc) | | | |
| | | | : | • | |
| | .(Prusi | ner, 1992; | ; Oesoh et al | <i>l</i> ., 1991) | PrPsc |
| | | | • | | |
| · Ô | | • | | | |
| Ô· | | | | | |
| Ô | | | | | |
| | .(Prus | iner, 1992 | 2) | | |
| 1 | | | | | |
| | | | .(Ki | mberlin, | 1992) |
| DISEASES | OF ANIMALS | S | | | |
| | Scrapie | .1 | | | |
| | • | | | | |
| enzootic ovine paraplegia | | | | : | |
| | | | | | |
| | | t | ranslation | : | .1 |
| | | | | | |

```
.(
                                                             ) rida
                         .Lumber Prurigo
                                             (Eklund and Hadlow, 1981)
                                          .(Fernándes et al., 1978)
     ) mouflon
                                                 .(Detwiler, 1992)
                      .(Ovis musimon) (
                                                 Suffolk
                                            Ô
                                                                .(
                  %50
        460
                        11
                                           .%5 Ô
                                  340
Hampshire
                  Cheviot
                                                      9
     .(Gloyd, 1990) (
.(Eklund and Hadlow, 1981)
                               50 - 30
Stamp,)
                         %15
                                  %10 Ô
```

```
.(1980
                                                    :1978
                             15.000 - 10.000
                       %10
                                              vacuolization
                 15
                                         .(Detwiler, 1992)
                                                      %17
0.31
                        .(Morgan and Nichols, 1991) 1988 0.5 1987
                                                  4 - 1 \hat{O}
                                                          .PrP Ô
                                    .(Aiken and Marsh, 1990)
                                                  " maladie tremblante
      .(" Ô
                                                        prurigo
```

| | | diencephalon Ô | .mesenc | ephal | on | |
|---|---|--------------------|----------------|-------|----|-----------|
| | | .(Eklund and Hadlo | ow, 1981) | | | |
| I | | Ô | : | | | |
| | | Ô Ĉ |) | | • | |
| | | .(Kimberlin, 1981) | | • | A | Allele |
| | | | : subpopula | ation | | |
| | | · | | (|) | Ô |
| | • | Ô | | | | |
| | | .(Hadlow et al., | 1982) | Ô | | |
| | | | • | | | |
| | : | | | | | |
| | Ô | . 3 – 1 | 1 | | | · |
| | | (Kimberlin, 19 | | | | |
| Ô | 6 | | : | | | :transfer |
| | | 6 – 5 | | | | |
| | Ô | | | | | |

```
26
                                                    6
                                                        .(Foster et al., 1992)
                        livestock
                                             Ô
                     4 - 2
Detwiler,)
                                                                     .(1992
                            Ô
Sigurdarson,)
                                                                     .(1991
                            100
                                                                    50
       .(Stamp, 1980; Marsh, 1983)
                                                                       Ô
```

```
Transmissible Mink Encephalopathy
                                                                 .2
                                                          Ø
                                      1985
Marsh and)
                                                         (Hadlow, 1992
                         12 - 7
    .(Kimberlin, 1981)
                                                           hyperesthesia
                                   aggression
                           .(Marsh and Hadlow, 1992)
                           .(Marsh and Hadlow, 1992)
```

| Chronic Wasting Disease | of Deer Ø | | .3 |
|--------------------------------|---------------|----------------|-------------------|
| Cervidae | | | 1967 |
| (Cervus el | aphus nelsoni | .Odocoileus h | emonius hemonius) |
| | 4 | | |
| 60 Ô %90 | | | |
| | 1981 – 197 | 70 (Ô |) |
| | | | |
| Ô : | | | • |
| | | | |
| | | : | |
| Ô | | | |
| ferret | | | |
| . (Ma | ustela vison) | (Saimiri s | ciureus) Ô |
| Marsh,) Cervus canadiensis (| wapiti |) | |
| • | | | .(1983 |
| | • | | |
|) ô | | | , |
| Ô | | | (Bovidae |
| | . – .(W | illiams and Yo | ung, 1992) |
| Bovine Spongiform Encep | ohalopathy | | Ø .4 |
| .(|) Mad | cow | : |

```
1986
        :1988
                         .1985
  1989
        1990 . 7.000
        .(WHO, 1994) 92.000
                              1994 20.000
        181.368
                               :2001/10/21
                               178.194)
       437 .
                 1.890
(1)
                .(OIE, 2002a)
                              698 . 149
                              (65)
   (1) (138) (8) (2)
    (2) (3) (54) (875) (1) (515)
   (106) (1) (5) (628)
                                 (30) (1)
                                 .(OIE 2002b) (413)
   (1)
            (1)
                                 .(OIE, 2001c) (2)
           .humpback
                                       %93
                                      %95
          á
Kimberlin,)
         2 - 1
```

```
2.5
                                                          .(1992
                                                      10 Ô
                    1986
               index case
                                                            Ô
           .(Wilesmith et al., 1988)
                                  .1982 - 1981
   1
                °70
                                8
                                  · Ô
                               .(Wilesmith, 1991; Kimberlin, 1992)
recycling
```

1993

.1988 1982 - 1981 .banned 1991 enzootic 22 5 Ô () ô 3 .1992 .(WHO, 1994) 4 1993 Ô WHO,) .(1994 .(enzootic

1990

250

456

117

```
.(WHO, 1992)
                                                        .encephalon
 .(Kimberlin, 1992)
                                                obex
                            %90
                                           á
                                               :1991
                 3
                                26
                         (1991.
       .(WHO, 1994)
                                                                 .5
5. Spongiform Encephalopathies in Other Animal Species in the UK
                                                  21
```

| Ô | | | .1991 |
|--|-----------------|------------------------------------|-------------|
| Ô .(Wyatt <i>et al.</i> , 1991) | . 5 | .locomotor | 5 – 4 Ô |
| nodding (|) | | .() |
| _ | Perikaryon Ô | n Ô : | |
| nyala . (Kimberlin, 1992) . (HUMAN DIS | | gelaphus strepsiceros) | .(Kudu Ô |
| | . Kuru | .1 | |
| Ô ICD-10 A81.8 Other slow vi | irus infection | ICD-10 s of the central nervous sy | |
| %80 . | | : | |

```
Fore
                Ô
 - 1975 (
                                   ) 1957
                                                              2.500
.(Gajdusek, 1977)
                                                 Ô
Fore
                Kuru
                                                          ."tremor"
                                           .(Lehrich and Tyler, 1991)
        30
                                    4
                                                  .(Benenson, 1981)
                                         .(Eklund and Hadlow, 1981)
                                                            Ô
cannibalism
                     .(
                                               \hat{O} )
```

```
Gajdusek,)
                                                                  · Ô
                                                                   .(1977
                                                         .2
             Creutzfeld-Jakop Disease
                              ICD-10 A81.0
                     .(Chin, 2000)
                                                        1 0.5
              250
                                                            200 \hat{O}
                                                  .1993
                                        117
                                                                1990
                      14 .1983 1978
                                                             46
1978
                           178
                                     .(Taratuto et al., 1989) 1989 1981
Brown and)
             1985 - 1972
                                                    87
                                                                  .1982
                     0.9
                                                         (Gajdusek, 1991
                                             (Desgrandchamps et al., 1994)
                                     31.3)
    Ô
```

```
.(Kahana et al., 1974)
                       .(Brown, 1991) â â
                                                â
PrP
                200 codon
                                         .(Goldfarb et al., 1990) 20
                                                          .(Brown, 1991)
                        .(Will et al., 1996) 1996
                    amyloid
        .(Hope, 1998)
                                                         .(Collinge, 1996)
```

```
75 50
     18
     30 - 27
                   dementia
                           5 - 2
 Ô
                                                                    Ô
                           .(Benenson, 1990)
                    Ô
                                                          %15
                                                       .(Benenson, 1990)
             Ô
                       8
                                        .(Cochius et al., 1990)
                                                                  13
            76
                       5.5
                          .(Gibbs et al., 1993)
CDC,)
                     8
                                                   30
                                                                  .(1993
```

```
.(Gajdusek, 1997)
                            .(Marsh, 1983)
Saimiri)
                                                                  .(sciureus
                                            Ô
                                                         .(Gibbs et al.,1980)
```

.3

Bendheim, P.E., R.A. Barry, S.J. DeArmond, D.P. Stites, S.B. Prusiner. Antibodies to a scrapie prion protein. Nature 310:418–421, 1984.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 13th ed. An official report of the American Public Health Association. Washington, D.C.: APHA; 1981.

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: APHA; 1990.

Brown, P. The clinical epidemiology of Creutzfeldt-Jakob disease in the context of bovine spongiform encephalopathy. In: Bradley, R., M. Savey, B. Marchant, eds. Sub-acute Spongiform Encephalopathies. Proceedings of a Seminar in the CEC Agriculturul Research Programme, held in Brussels, 12–14 November 1990. Dordrecht: Kluwer Academic Publishers for the Commission of the European Communities; 1991.

Brown, P. L., G. Goldfarb, D.C. Gajdusek. The new biology of spongiform encephalopathy: infections amyloidoses with a genetic twist. *Lancet* 337:1019–1022, 1991.

Brown, P., D.C. Gajdusek. The human spongiform encephalopathies: Kuru, Creutzfeldt-Jakob disease, and the Gerstman-Sträussler-Schenker syndrome. In: Chesboro, B.W., ed. Transmissible Spongiform Encephalopathies: Scrapie, BSE, and Related Human Disorders. Berlin: Springer; 1991. Cochius, J.I., R.J. Burns, P.C. Blumbergs, K. Mack, C.P. Alderman. Creutzfeldt-Jakob disease in a recipient of human pituitary-derived gonadotrophin. Ausr N Z J Med 20:592–593, 1990.

Collinge, J., K.C. Sidle, J. Meads, J. Ironside, A.F. Hill. Molecular analysis of prion strain variation and the etiology of 'new variant' CJD. Nature 383:685-690, 1996.

Detwiler, L.A. Scrapie. Rev Sci Tech 11:491-537, 1992.

Desgrandchamps, D., H.L. Rieder, B. Marti. Incidence of Creutzfeldt-Jakob disease. Lancet 343:1229, 1994.

Eklund, C.M., W.J. Hadlow. Characteristics of the slow viral diseases. In: Beran, G.W., section ed. Section B, Vol. 1: CRC Handbook Series in Zoonoses, Boca Raton: CRC Press; 1981.

Fernándes, R.E., C.M. Real, J.C. Fernándes. "Scrapie" em ovinos no Rio Grande do Sul (Relato de um caso). Ary Fac UFRGS (Porto Alegre) 6:139-143, 1978.

Foster, J.D., W.A. McKelvey, M.J. Mylne et al. Studies on maternal transmission of scrapie in sheep by embryo transfer. Vet Rec 130:341–343, 1992.

Gajdusek, D.C. Unconventional viruses and the origin and disappearance of kuru. Science 197:943–960, 1977.

Gibbs, C.J., Jr., H.L. Amyx, A. Bacote, C.L. Masters, D.C. Gajdusek. Oral transmission of kuru, Creutzfeldt-Jakob disease, and scrapie to nonhuman primates. J Infect Dis 142:205–208, 1980.

Gibbs, C.J., Jr., D. Asher, P.W. Brown, J.E. Fradkin, D.C. Gajdusek, Creutzfeldt-Jakob disease infectivity of growth hormone derived from human pituitary glands. N Engl J Med 328:358–359, 1993.

Gloyd, J.S. Scrapie: Minor disease, potential major problem. J Am Vet Med Assoc 197:448-449, 1990.

Goldfarb, L.G., E. Mitrova, P. Brown, B.K. Toh, D.C. Gajdusek. Mutation in codon 200 of scrapie amyloid protein gene in two clusters of Creutzfeldt-Jakob disease in Slovakia. *Lancet* 336:514–515, 1990.

Hadlow, W.J., R.C. Kennedy, R.E. Race. Natural infection of Suffolk sheep with scrapie virus. J Infect Dis 146:657-664, 1982.

Hope, J. Prion protein-related diseases of man and animals. In: Palmer, S.R., Lord Soulsby, D.I.H. Simpson, eds. Zoonoses: Biology, Clinical Practice, and Public Health Control. Oxford; New York: Oxford University Press; 424–435, 1998.

Johnson, R.T. Slow infections of the nervous system. In: Wyngaarden, J.B., L.H. Smith, Jr., eds. Vol. 2: Cecil Textbook of Medicine, 16th ed. Philadelphia: Saunders, 1982.

Kahana, E., M. Alter, J. Braham, D. Sofer. Creutzfeldt-Jakob disease: Focus among Libyan Jews in Israel. Science 183:90–91, 1974.

Kimberlin, R.H. Scrapie as a model slow virus disease: Problems, progress and diagnosis. In: Kurstak, E., C. Kurstak, eds. Vol. 3: Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Kimberlin, R.H. Bovine spongiform encephalopathy. Rev Sci Tech 11:347-489, 1992.

Kirkwood, J.K., G.A. Wells, A.A. Cunningham, et al. Scrapie-like encephalopathy in a greater kudu (Tragelaphus strepsiceros) which had not been fed ruminant-derived protein. Ver Rec 130:365–367, 1992.

Lehrich, J.R., K.L. Tyler. Slow infections of the central nervous system. In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc.; 1990.

Marsh, R.F. Animal models of unconventional slow virus infections. ILAR News 26:19–22, 1983.

Marsh, R.F., W.J. Hadlow. Transmissible mink encephalopathy. Rev Sci Tech 11:539–550, 1992.

Morgan, K.L., K. Nichols. The prevalence of scrapic in dairy sheep flocks in U.K. Sheep Dairy News 7(3):39-40, 1990/1991. Abst Vet Bull 61(8):5608, 1991.

Oesch, B., D. Westway, B. Prusiner. In: Chesebro, B.W., ed. Transmissible Spongiform Encephalopathies: Scrapie, BSE, and Related Human Disorders. Berlin: Springer; 1991. Prusiner, S.B. Novel proteinaceous infectious particles cause scrapie. Science 216:136–144, 1982.

Prusiner, S.B. Molecular biology and genetics of neurodegenerative diseases caused by prions [review]. Adv Virus Res 41:241–273, 1992.

Rohwer, R.G. Scrapie infectious agent is virus-like in size and susceptibility to inactivation. Nature 308:658–662, 1984.

Sigurdarson, S. Epidemiology of scrapie in Iceland and experience with control measures. In: Bradley, R., M. Savey, B. Marchant, eds. Sub-acute Spongiform Encephalopathies. Proceedings of a Seminar in the CEC Agricultural Research Programme, held in Brussels. 12–14 November 1990. Dordrecht: Kluwer Academic Publishers for the Commission of the European Communities; 1991.

Stamp, J.T. Slow virus infections of the nervous system of sheep. Vet Rec 107:529–530, 1980.

Taratuto, A.L., P. Piccardo, R. Leiguarda, et al. Creutzfeldt-Jakob disease. Report of 10 neuropathologically-verified cases in Argentina. Medicina (B Aires) 49:293–303, 1989.

Tyler, K.L. Prions. In: Mandell, G.L., R.G. Douglas, Jr., J.E. Bennett, eds. Principles and Practice of Infectious Diseases, 3rd ed. New York: Churchill Livingstone, Inc.: 1990.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Creutzfeldt-Jakob disease in patients who received a cadaveric dura mater graft—Spain, 1985–1992. MMWR Morb Mortal Wkly Rep 42:560–563, 1993.

Veterinary Record (London). BSE found in calf born after start of feed ban. Vet Rec 128:314, 1991.

Wilesmith, J.W., G.A. Wells, M.P. Cranwell, J.B. Ryan. Bovine spongiform encephalopathy: Epidemiological studies. Ver Rec 123:638-644, 1988.

Wilesmith, J.W., G.A. Wells. Bovine spongiform encephalopathy. In: Chesebro, B.W., ed. Transmissible Spongiform Encephalopathies: Scrupie, BSE, and Related Human Disorders. Berlin: Springer; 1991.

Will, R.G., J.W. Ironside, M. Zeidler, et al. A new variant of Creutzfeldt-Jacob disease in the UK. Lancet 347:921–925, 1996.

Williams, E.S., S. Young. Chronic wasting disease of captive mule deer: A spongiform encephalopathy. J Wildl Dis 16:89–98, 1980.

Williams, E.S., S. Young. Spongiform encephalopathies in Cervidae. Rev Sci Tech 11:551-567, 1992.

World Health Organization (WHO). Questions de santé publique liées aux encephalopathies spongiformes chez l'animal et chez l'homme: Memorandum d'une réunion de l'OMS. Bull World Health Organ 70:573–582, 1992.

World Health Organization (WHO). L'encephalopathie spongiforme bovine au Royaume-Uni: Memorandum d'une réunion de l'OMS. Bull World Health Organ 72:23-27, 1994.

World Organization for Animal Health (OIE), Number of cases of bovine spongiform encephalopathy (BSE) reported in the United Kingdom. As of 11 March 2001. Available at www.oie.int/eng/info/en_esbru.htm. 2001a.

World Organization for Animal Health (OIE). Number of reported cases of bovine spongiform encephalopathy (BSE) worldwide (excluding the United Kingdom). As of 11 March 2001. Available at www.oie.int/eng/info/en_esbmonde.htm. 2001b.

World Organization for Animal Health (OIE). Countries/territories having reported cases of bovine spongiform encephalopathy (BSE) in imported animals only. As of 5 February 2001. Available at www.oie.int/eng/info/en_esbimport.htm. 2001c.

Wyatt, J.M., G.R. Pearson, T.N. Smerdon, et al. Naturally occurring scrapie-like spongiform encephalopathy in five domestic cats. Ver Rec. 129:233–236, 1991.

ST. LOUIS ENCEPHALITIS

A83.3 ICD-10


| | .C | | | : | |
|--------------------|-------------------|-------|-------------------|--------|----|
| .(| F | 3 |) Flavivirus) | : | |
| | | Ô | | | |
| . 3 | | | <i>!.</i> ,1980) | | |
| .(N | Monath et al., 19 | 980) | | | |
| | | | | mappir | 18 |
| .(Trent et al., 19 | (81) topotypes | | | | |
| | • | | : | | |
| | | | | • | |
| | | | : | | |
| · Ô | : | • | • | • | |
| | .(Monath, | 1979) | | | |
| 25 (6 | 1000) | • | | | |
| | ence, 1980) | | • | | |
| I | 953 | | | | |
| | | | В | | 1 |

```
.(Monath, 1979)
          (
                 1933
CDC,)
               1.000
                                                 500
           35
               1976 - 1975
                                                         .(1993
                                         Ô
                                                          2.194
         .1974
1990
                                    .1978
                                            26
                                                 1977
                                                         132
          .(Day, 2001) 11
                                      226
                                                   .1991
                      70
                              2001
                          .(Jones et al., 2002)
<sup>19</sup> Ô
                                     1974
.%20
                                    51 . 100.000
                   22
                            1975
                                                           1962
                             .1962
                                       100.000 4.291
109.6
                                       1964
                                                     100.000
                    .%8
                .%34
                                                           Ô
                  9
        85:1
                                800:1
                                         .(Monath, 1982) 60 Ô
                  Ô
                       .(Monath, 1979)
```

```
.%50
                   %3
 Ô
                                  3
                                               .%66
                                                       %33
                                         .(Sabattini et al., 1985)
   .(Walton, 1992)
aseptic
                                  .( ĵ
Brinker)
                                                       .(and Monath, 1980
                 60
                                  %87
                                                .%56
  1991
                   Ô
                                5
                                              28
                                                           Ô
                                  .(Bleed et al., 1992)
                             .(Marfin et al., 1993)
                                             21
```

```
2.261
                                     %10
                                             %5
                       50
                                                             .1968 1955
                             .(Luby et al., 1969)
                                                         %30
                                                  65
                                                                   (36.3)
   á
                                                               )
                                     1962
                                       %9.8
                                                      %22
                                                        .(Bond et al., 1965)
        Ô
        Ô
   Ô
                                 :(27
                                           )
.Culex salinarius
                                    .ornithophilic
.enzootic
                                                                    Ô
                                                               C. tarsalis
                Ô
                                           á
```


```
(flood
C. quin-
                                    C. pipiens
                                                            quefasciatus
                                                                   Ô
                                        1964
%20
                    .(Passer domesticus)
         363
                         11
                               %25
                                                                     33
                    25
.(Turdus migratorius) (Passer domesticus)
             .(McLean et al., 1993)
                                                                  Ô
                                                         1962
                   Ô
                                                         .C. nigripalgus
```



· Ô

```
.(Mitchell et al., 1980)
                                                     Ô
                                                        .(Monath et al., 1980)
                             (Mitchell et al., 1980)
Mitchell et al.,)
                     Ô
                                                 %3
                                                                       .(1980
                 (Sabattini, 1985; de Souza Lopes et al., 1979)
        Mansonia
(1985)
                                                 Wyeomyia
                                                                    Sabethes
Mus)
                    Calomys
                                                                    (musculus
                                      .(McLean et al., 1985)
.(Bailey et al., 1978)
```

| Francy et al.,) | | |
|-----------------------|--------------------------------|--------|
| _ | - | .(1981 |
| | .(Shroyer, 1990) | |
| | | |
| | : . | |
| | | |
| .(Hardy et al., 1984) | Ô | |
| | Ô | |
| C. salinarius | | |
| | .Aedes taeniorhynchus | |
| • | | |
| | | |
| .(Nayac et al.,1986) | | |
| | : | |
| | | |
| | | |
| | | |
| | | |
| .(Monath et | al.,1980) | |
| | | sloth |
| | | |
| • | | |
| | .epizootic | |
| | .(Herbold <i>et al.</i> ,1983) | |



Allen, R., S.K. Taylor, S.E. Sulkin. Studies of arthropod-borne virus infections in Chiroptera. 8. Evidence of natural St. Louis encephalitis virus infection in bats. Am J Trop Med Hyg 19:851–859, 1970.

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Bailey, C.L., B.F. Eldridge, D.E. Hayes, D.M. Watts, R.F. Tammariello, J.M. Dalrymple. Isolation of St. Louis encephalitis virus from overwintering Cules pipiens mosquitoes. Science 199:1346–1349, 1978.

Bleed, D.M., A.A. Marfin, N. Karabatsos, et al. St. Louis encephalitis in Arkansas. J Ark Med Soc 89:127-130, 1992.

Bond, J.O., D.T. Quick, J.J. Witte, H.C. Oard. The 1962 epidemic of St. Louis encephalitis in Florida. I. Epidemiologic observations. Am J Epidemiol 81:392–404, 1965.

Bowen, G.S., T.P. Monath, G.E. Kemp, J.H. Kerschner, L.J. Kirk. Geographic variation among St. Louis encephalitis virus strains in the viremic responses of avian hosts. Am J Trop Med Hyg 29:1411–1419, 1980.

Brinker, K.R., T.P. Monath. The acute disease. In: Monath, T.P., ed. St. Louis Encephalitis. Washington, D.C.: American Public Health Association; 1980.

Clarke, D.H., J. Casals. Arboviruses: Group B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Chamberlain, R.W. Arbovirus infections of North America. In:: Sanders, M., M. Schaeffer, eds. Viruses Affecting Man and Animals. St. Louis: Green; 1971.

Chin, J.C., ed. Control of Communicable Diseases in Man, 17th ed. An official report of the American Public Health Association. Washington, D.C.: APHA; 2000.

Downs, W.G. Arboviruses. In: Evans, A.S., ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Fox, J.P. St. Louis encephalitis. In: Beeson, P.B., W. McDermott, J.B. Wyngnarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

Francy, D.B., W.A. Rush, M. Montoya, D.S. Inglish, R.A. Bolin, Transovarial transmission of St. Louis encephalitis virus by Culex pipiens complex mosquitoes. Am J Trop Med Hyg 30:699–705, 1981.

Hardy, J.L., L. Rosen, W.C. Reeves, R.P. Scrivani, S.B Presser. Experimental transovarial transmission of St. Louis encephalitis virus by Culex and Aedex mosquitoes. Am J Trop Med Hyg 33:166–175, 1984.

Herbold, J.R., W.P. Heuschele, R.L. Berry, M.A. Parsons. Reservoir of St. Louis encephalitis virus in Ohio bats. Am J Vet Res 44:1889–1893, 1983.

Jones, S.C., J. Morris, G. Hill, M. Alderman, R.C. Ratard. St. Louis encephalitis outbreak in Louisiana in 2001. J La State Med Soc. 154(6):303–306, 2002.

Luby, J.P., S.E. Sulkin, J.P. Sanford. The epidemiology of St. Louis encephalitis: A review. Annu Rev Med 20:329–350, 1969.

Marfin, A.A., D.M. Bleed, J.P. Lofgren, et al. Epidemiologic aspects of a St. Louis encephalitis epidemic in Jefferson County, Arkansas, 1991. Am J Trop Med Hyg 49:30–37, 1993.

McLean, R.G., D.B. Francy, E.G. Campos. Experimental studies of St. Louis encephalitis virus in vertebrates. J Wildl Dis 21:85–93, 1985.

McLean, R.G., L.J. Kirk, R.B. Shriner, M. Townsend. Avian hosts of St. Louis encephalitis virus in Pine Bluff, Arkansas. Am J Trop Med Hyg 49:46-52, 1993.

Mitchell, C.J., T.P. Monath, M.S. Sabattini. Transmission of St. Louis encephalitis virus from Argentina by mosquitoes of the Culex pipiens (Diptera: Culicidae) complex. J Med Entomol 17:282–285, 1980.

Monath, T.P. Arthropod-borne encephalitides in the Americas. Bull World Health Organ 57:513–533, 1979.

Monath, T.P. Arthropod-borne viral encephalitides. In: Wyngaarden, J.B., L.H. Smith, Jr., eds. Vol. 2: Cecil Textbook of Medicine, 16th ed. Philadelphia: Saunders; 1982. Monath, T.P., C.B. Cropp, G.S. Bowen, G.E. Kemp, C.J. Mitchell, J.J. Gardner. Variation in virulence for mice and rhesus monkeys among St. Louis encephalitis virus strains of different origin. Am J Trop Med Hyg 29:948–962, 1980.

Nayac, J.K., L. Rosen, J.W. Knight. Experimental vertical transmission of Saint Louis encephalitis virus by Florida mosquitoes. Am J Trop Med Hyg 35:1296–1301, 1986.

Oprandy, J.J., J.G. Olson, T.W. Scott. A rapid dot immunoassay for detection of serum antibodies to eastern equine encephalomyelitis and St. Louis encephalitis viruses in sentinel chickens. Am J Trop Med Hyg 38:181–186, 1988.

Philips, C.A., J.L. Melnick. Urban epidemic encephalitis in Houston caused by a group B arbovirus (SLE). Progr Med Virol 9:159–175, 1967.

Quick, D.T., R.E. Serfling, I.L. Sherman, H.L. Casey. The 1962 epidemic of St. Louis encephalitis in Florida. III. A survey for inapparent infections in an epidemic area. Am J Epidemiol 81:415–427, 1965.

Sabattini, M.S., T.P. Monath, C. Mitchell, et al. Arbovirus investigation in Argentina, 1977–1980. L. Historical aspects and description of study sites. Am J Trop Med Hyg 34:937–944, 1985.

Shroyer, D.A. Venereal transmission of St. Louis encephalitis virus by Culex quinquefascianus males (Diptera: Culicidae). J Med Entomol 27:334–337, 1990.

de Souza Lopes, O., L. de Abreu Sacchetta, T.L. Coimbra, L.E. Pereira. Isolation of St. Louis encephalitis virus in South Brazil. Am J Trop Med Hyg 28:583-585, 1979.

Spence, L.P. St. Louis encephalitis in tropical America. In: Monath, T.P., ed. St. Louis Encephalitis, Washington, D.C.: American Public Health Association; 1980.

Trent, D.W., J.A. Grant, A.V. Vorndam, T.P. Monath. Genetic heterogeneity among St. Louis encephalitis virus isolates of different geographic origin. Virology 114:319–332, 1981.

Tsai, T.F., R.A. Bolin, M. Montoya, et al. Detection of St. Louis encephalitis virus antigen in mosquitoes by capture enzyme immunoassay. J Clin Microbiol 25:370–376, 1987.

United Status of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Arboviral infections in the United States, 1975. MMWR Morb Mortal Wkly Rep 25:116, 1976.

United Status of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Arboviral diseases, United States, 1992. MMWR Morb Mortal Wkly Rep 42:467–468, 1993.

Walton, T.E. Arboviral encephalomyelitides of livestock in the western hemisphere. J Am Vet Med Assoc 200:1385–1389, 1992.

SWINE VESICULAR DISEASE

Ô

ICD-10 B 08.8

ICD-10 B 08.8 Other specified viral infections characterized by skin and mucous membrane lesions

Ô


477 Ô

```
.Enterovirus
      28
                     .^{1}B5
                        .PH
                             Ô
                                   6
                                desiccation
                                                                 22 - 18
                  400
                                                  Ô
                                                               <sup>780</sup> Ô
            .(Loxam and Hedger, 1983)
                      Ô
                               Ô
                    1966
        5
              episode
                                   1972
                                              Ô
                                                              1973 - 1972
· Ô
                        Ô
                                                                   aseptic
                                                             Ô
1992
                3
                                          1975
       1992
                              1979
                             6
                                                  :В
```

```
1980
    (1982 14 1981 12 1980 60)
                                        :1982
Loxam and) (
            )
                    (1982 8 1981 5 1980
                                            29)
                               .(Hedger, 1983; Knowles, 2003
             Ô
             .1972
         .(OIE, 2003; Escribano-Romero et al., 2000)
                                 1999
                                       .(OIE, 2003)
                                         .B5
                                         antiserum
                         B5
           В5
                        Ô
                 7 – 3
                                   Ô
```

```
.(Loxam and Hedger, 1983) (
                                . 3 – 2
                                                      °41
                          .coronary band
                                         (dewclaw
 Ô
%5
                                                           %10
                       snout
circling
                                                  Ô
                                  livestock
```

| | • | | |
|---------|-----------|-----------------------------|-----------------------|
| . () | | | Ô |
| Mann) | : | . (and | – Hunchings, 1980 |
| rigor Ô | Ô | : .(Mann, 1981) (| Ô) mortis |
| · | livestock | (Fenner | Ô Ô . et al.,1993) |
| Ô. | - Ô | _ | B5 |
| | Ô | | : |



Brown, F., P. Talbot, R. Burrows. Antigenic difference between isolates of swine vesicular disease virus and their relationship to Coxsackie B5 virus. Nature 245:315–316, 1973.

Brown, F., D. Goodridge, R. Burrows. Infection of man by swine vesicular virus. J Comp Pathol 86:409–414, 1976.

De Simone, F., G.F. Panina, E. Lodetti. Diagnosi sierologica della malattia vescicolare dei suini da enterovirus. Ver Ital 25:218-228, 1974.

Dhennine, L., L. Dhennine. La maladie vesiculeuse du porc. Bull Acad Vet Fr 46:47-51, 1973.

Escribano-Romero E., M.A. Jiménez-Clavero, V. Ley. Swine vesicular disease virus. Pathology of the disease and molecular characteristics of the virion. *Anim Health Res Rev* 1(2):119–126, 2000.

Fenner, F.J., E. Poul, J. Gibbs, F.A. Murphy, R. Rott, M.J. Studdert, D.O. White. Weerinary Wirology, 2nd ed. San Diego: Academic Press; 1993.

Food and Agriculture Organization (FAO), International Office of Epizootics (OIE), World Health Organization (WHO), Animal Health Yearbook, Rome: FAO; 1992.

Graves, J.H. Serological relationship of swine vesicular disease virus and Coxsackie B5 virus. Nature 245:314–315, 1973.

House, J.A., C.A. House. Vesicular diseases. In: Leeman, A.D., B.E. Straw, W.L. Mengeling, S. D'Allaire, D.J. Taylor, eds. Diseases of Swine, 7th ed. Ames: Iowa State University Press; 1992.

Knowles, N.J. Worldwide occurrence of swine vesicular disease. [Table.] Institute for Animal Health Website, Pirbright, England. Updated 12 January 2003. Available at www.iah.bbsrc.ac.uk/virus/picomaviridae/enterovirus/svd/svdv_occurrence.htm. Accessed 20 February 2003.

Knowles, N.J., L.S. Buckley, H.G. Pereira. Classification of porcine enteroviruses by antigenic analysis and cytopathic effects in tissue culture: Description of three new serotypes. Arch Virol 62:201–208, 1979.

Loxam, J.G., R.S. Hedger, Enfermedad vesicular del cerdo: sintomas, diagnóstico, epidemiología y control. Rev Sci Tech 2:41–55, 1983.

Mann, J.A. Swine vesicular disease. In: Gibbs, E.P.J., ed. Vol. 2: Virus Diseases of Food Animals: A World Geography of Epidemiology and Control. London, New York: Academic Press; 1981.

Mann, J.A., G.H. Hutchings. Swine vesicular disease: Pathways of infection. J Hyg (Lond) 84:355–363, 1980.

Mowat, G.N., J.H. Darbyshire, J.F. Huntley. Differentiation of a vesicular disease of pigs in Hong Kong from foot-and-mouth disease. Ver Rec 90:618-621, 1972.

Nardelli, L. Malattia vescicolare dei suini (da enterovirus). Sel Vet 14:105-113, 1973.

Nobuto, K. The first case of swine vesicular disease in Japan. Bull Off Int Epiz 82:561-566, 1974.

International Office of Epizootics (OIE). Manual of Standards for Diagnostic Tests and Viccines, 4th ed. Paris: OIE; 2000. Available at www.oie.int/eng/normes/mmanual. Accessed 20 February 2003.

International Office of Epizootics (OIE). Handistatus II. Available at www.oie.int/hs2/info.asp. Accessed 20 February 2003.

Pohlenz, J., D.M. Williams, H. Keller. Die Vesikularkranheit des Schweines bei ihrem Auftreten in der Schweiz. Schweiz Arch Tierheilkal 116:413–422, 1974.

Saurat, P., J.P. Ganiere. La maladie vesiculeuse des suides. Rev Med Ver 126:1487–1506, 1975.

Sellers, R.F., K.A. Herniman, The airborne excretion by pigs of swine vesicular disease virus. J Hyg (Lond) 72:61–65, 1974.

S.V.D. Fewer outbreaks. Ver Rec 97:42, 1975.

Swine vesicular disease. Ver Rec 92:234-235, 1973.

Terpstru, C. Vesiculaire varkensziekte in Nederland. [Swine vesicular disease in the Netherlands]. Tijdschr Diergeneeskd 117:623–626, 1992.

VACCINIA VIRUS INFECTIONS

ICD-10 B08.0 ICD-10 B08.0 Other orthopoxvirus infections

| ia : | .Vaccini | | .Poxvirus officinalis | .1 |
|----------------|----------|---|-----------------------|------|
| : | | | | |
| .orthopoxvirus | | | | - |
| .smallpox | | | whitepox | |
| .mousepox | | | • | |
| | | | | • |
| | : | | | |
| 100 | • | | Ô | |
| 1977 | 5 | | 80 | 1980 |
| 2002 | ٠ | | | |
| 2003 | | | | |
| | | | • | |
| | | | | |
| |) | (| | |
| . exfoliative | | |) | |
| | • | | | • |
| | | | .(| |
| | | _ | | |
| _ | | | | |

12 1975 Ô 1907 85 %11 1931 8 3 27 5 1981 :1968 10 935.3 52.3 .(Cono et al.,2003) 1.5 19 (%52 36 (%28 12 . 1959 eczema vaccinatum .(Cono et al., 2003 Lane et al., 1970) 1968 Ô

```
4 - 3
         .(CDC, 2003)
                                                  3 - 2
 inadvertent
                                         .(Cono et al., 2003)
      9 – 6
                · Ô
                 .(Cono et al., 2003; CDC, 2003)
.(Cono et al., 2003)
.(Cono et al., 2003)
```

12

```
Ô
                          .(CDC, 2003)
                                                              7 – 2
                                               .umbilication
                               14 - 10
                                                    Ô
fomites
                   .(CDC, 2003)
                               23
                                                            5
          .(Sepkowitz, 2003)
```

Bruner, D.W., J.H. Gillespie. Hagan's Infectious Diseases of Domestic Animals, with Special Reference to Etiology, Diagnosis, and Biologic Therapy, 6th ed. Ithaca: Comstock; 1973.

Cono, J., C. G. Casey, D.M. Bell. Smallpox vaccination and adverse reactions, Guidance for clinicians. MMWR Morb Mortal Wkly Rep 52(RR-4)1–28, 2003.

Dekking, F. Cowpox and vaccinia. In: van der Hoeden, J., ed. Zoonoses. Amsterdam: Elsevier; 1964.

Downie, A.W. Poxvirus group. In: Horsfall, F.L., I. Tamm, eds. Virul and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Lane, J.M., F.L. Ruben, E. Abrutyn, J.D. Millar. Deaths attributable to smallpox vaccination, 1959 to 1966, and 1968. JAMA 212:441–444, 1970.

Lum, G.S., F. Soriano, A. Trejos, J. Llerena. Vaccinia epidemic and epizootic in El Salvador. Am J Trop Med Hyg. 16:332–338, 1967. Neff, J.M., J.M. Lane, V.A. Fulginiti, D.A. Henderson. Contact vaccinia—transmission of vaccinia from smallpox vaccination. JAMA 288(15):1901–1905, 2002.

Sepkowitz, K.A. How contagious is vaccinia? N Engl J Med 348(5):439-446, 2003.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Public health and emergency response: Smallpox. Available at www.bt.cdc.gov/agent/smallpox/index.asp. Accessed 24 February 2003.

Ô VENEZUELAN EQUINE ENCEPHALITIS

Ô ICD-10 A92.2 ICD-10 A92.2 Venezuelan equine fever

| · Ô · | Ô | : |
|-------------------------------------|-------------|-------------------|
| |) Alphaviru | : S |
| .(Young and Johnson, 1969) (1977) . | 6 I | kinetic |
| | | .chromatography |
|) 11 | | E1 E2 |
| Rico-Hesse et al.,) (endemic |) enzootic | (|
| (I-C I-AB) C AB | | (1988 |
| F.F.D. | | |
| (Pixuna) (Mucambo) III (Everglad | des) II (I | -D .I-E . I-F) I |
| (80 - 60 | 63 AG) V | T (Cabassou) V IV |

```
enzootic
                                Ô
                .(
                                        Ô
            enzootic
                                       Belize
                                       (Bijou Bridge
                                                                    Tonate
                     Ô
                                  Ô
                                                    Culex delpontei
                                   .(Sirivanakarn and Jakob, 1981)
                          (Calisher et al., 1982) (I-F
            Ô
                                                  .(Walder et al., 1984) (I-D
       .1938
                            Ô
:(
                                           Ô
                     .1861
                               1935
```

```
1972 1862
     I-AB
                  .1969
   .1971
               4.000
                                    1962
3.000 .12 10
                  6.762 .
           43
                                    20
                      1969
           310
                  31.000
                  %10
              1977 Ô .1972
             Ô
               .(Monath, 1979) Ô
            1993 - 1989
                 Ô
       2.000
                               I-AB
                               Ô Ô
```

```
Ô
.1992
                    Ô
                  5
           :1993
                                 61 . 136
                                 .(Kahler, 1993) 1993
                                     1995
           Ô
                                     (1:
                  (2
                                                 (3
                  1993
. 16
         185
                              11.390
                                          504
              . 475
14.156
    .(PAHO, 1995) 26 .
                                      1.258 .
            .1989
            . 15 - 5
                                                 22
             VI :
AG80 - 663
             .(
                       ) I-AB
    %51.6
             %26.8 .
```

```
.(TC-83
       6
                                          .VI
                    .(Contigiani et al., 1993)
              %83
                                                    %40 %20
                    %38
 .1969
                                                    50.000 38.000
       1.2 Ô
                                       20.000
                       5 – 2
                                     4 - 1
                                asthenia
                                  %0.2 Ô
%0.4
                        %4
```

```
%20 %11
            %14
                  %4
           .(Sanmartin, 1972)
                               Ô
                                   (I
                               21
                                               C AB
      3 – 1
                                2 – 1
      Ô
                                     6 - 4
                     chattering
                                           stupor
Ô
            %80
```

```
.(Sanmartin, 1972)
                          .Soliped
                          :(29 28
Perom- Oryzomys Proechimys):
Culex
                                                       (Sigmodon yscus
                       .aikenii
                                             (Melanoconion
                                      .portesi
                                                              opisthopus
Tonate
                           Ô
                                                                  (III-B)
                                                                .(cedecei
I
           D E F
                                           (II .III .IV .V .IV
                Ô
                     VI
                     .(Contigiani et al., 1993)
```

•


Ο .

.

. (I AB C)

: . . 5 – 4

Walton *et al.*,) .(1992




Sentinels

.Psorophora confinnis A. sallicitans Aedes aegypit Mansonia Culex tarsalis M. indubitans tittilans .(Monath and Trent, 1981) A. taeniorhynchus .(Sanmartín et al., 1973) equinophilous Ô Ô 1961 – 1953 60 7 chromatography

.(Monath, 1979)

Ô



```
.(
                 .III-B
```

```
Ô
                                               .(Sanmartín, 1972)
                                          Ô
                                     (
       1943
                                                                83
                                              %90
                                                                 6.000
               · Ô
                       (%25
                                                         hydrops fetalis
Casamassima et al.,)
                                                                 .(1987
                                      TC-83
                           15
                                                        :1985
10 - 8
%100
```

499

```
.passing
Ô
  Ô
                               .TC-83
                                                  TC-83
          12
                       confinnis
                                              928
                                                              .TC-83
                                                 TC-83
            Ô
   TC-83
                                                  .(Cole, et al., 1974)
                     Ô
                               ( Ô
                                        .(Barber et al., 1978)
```

```
Ô
                       .(
               1971
           Ô
                                                   Ô
                           .(
                                                                .1969
                                       .(Sabattini et al., 1985)
                                                  Ô
                 TC-83
                                                                      28
                 6
                                               28
            .(Edelman et al., 1979)
                                               14
                         (vi
     TC-83
Roehrig et al.,)
                                                                   .(1991
```

501

. malathion –

extrinsic

.

Ô

Ô

Sentinels

Ô Ô

Barber, T.L., T.E. Walton, K.J. Lewis. Efficacy of trivalent inactivated encephalomyelitis vaccine in horses. Am J Vet Res 39:621–625, 1978.

Bigler, W.J., A.K. Ventura, A.L. Lewis, F.M. Wellings, N.J. Ehrenkrantz. Venezuelan equine encephalomyelitis in Florida: Endemic virus circulation in native rodent population of Everglades hammocks. Am J Trop Med Hyg 23:513–521, 1974.

Calisher, C.H., R.M. Kinney, O. de Souza Lopes, D.W. Trent, T.P. Monath, D.B. Francy. Identification of a new Venezuelan equine encephalitis virus from Brazil. Am J Trop Med Hyg 31:1260–1272, 1982.

Casamassima, A.C., W. Hess, A. Marty. TC-83 Venezuelan equine encephalitis vaccine exposure during pregnancy. *Teratology* 36:287–289, 1987.

Chamberlain, R.W. Arbovirus infections of North America. In: Sanders, M., M. Schaeffer, eds. Viruses Affecting Man and Animals. St. Louis: Green; 1971.

Cole, F.E., Jr., S.W. May, G.A. Eddy. Inactivated Venezuelan equine encephalomyelitis vaccine prepared from attenuated (TC-83 strain) virus. Appl Microbiol 27:150-153, 1974.

Contigiani, M.S., M. de Basualdo, A. Camara, et al. Presencia de anticuerpos contra el virus de la encefalitis equina Venezolana subtipo VI en pacientes con enfermedad aguda febril. Rev Argent Microbiol 25:212–220, 1993.

De Diego, A.I., M.E. Grela, J.G. Barrera-Oro. Anticuerpos contra encefalomielitis equina venezolana en infecciones accidentales humanas en la República Argentina. Gar Vet (B Aires) 37:404–418, 1975.

Downs, W.G. Arboviruses. In: Evans, A.S., ed. Virul Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Eódy, G.A., F.E. Cole, Jr., C.E. Pedersen, Jr., R.O. Spretzel. Vacunas atenuadas de arbovirus del grupo A: ventajas e inconvenientes de su uso en equinos. Presented in: Conferencia Internacional sobre Vacunas contra las Encefalitis Equinas, Maracay, Venezuela, 12 a 16 de agosto de 1974. Buenos Aires: Organización Panamericana de la Salud, Centro Panamericano de Protección de Zoonosis, Producción y Control de Biológicos; 1974.

Groot, H. The health and economic impact of Venezuelan equine encephalitis. In: Pan American Health Organization, ed. Venezuelan Encephalitis. Proceedings of the Workshop-Symposium on Venezuelan Encephalitis Virus, Washington, D.C., 14–17 September 1971. Washington, D.C.: PAHO: 1972. (Scientific Publication 243).

Jahrling, P.B., W.F. Scherer. Homogeneity of Venezuelan encephalitis virion populations of hamster-virulent and benign strains, including the attenuated TC83 vaccine. Infect Immun 7: 905–910, 1973.

Jahrling, P.B., G.A. Eddy. Comparisons among members of the Venezuelan encephalitis virus complex using hydroxylapatite column chromatography. Am J Epidemiol 106:408–417, 1977.

Johnson, K.M. Vacunas vivas para encefalitis equina venezolana (VEE). Presented in: Conferencia Internacional sobre Vacunas contra las Encefalitis Equinas, Maracay, Venezuela, agosto de 1974. Buenos Aires: Organización Panamericana de la Salud, Centro Panamericano de Zoonosis; 1974.

Kahler, S. Should Mexico hold its horses? [News] J Am Vet Med Azzoc 203:1095–1097, 1993.

Kissling, R.E. Epidemic behavior of Venezuelan encephalitis infection. Diseased hosts: Equines. In: Pan American Health Organization, ed. Venezuelan Encephalitis. Proceedings of the Workshop-Symposium on Venezuelan Encephalitis Virus, Washington, D.C., 14-17 September 1971. Washington, D.C.: PAHO; 1972. (Scientific Publication 243).

Lord, R.D., C.H. Calisher, W.D. Sudia, T.H. Work. Ecological investigations of vertebrate hosts of Venezuelan equine encephalomyelitis virus in South Florida. Am J Trop Med Hyg 22:116–123, 1973.

McKinney, R.W. Inactivated and live VEE vaccine: A review. In: Pan American Health Organization, ed. Venezuelan Encephalitis. Proceedings of the Workshop-Symposium on Venezuelan Encephalitis Virus, Washington, D.C., 14–17 September 1971, Washington, D.C.: PAHO; 1972. (Scientific Publication 243).

Monath, T.P. Arthropod-borne encephalitides in the Americas. Bull World Health Organ 57:513–533, 1979.

Monath, T.P., D.W. Trent. Togaviral diseases of domestic animals. In: Kurstak, E., C. Kurstak, eds. Vol. 4: Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

la Monte, S. de, F. Castro, N.J. Bonslia, A. Gaskin de Urdaneta, G.M. Hutchins. The systemic pathology of Venezuelan equine encephalitis virus infection in humans. Am J Trop Med Hyg 34:194–202, 1985.

Organización Panamericana de la Salud. Vol. 1: Vigilancia de las encefalisis en las Américas. Informe semestral, julio-diciembre de 1972. Buenos Aires: Centro Panamericano de Zoonosis; 1973.

Pan American Health Organization (PAHO). Situación de las encefalitis equinas en las Américas, 1989-1993. Washington, D.C.: PAHO, 1993. (RIMSA 8/19).

Pan American Health Organization (PAHO). Brote de encefalitis equina venezolana, 1995. Bol Epidemiol 16(4):9–13, 1995.

Pedersen, C.E., Jr., D.M. Robinson, F.E. Cole, Jr. Isolation of the vaccine strain of Venezuelan equine encephalomyelitis virus from mosquitoes in Louisiana. Am J Epidemiol 95:490–496, 1972.

Rico-Hesse, R., J.T. Roehrig, R.W. Dickerman. Monoclonal antibodies define antigenic variation in the ID variety of the equine encephalitis virus. Am J Trop Med Hyg 38:187–194, 1988.

Roehrig, J.T., R.A. Bolin, A.R. Hunt, T.M. Woodward. Use of a new synthetic-peptidederived monoclonal antibody to differentiate between vaccine and wild-type Venezuelan equine encephalomyelitis viruses. J Clin Microbiol 29:630–631, 1991. Sabattini, M.S., T.P. Monath, C.J. Mitchell, et al. Arbovirus investigations in Argentina, 1977–1980. I. Historical aspects and description of study sites. Am J Trop Med Hyg 34:937–944, 1985.

Sanmartin, C. Epidemic behavior of Venezuelan encephalitis infection. Diseased hosts: Man. In: Pan American Health Organization, ed. Venezuelan Encephalitis. Proceedings of the Workshop-Symposium on Venezuelan Encephalitis Virus, Washington, D.C., 14–17 September 1971. Washington, D.C.: PAHO; 1972. (Scientific Publication 243).

Sanmartín, C., R.B. Mackenzie, H. Trapido, et al. Encefalitis equina venezolana en Colombia. Bol Oficina Sanit Panam 74:108-137, 1973.

Scherer, W.F., J. Madalengoitia, W. Flores, M. Acosta. Ecologic studies of Venezuelan encephalitis virus in Peru during 1970–1971. Am J Epidemiol 101:347–355, 1975.

Scherer, W.F., K. Anderson. Antigenic and biologic characteristics of Venezuelan encephalitis virus strains including a possible new subtype isolated from the Amazon region of Peru in 1971. Am J Epidemiol 101:356–361, 1975.

Sirivanakam, S., W.L. Jakob. Notes on the distribution of Culex (Melanoconion) mosquitoes in northeastern Argentina (Diptera: Culicidae). Mosq Syst 13:195–200, 1981.

Spretzel, R.O., R.W. McKinney. Venezuelan equine encephalomyelitis in Central America and Mexico. Milli Med 137:441–445, 1972.

Sudia, W.D., L. Fernández, V.F. Newhouse, R. Sanz, C.H. Calisher. Arbovirus vector ecology studies in Mexico during the 1972 Venezuelan equine encephalitis outbreak. Am J Epidemiol 101:51–58, 1975.

Sudia, W.D., V.F. Newhouse. Epidemic Venezuelan equine encephalitis in North America: A summary of virus vector-host relationships. Am J Epidemiol 101:1–13, 1975.

Sudia, W.D., V.F. Newhouse, L.D. Beadle, et al. Epidemic Venezuelan equine encephalitis in North America in 1971: Vector studies. Am J Epidemiol 101:17–35, 1975.

Trapido, H. Geographic distribution and ecologic setting. In: Pan American Health Organization, ed. Winezuelan Encephalitis. Proceedings of the Workshop-Symposium on Venezuelan Encephalitis Virus, Washington, D.C., 14–17 September 1971. Washington, D.C.: PAHO: 1972. (Scientific Publication 243).

Walder, R., O.M. Suárez, C.H. Calisher. Arbovirus studies in the Guajira region of Venezuela: Activities of eastern equine encephalitis and Venezuelan equine encephalitis viruses during an interepizootic period. Am J Trop Med Hyg. 33:699–707, 1984.

Walton, T.E. Venezuelan, eastern and western encephalomyelitis. In: Gibbs, E.P.J., ed. Vol. 2: Virus Diseases of Food Animals. New York: Academic Press; 1981.

Walton, T.E., K.M. Johnson. Epizootiology of Venezuelan equine encephalomyelitis in the Americas. J Am Ver Med Assoc 161:1509–1515, 1972.

Walton, T.E., O. Alvarez, R.M. Buckwalter, K.M. Johnson, Experimental infection of horses with enzootic and epizootic strains of Venezuelan equine encephalomyelitis virus. J Infect Dis 129:271–282, 1073.

Walton, T.E., F.R. Holbrook, R. Bolivar-Raya, J. Ferrer-Romero, M.D. Ortega. Venezuelan equine encephalomyelitis and African horse sickness. Current status and review. Ann NY Acad Sci 653:217–227, 1992.

Work, T.H. Venezuelan equine encephalomyelitis. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

Young, N. Origin of epidemics of Venezuelan equine encephalitis. J Infect Dis 125:565–567, 1972.

Young, N.A., K.M. Johnson, Antigenic variants of Venezuelan equine encephalitis virus: Their geographic distribution and epidemiologic significance. Am J Epidemiol 89:286–307, 1969. 505 Ô Ô

O O VENEZUELAN HEMORRHAGIC FEVER

O ICD-10 A96.8

ICD-10 A96.8 Other hemorrhagic fevers caused by arenaviruses

| Tacaribe | | | .G | uanarito | : | |
|-----------------------|-------|---|------|---------------|---------------------|------|
|) Arenavirio | lae | | | .arenaviru | S | |
| | .(| Ô | | : | | |
| 1989 | | | | : | | |
| · Ô | | | | | | Ô |
| . 26 | .1991 | | 1990 | | . 104 | |
| 1992 | | | | 195 | | |
| | | | | • | 0/0 | 2.6 |
| Tesh et al.,) | | | | | | |
| | Ô | Ô | | | .(19 | 193 |
| .(Salas et al., 1998) | 4 – | 3 | | | cyclica | ılly |
| | | | • | .(de Manzione | e et al., 1998) | |
| | | | | | .(Salas et al., 199 | 98) |
| | | | | | | |
| 11 . | | | | | | |
| | | | | | | |

```
Oryzomys
                                                        (Sigmodon hispidus)
                ) 1992
                                                         .(Salas et al., 1991)
                                                              .(
    54 - 6
                                               15
                                                         :
                     .(Salas et al., 1991)
crepitation
         9
                                                                     .15 Ô
                                                   Ô
                                                          57
                                                           %10.5
                         .1992
     9
                234
                                          .(Tesh et al., 1993)
                                                                   4
.S. alstoni
                             40
                                    19:
                                                                    31
12 Ô
                     .zygodontomys brevicauda
                                                                 106
                                                                         12
                                                                    Ô
```

1993

.(Fulhorst et al., 1999)

Vero

.(C6\36)

Ô

De Manzione, N., R.A. Salas, H. Paredes, O. Godoy, L. Rojas, F. Araoz, et al. Venezuelan bemorrhagic fever: Clinical and epidemiological studies of 165 cases. Clin Infect Dis

26(2):308-313. 1998.
Fulhorst, C.F., T.G. Ksiazek, C.J. Peters, R.B. Tesh. Experimental infection of the cane mouse Zygodontomys brevicauda (family Muridae) with Guanarito virus (Arenaviridae), the etiologic agent of Venezuelan hemorrhagic fever. J Infect Dis 180(4):966-999, 1999.

Salas, R.A., N. de Manzione, R.B. Tesh, et al. Venezuelan haemorrhagic fever. Lancet 338:1033–1036, 1991.

Salas, R.A., N. de Manzione, R.B. Tesh. [Venezuelan hemorrhagic fever: Eight years of observation.] Acta Cient Venez 49 Suppl 1:46–51, 1998.

Tesh, R.B., M.L. Wilson, R. Salas, et al. Field studies on the epidemiology of Venezuelan hemorrhagic fever: Implication of the cotton rat Sigmodon alstoni as the probable rodent reservoir. Am J Trop Med Hyg 49:227–235, 1993.

Tesh, R.B., P.B. Jahrling, R. Salas, R.E. Shope. Description of Guanarito virus (Arenaviridae: Arenavirus), the etiologic agent of Venezuelan hemorrhagic fever. Am J Trop Med Hyg 50:452–459, 1994.

VESICULAR STOMATITIS

ICD-10 A93.8

ICD-10 A93.8 Other specified arthropod-borne viral fevers

| .Sore | mouth of cattle and | horses | | | | : | |
|----------|-----------------------------|--------|--------|----|--------|----------------|----------|
| | • | | | | • | | |
| | .Rhabdoviridae | | | | .Vesio | · culovirus | |
| • | 17 . | 70 | | | | | |
| | | .Lyssa | ıvirus | | | | |
| | | | | | | | |
| | (2 (2 | |) Coc | al | | (1: | 4 |
| Indiana | (3 (| 3 | |) | | | Alagoas |
| 3 | New J | ersey | | | .(4 | | |
| | Chandipura | .Piry | : | | | | |
| | | | | | | | .Isfahan |
| | | | | | | | |
| | | | (|) | | • | |
| | | • | | | | | |
| .Carajas | : | | | | | | • |
| | .1984 | | | | Ma | araba | |
| | | | | | : | | |
| | G | | | | • | | |
| .(Gea | rhart <i>et al.</i> , 1987) | | | | • | | |

```
G
                               .(Oryzomys
 Ô
                        .1939
                                                                 1963
.1964
           .(Lutzomyia
Tesh et al.,)
                         L. longipalpis
                                                                   .(1987
                   .1979 - 1978
                                                    15
                                 .(Prado et al., 1979)
                                 1900
             .1970
```

```
10
                                    lineages
                                                           .1998
                                                                    1995
              <sup>70</sup> Ô
                                                       .(Rodríguez, 2002)
                                                                      74
(%57.4) 31
                         54
                               .(Johnson et al., 1966)
                                                       .( )
.(
                                           %90
                              %9 %21
                               20 - 16
                                                %63 %80 .
                       4
                                                       .(Tesh et al., 1969)
```

1983 – 1982 (Johnson *et al.*, 1969) %48

| | | 48 | %22 | |
|------------------------|----------|---------------|-----|--------------------|
| .(Reif et al., 1987) | | | 52 | %5.8 |
| | %8. | 3 %63 - | | |
| | · .(Tesh | et al., 1987) | | |
| | | | : | , |
| | | | | |
| | | | | .(Srihongse, 1969) |
| Ô | | | | |
| • | | | | : |
| .(Hanson, 1981) Ô Ô | | | : | |
| | | Ô· | | |
| | 10 | Ô· | | Ô |
| : . | | | | |

```
.%100
                                              %10
                                         1982
                    14
       829
                     .(1983
                                                      ) livestock
                                                    1982
                          .1945
                     .(Hansen et al., 1985)
                                                         Ô
                     1992
         1963
                               .1939
.1962
            100
                        1984
                                       .1964
           .(Astudillo et al., 1986)
                                     livestock
                                                            16
                             %67
                                            %74
                     .(Reif et al., 1983)
                                                %42 %7
      283
     145 .
                                      1972
                                                                    477
                                               109)
Cadena and) (
                          36
```

```
.(Estupitiňán, 1975
             40
                                              3
               .(Quiroz et al., 1988)
                                 8.9
Thurmond et al.,)
                                                                      .(1987
    %30
                                                              .(Mason, 1978)
```

Ô Ô Aedes Lutzomyia trapidoi Ô sentinel


```
1982
                      dipterans
       midge
                   ) Culicoides variipennis
          .(bluetongue
                                                               .Simuliidae
       Anthomyiidae
                                  .Chloropidae
                      .M. autumnalis
                                                  Musca domestica
     Ô
                             .(Walton et al., 1983)
            .(
    L. shannoni
   6
%50
                                                                      610
                              .(Corn et al., 1990) 1988
                                (Comer et al., 1990)
```

516

(%40 %30**)** Ô .(Zuluaga and Yuill, 1979) acarids 1982 .(Stallknecht et al., 2001) 4

| Ô | | | |
|-----------|--------|------------|---------------------|
| | _ | – Simulium | latent |
| Lord and) | | Ô | . (Tabachnick, 2002 |
| .() | | | .(Mason, 1978) |
| | exudat | e . | |
| | | .(| : |

| Ô | | | |
|------------------------|-----------------------|-------------------------|---------|
| • | | | Ô .(|
| | | | |
| .(Alonso et al., 1991) | | | 1 |
| Indiana | • | | |
| New Jersey | · | | |
| | | | |
| | .(Gomes et al., 1989) | | |
| | | | |
| | | | Vero |
| | | | : |
| | | | |
| | | _ | |
| | • | | • |
| _ | | _ | |
| Ô | | | |
| 9 | | | |
| | | 3 | Ô |
| | | | |
| | | .(Arbaláez <i>et al</i> | 1 1082) |
| | | VSNJV | , 1902) |
| | | 1 10 1 | |



Alonso, A., M.A. Martins, M. da P. Gomes, R. Allende, M.S. Sondahl. Development and evaluation of an enzyme-linked immunosorbent assay for detection, typing and subtyping of vesicular stomatitis virus. J Ver Diagn Invest 3:287–292, 1991.

American Veterinary Medical Association. Vesicular stomatitis hits two more states. News. J Am Vet Med Assoc 182:450, 1983.

Arbaláez, G., J.R. Rocha, U. Cardona, W. Ríos. Ensayos de vacunas contra la vesicular stomatitis. II. Observación experimental de campo. Rev Assoc Col Med Ver Zoot 6:27–34, 1982.

Astudillo, V.M., J. Estupiñán, F. Rosenberg, et al. Estudio epidemiológico de la vesicular stomatitis en América del Sur. Rio de Janeiro: Pan American Foot-and-Mouth Disease Center of the Pan American Health Organization; 1986. (Monograph 15.)

Cadena, J., J. Estupiñán, eds. La Fiebre Aftosa y Otras Enfermedades Vesiculares en Colombia. Bogotá: Instituto Colombiano Agropecuario; 1975. (Technical Bulletin 32.)

Comer, J.A., R.B. Tesh, G.B. Modi, J.L. Com, V.F. Nettles. Vesicular stomatitis virus, New Jersey serotype: Replication in and transmission by Lutzomyla zhannoni (Diptera: Psicholidae). Am J Trop Med Hyg 42:483–490, 1990.

Corn, J.L., J.A. Comer, G.A. Erickson, V.F. Nettles. Isolation of vesicular stomatitis virus. New Jersey serotype from phlebotomine sand flies in Georgia. Am J Trop Med Hyg. 42:476-482, 1990.

Federer, K.E., R. Burrows, J.B. Brooksby. Vesicular stomatitis virus—the relationship between some strains of the Indiana serotype. Res Ver Sci 8:103–113, 1967.

Food and Agriculture Organization of the United Nations (FAO)/World Health Organization/International Office of Epizootics. Animal Health Yearbook 1984. Rome: FAO; 1985. (FAO Animal Production and Health Series 34.)

Gearhart, M.A., P.A. Webb, A.P. Knight, M.D. Salman, J.A. Smith, G.A. Erickson. Serum neutralizing antibody titers in dairy cattle administered an inactivated vesicular stomatitis virus vaccine. J Am Ver Med Assoc 191:819–822, 1987.

Gomes, M.P., M.S. Söndahl, M.A. Martins. Aplicación de la técnica inmunoenzimática (ELISA) para el diagnóstico de los virus de la fiebre aftosa y vesicular stomatitis en comparación con la prueba de fijación del complemento. Bol Centro Panam Fiebre Aftosa 55:15–19, 1989.

Hansen, D.E., M.C. Thurmond, M. Thorburn. Factors associated with the spread of clinical vesicular stomatitis in California dairy cattle. Am J Ver Res 46:789–795, 1985.

Hanson, R.P. Discussion of the natural history of vesicular atomatitis. Am J Epidemiol 87:264–266, 1968.

Hanson, R.P. Vesicular stomatitis. In: Gibbs, E.P.J., ed. Vol. 1: Virus Diseases of Food Animals: A World Geography of Epidemiology and Control. New York: Academic Press; 1981.

Hanson, R.P., J. Estapiñán, J. Castañeda. Estomatitis vesicular en las Américas. In: Primera Reunión Interamericana sobre el Control de la Fiebre Aftosa y Otras Zoonosis. Washington. D.C.: Pan American Health Organization; 1968. (Scientific Publication 172.)

Jenney, E.W. Vesicular stomatitis in the United States during the last five years (1963-1967). Proc Annu Meet US Anim Health Assoc 71:371-385, 1967.

Johnson, K.M., J.E. Vogel, P.H. Peralta. Clinical and serological response to laboratory-acquired human infection by Indiana type vesicular stomatitis virus (VSV). Am J Teop Med Hyg 15:244–246, 1966.

Johnson, K.M., R.B. Tesh, P.H. Peralta. Epidemiology of vesicular stomatitis virus: Some new data and a hypothesis for transmission of Indiana serotype. J Am Vet Med Assoc 155:2133–2140, 1969.

Jonkers, A.H. The epizootiology of vesicular stomatitis viruses: A reappraisal. Am J Epidemiol 86:286-291, 1967.

Lord, C.C., W.J. Tabachnick. Influence of nonsystemic transmission on the epidemiology of insect borne arboviruses: A case study of vesicular stomatitis epidemiology in the western United States. J Med Entomol 39(3):417–426, 2002.

Mason, J. La epidemiología de la vesicular stomatitis. Bol Centro Panam Flebre Aftosa 29-30:13-33, 1978.

Patterson, W.C., L.O. Mott, E.W. Jenney. A study of vesicular stomatitis in man. J Am Ver Med Assoc 133:57–62, 1958.

Pérez Chaverri, E. La vesicular stomatitis como zoonosis. Bol Of Sanit Panam 68:223–229, 1970.

Prado, J.A., S.A. Petzhold, P.E. Reckziegel, E.N. Jorgens. Estomatite vesicular no estado Rio Grande do Sul (Brasil). Bol Inst Pesq Vet D Finamor 6:73-77, 1979.

Quiroz, E., N. Moreno, P.H. Peralta, R.B. Tesh. A human case of encephalitis associated with vesicular stomatitis virus (Indiana serotype) infection. Am J Trop Med Hyg 39:312–314, 1988.

Reif, J.S., P.A. Webb, T.P. Monath, et al. Vesicular stomatitis: Epidemiologic and zoonotic aspects of the 1982 outbreak [Abstract]. J Am Vet Med Assoc 183:350, 1983.

Reif, J.S., P.A. Webb, T.P. Monath, et al. Epizootic vesicular stomatitis in Colorado, 1982: Infection in occupational risk groups. Am J Trop Med Hyg 36:177-182, 1987.

Rodríguez, L.L. Emergence and re-emergence of vesicular stomatitis in the United States. Virus Res 85(2):211-219, 2002.

Srihongse, S. Vesicular stomatitis virus infections in Panamanian primates and other vertebrates. Am J Epidemiol 90:69–76, 1969.

Stallknecht, D.E., D.E. Perzak, L.D. Bauer, M.D. Murphy, E.W. Howerth. Contact transmission of vesicular stomatitis virus New Jersey in pigs. Am J Ver Res 62(4):516–520, 2001.

Tesh, R.B., K.M. Johnson. Vesicular stomatitis. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Tesh, R.B., P.H. Peralta, K.M. Johnson. Ecologic studies of vesicular stomatitis 1. Prevalence of infection among animals and humans living in an area of endemic VSV activity. Am J Epidemiol 90:255–261, 1969.

Tesh, R.B., J. Boshell, G.B. Modi, et al. Natural infection of humans, animals, and phlebotomine sand flies with the Alagoas serotype of vesicular stomatitis virus in Colombia. Am J Trop Med Hyg 36:653-661, 1987. Thurmond, M.C., A.A. Ardans, J.P. Picanso, T. McDowell, B. Reynolds, J. Saito. Vesicular stomatitis virus (New Jersey strain) infection in two California dairy herds: An epidemiological study. J Am Ves Med Assoc 191:965–970, 1987.

Timoney, J.F., J.H. Gillespie, F.W. Scott, J.E. Barlough. Hagan and Bruner's Microbiology and Infectious Diseases of Domestic Animals: With Reference to Etiology. Epizootiology. Pathogenesis, Immunity, Diagnosis, and Antimicrobial Susceptibility, 8th ed. Ithaca: Comstock; 1988.

Walton, T.E., P.A. Webb, D.B. Francy. Vesicular stomatitis virus in wild caught insects. Foreign Anim Dis Rep (USDA) 11:2, 1983. Reproduced in Bull OIE 95:48, 1983.

Zuluaga, F.N., T.M. Yuill. Estudios ecológicos de los virus de vesicular stomatitis en Antioquia, Colombia. Bol Of Sanit Panam 87:377-388, 1979.

VIRAL HEPATITIS OF MAN AND NONHUMAN PRIMATES

B17 B A; B16 A ICD-10 B15
B18 B19

ICD-10 B15 Acute hepatitis A; B16 Acute hepatitis B; B17 Other acute virat hepatitis; B18 Chronic viral hepatitis; B19 Unspecified viral hepatitis

.Oubiña and Fay (1991) Benenson (1990):

1

```
В
      A
                               E
                                                        :D
                                                    .enterically
                                       \cdotA
                                            .picornavirus
            В
                                   .(Gust et al., 1983)
           Hepadnaviridae
                    C
                                                    (Melnick, 1986)
      .В
            A
        C
           В
                                                                 50 - 30
                                                    .parenteral (
                                           .D
               D
                                                           В
                            В
                                                           В
          ) Ô
                D
                                               .nucleocapsid
                                                           .B
                                   .B
              В
                                              Е
                   A
                                34 - 32
                                                .(Bradley, 1990) labile
                      D C B A
```

| | | E | |
|--------------------|--------------------|-----------------|-------------|
| | | • | Ô |
| | | | • |
| | | • | |
| Ô 200 | : | | 1960 – 1958 |
| | • | | 1700 1750 |
| | .(Deinhardt, 1976) | | |
| (Ô) | A | | |
| | | | • |
| A (anti-HB) B | | | В |
| Ô | %80 | • | Б |
| O | | %25 | . 10 |
| 10 . | | | В |
| | | • | 26 |
| | | ² .B | |
| .(Deinhardt, 1976) | • | В | |
| Ô | : | _ | |
| | | | 7 |
| | 62 %1.6 | | 82 %2.4 |
| | | | 2 |
| | $(HB_s\ Ag)\ B$. | | |
| | | | |

```
(Papio cynocephalus)
                                %36.2
                                                  %29.9
                          %11.3 (Saimiri sciureus)
                                                                       %5
                                        .(Eichberg and Kalter, 1980)
                                 5
                                                   .B
                .(Zuckerman et al., 1978)
                                                       Α
(Aotus trivirgatus)
                                          145
       100
                       .(Lemon et al., 1982)
                                                                   13
                                                                     7
                     (Papio ursinus)
                                                                          A
                                             .G
                                                                           4
                          A
                    A
                                           .(Deinhardt and Deinhardt, 1984)
cynomolgus
                                ) crab (
(Macaca fascicularis
   3
                      54
                                             52
   18
          Α
             .(Cohen et al., 1989)
                                          16
```

```
54
                                         52
                                                6
             .(Burke and Heisey, 1984) A
   3
                          Ô
                                %50
s
Smith et))
                                            )
                                                    (al., 1980; Lancet, 1981
                       A
                                                    (Aotus trivirgatus)
                              .MS-1
Lemon and)
                   heterogeneity
                                                               .(Binn, 1983
   genomic
Lemon et al., 1987;)
                                                  A
                                                        .(Brown et al., 1989
A
          ) B
                                                               6 - 3
                             .intercurrent
```

526

: 5 (IU 15 0) IU 85 (Ô) .(/ 0.5 0.01) / 2


· Ô

Sanguinus . Ô :

. mystax

.(Deinhardt, 1976)

Sanguinus mystax



.A 173

| | • | | 151 |
|-----------------------------|------------------|--------|-----|
| . 6 | Ô | • | |
| Ô | | | |
| Ô· | | | |
| | | | • |
| · | | : | • |
| | • | | : |
| · | : . | | |
| | | .В | |
| Lemon <i>et al.</i> , 1982) | A. trivirgatus 🕤 | A | |
| . А | | _ | . – |
| A | | A Ô | |
| apes | : | | |

```
В
              .B
   В
                            parenteral
              В
                                                   .(Kessler et al., 1982)
                                                            В
                                             (HB<sub>s</sub>Ag)
                                                            В
  .A
                                                             В
                                                                          A
                                      В
                                                                A
                 (
.B
                                                         A
```

```
(HAAg)
M
Deinhardt and)
                                                 .A
                                                                 .(Gust, 1983
      M
                                                                   6 - 4
                      infectivity
                                                        В
                                          .(Deinhardt and Gust, 1983)
Duermeyer et)
                                                                     .B
                                                                            Α
                                                                    .(al., 1983
               A
                                     A
Hoffman,)
                                                    1.000
                                                                       .(1991)
```

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. An official report of the American Public Health Association. Washington, D.C.: APHA; 1990.

Bradley, D.W. Hepatitis non-A, non-B viruses become identified as hepatitis C and E viruses. Prog Med Virol 37:101-135, 1990.

Brown, E.A., R.W. Jansen, S.M. Lemon. Characterization of a simian hepatitis A virus (HAV): antigenic and genetic comparison with human HAV. J Virol 63:4932–4937, 1989.

Burke, D.S., G.B. Heisey. Wild Malaysian cynomolgus monkeys are exposed to hepatitis A virus. Am J Trop Med Hyg 33:940-944, 1984.

Cohen, J.L., S. Feinstone, R.H. Purcell. Hepatitis A virus infection in a chimpanzee: Duration of viremia and detection of virus in saliva and throat swabs. J Infect Dis 160:887–890, 1989. Deinhardt, F. Hepatitis in primates. Adv Virus Res 20:113-157, 1976.

Deinhardt, F., I.D. Gust. L'hépatite virale. Bull WHO 61:199-232, 1983.

Deinhardt, F., J.B. Deinhardt. Animal models. In: Gerety, R.J., ed. Hepatitis A. New York: Academic Press; 1984.

Duermeyer, W., R. State, J.A. Hellings. An enzyme-linked immunosorbent assay for an antigen related to non-A, non-B hepatitis and its antibody: Partial characterization of the antigen and chimpanzee transmission. J Med Virol 11:11–21, 1983.

Eichberg, J.W., S.S. Kalter. Hepatitis A and B: Serologic survey of human and nonhuman primate seru. Lab Anim Sci 30:541–543, 1980.

Feinstone, S.M., A.Z. Kapikian, R.H. Purcell. Hepatitis A: Detection by immune electron microscopy of a virus like antigen associated with acute illness. Science 182:1026–1028, 1973.

Gust, I.D., A.G. Coulepis, S.M. Feinstone, et al. Taxonomic classification of hepatitis A virus. Intervirology 20:1–7, 1983.

Held, J. The public health implications of nonhuman primates in the transmission of hepatitis to man. Proc Annu Meet Am Vet Med Assoc 100:183-185, 1963.

Hepatitis A virus in primates outside captivity. Lancet 2:928-929, 1981.

Hoffman, M. Hepatitis A vaccine shows promise. Science 254:1581-1582, 1991.

Hollinger, F.B., D.W. Bradley, J.E. Maynard, G.R. Dreesman, J.L. Melnick. Detection of hepatitis A viral antigen by radioimmunoassay. J Immunol 115:1464–1466, 1975.

Kessler, H., K.N. Tsiquaye, H. Smith, D.M. Jones, A.J. Zuckerman. Hepatitis A and B at the London Zoo. J Infect 4:63–67, 1982.

Kissling, R.E. Simian heputitis. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Lemon, S.M., J.W. LeDuc, L.N. Binn, A. Escajadillo, K.G. Ishak. Transmission of hepatitis A virus among recently captured Panamanian owl monkeys. J Med Virol 10:25–36, 1982.

Lemon, S.M., L.N. Binn. Antigenic relatedness of two strains of hepatitis A determined by cross-neutralization. Infect Immun 42:418–420, 1983.

Lemon, S.M., S.F. Chao, R.W. Jansen, L.N. Binn, J.W. LeDuc. Genomic heterogeneity among human and nonhuman strains of hepatitis A virus. J Virol 61:735–742, 1987.

Melnick, J.L. Classification of hepatitis A virus as enterovirus type 72 and of hepatitis B virus as bepadnavirus type 1. Intervirology 18:105-106, 1986.

Neefe, J.R., E.N. Willey. Hepatitis viral. In: Top, F.H., P.F. Wehrle, eds. Communicable and Infectious Diseases, 7th ed. St. Louis: Mosby; 1972.

Oubiña, J.R., O.H. Fay, Virus de hepatitis A, B, C, D y E. In: Carballal, G., J.R. Oubiña, eds. Virologia Médica. Buenos Aires: El Ateneo; 1991.

Pattison, C.P., J.E. Maynard. Subhuman primate-associated hepatitis. J Infect Dis 132:478, 1975.

Smith, M.S., P.J. Swanepoel, M. Bootsma. Hepatitis A in non-human primates in nature. Lancet 2:1241–1242, 1980.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Hepatitis Surveillance. Atlanta: CDC; 1972. (Report 34.)

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Hepatitis Surveillance. Atlanta: CDC; 1973. (Report 35.)

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Nonhuman primate-associated hepatitis; Pennsylvania. MMWR Morb Mortal Wkly Rep 24:115, 1975.

World Health Organization (WHO). Virul Hepatitis. Report of a WHO Scientific Group. Geneva: WHO; 1973. (Technical Report Series 513.)

Zuckerman, A. J., A. Thornton, C. R. Howard, K. N. Tsiquaye, D. M. Jones, M. R. Brambell. Hepatitis B outbreak among chimpanzees at the London Zoo. Lancer 2:652–654, 1978.

WESSELSBRON DISEASE

ICD-10 A93.8

ICD-10 A93.8 Other specified arthropod-borne viral fevers

B
Flavivirus

Togaviridae

:

· · · · ·

. :

. .%50

36 .

54 17 . 83

: .(Henderson *et al.*, 1970) 141 48 .

 \cdot

3 – 2 .Rift Valley 4 – 1 :1957 concurrent

| .(Coetzer and Theodoridis, 1982) | |
|----------------------------------|-------------------------------|
| · Ô | |
| · %50 | |
| | · |
| Blackburn and Swanepoel,) () | . (1980 |
| | 1996 Ô |
| | .(Jupp and Kemp, 1998) |
| | : |
| Aedes circumluteolus | \cdot \hat{O} A. caballus |
| | . A. lineatopennis |
| | |
| | Ô |

| • | | | | . 4 – 3 | | |
|-------------------|---|---|---|---------|------------|--------|
| | | | | .1 | Desmodillı | us |
| Ô | | | | | | |
| | | | | | | • |
| _ | | | | _ | | : |
| | | | | : | | |
| | | • | | | (|) |
| | | | | | • | , |
| | | | | | | |
| Williams et al.,) | Ô | | | | | |
| | | | | | | .(1997 |
| | | • | | | | : |
| | | | | | | 3 |
| | | | | . 6 | • | |
| | | | | | : | |
| | | | | | | |
| | | | | | | |
| | | Ô | Ô | | | |

Baba, S.S., A.H. Fagbami, S.A. Omilabu. Wesselsbron virus infection in West African dwarf goats (Fouta djallon): Virological and immunological studies. Acta Virol 33:81–86, 1989. Blackburn, N.K., R. Swanepoel. An investigation of flavivirus infections of cattle in Zimbabwe Rhodesia with particular reference to Wesselsbron virus. J Hyg (Lond) 85:1–33, 1980.

Coetzer, J.A., A. Theodoridis. Clinical and pathological studies in adult sheep and goats experimentally infected with Wesselsbron disease virus. Onderstepoort J Vet Res 49:19–22, 1982.

Henderson, B.E., G.B. Kirya, L.E. Hewitt. Serological survey for arboviruses in Uganda, 1967-69. Bull World Health Organ 42:797-805, 1970.

Henderson, B.E., D. Metselaar, G.B. Kirya, G.L. Timms. Investigations into yellow fever virus and other arboviruses in the northern regions of Kenya. Bull World Health Organ 42:787–795, 1970.

Henning, M.W. Animal Diseases in South Africa, 3rd ed. Pretoria: Central News Agency; 1956.

Jensen, R. Diseases of Sheep. Philadelphia: Lea and Febiger; 1974.

Ô

Jupp, P.G., A. Kemp. Studies of an outbreak of Wesselsbron virus in the Free State Province, South Africa. J Am Mosq Control Assoc 14(1):40-45, 1998.

Justines, G.A., R.E. Shope. Wesselsbron virus infection in a laboratory worker, with virus recovery from throat washing. Health Lab Sci 6:46-49, 1969.

Karabatsos, N., ed. International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates, 3rd ed. San Antonio: American Society for Tropical Medicine and Hygiene; 1985.

Kokernot, R.H., V.M. Casaca, M.P. Weinbren, B.M. McIntosh. Survey for antibodies against arthropod-borne viruses in the sera of indigenous residents of Angola. Trans R Soc Trop Med Hyg 59:563–570, 1965.

McIntosh, B.M., H.J. Gear. Mosquito-borne arboviruses, primarily in the Eastern Hemisphere. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.


Salaün, J.J., A. Rickenbach, P. Brés, et al. Les arbovirus isolés à partir de moustiques au Cameroun. Bull World Health Organ 41:233-241, 1969.

Weiss, K.E. Wesselsbron virus disease. In: Dalling, T., A. Robertson, eds. International Encyclopedia of Veterinary Medicine. Edinburgh: Green; 1966.

Williams, R., M. Schoeman, A. Van Wyk, K. Roos, E.J. Josemans. Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus. Onderstepoort J Vet Res 64(4):245–250, 1997.

Ô WESTERN EQUINE ENCEPHALITIS

ACD-10 A83.1



```
· Ô
                          (Highlands J) J
          Aura
          .(Calisher et al., 1988)
pathogens
                      Ô
                                                                    J
                                       · Ô
.neurovirulent
                     neuroinvasive
                                                     Ô
                                 J
                                                              5
Bianchi et al.,)
                                                               .(1993
                                       941
                                         .1978
                                                1955
     .1976
                                          4
                                                 133
                                                             1975
                       .(CDC, 1981 and 1982)
                                                             1982
                 1941
      3.000
```

1.150

<u>537</u> Ô

5 15 .58:1 **Ô** 1938 174.000 :1937 1970 - 1966 ·Ô 184.000 1.773 7.638 9 .1992 () J ·Ô Ô .(Karabatsos et al., 1988) J 300 .1983 1982 .(1983 :1973 - 1972 1985 1983 5 13 16

%13

%4 1982

```
.(Aviles et al., 1993)
                                       %40
10 - 5
           10 - 7
                                      .%14
                                              %3
(
          Ô
                                                   3 – 1
                                Ô
            Ô
```

| 539 | Ô | | | |
|---------------------------------------|----|---------------|--------------|--------------------------------|
| %20 | | | .%50 · | . %30 |
| | 15 | : (31 |) passerines | Ô . |
| . Culex tarsalis . | | | 10 | |
| · Ô | | | Aedes dor: | salis |
| · · · · · · · · · · · · · · · · · · · | | | (| ·) : |
| Monath and) | | | .(Hardy o | .(Trent, 1981 et al., 1979) |
| | | | : | |

```
Ô
Ô
                                           .31
                    - Ô
84
     37
         (Pituophis Thamnophis, Coluber
                 cyclical
               Tham nophils
                                      .(Rana pipiens
    179
           50
```

<u>541</u> <u>Ô</u>

| | | | | | Ades dorsa | alis |
|-----------|------------|------------|----------------------|--------------|------------|-----------------|
| (|) | | | | | |
| | | | | | | |
| | | .(Fubhors | t <i>et al</i> ., 19 | 94) | | · |
| • | .culiseta | inornata | | | | |
| | | | | (Monath, 1 | 979) | |
| Culiseta | | | | | | |
| | | | | | | Ô melanura |
| | | | | | | Ô |
| | (J |) | | | | J |
| | • | | | | | |
| | | | | | | |
| | | | | | | |
| (| |) | | • | | |
| .(| | , | - | | | |
| Hayes and | i Wallis,) | | J | | | , |
| | | | | | | . (1977 |
| Ô | | | Ô | | | |
| Culex oco | ssa (Siriv | anakarn an | ıd Jakob, | 1981) | | |
| | Ô | | | | | |
| | | Ô | .Aedes | albifasciatu | ıs | |
| | | O | | | | |
| | | | | | | |
| | | 16 – 9 | | | _ | |
| | | 10 – 9 | | | - | • |

```
Aviles et)
                             Aedes albifasciatus
                                                                 .(al., 1992
                                                    .(Walton, 1992)
                                                                           4
Calisher et al.,) M
                                             Ô
                                                                     .(1986
                          %80
                                                 (%56.3
(%43.8
   %90
                              presumptive
                                               .(Calisher et al., 1983)
```

) 10 – 7

Ô

ÔÔ

- Ô - ablifasciatus

ÔÔ

Andrewes, C., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins; 1972.

Aviles, G., M.S. Sabattini, C.J. Mitchell. Trasmission of western equine encephalomyelitis virus by Argentine Aedes albifarciatus (Diptera: Culicidae). J Med Entomol 29:850-853, 1992. Aviles, G., T.I. Bianchi, J.F. Daffner, M.S. Sabattini. Actividad post-epizoótica del virus de

la encefalitis equina del oeste en la Argentina. Rev Argentina Microbiol 25:88–99, 1993.
Bianchi, T.I., G. Aviles, T.P. Monath, M.S. Sabattini. Western equine encephalomyelitis:
Virulence markers and their epidemiologic significance. Am J Trop Med Hyg 49:322–328, 1993.
Bruner, D.W., J.N. Gillespie. Hagan's Infectious Diseases of Domestic Animals, 6th ed.
Ithaca: Cornell University Press; 1973.

Calisher, C.H., J.K. Emerson, D.J. Muth, J.S. Lazuick, T.P. Monath. Serodiagnosis of western equine encephalitis virus infections: Relationship of antibody titer and test to observed onset of clinical illness. J Am Vet Med Assoc 183:438–440, 1983.

Calisher, C.H., M.I. Mahmuel, A.O. el-Kafrawi, J.K. Emerson, D.J. Muth. Rapid and specific serodiagnosis of western equine encephalitis virus infection in horses. Am J Ver Res 47:1296–1299, 1986.

Calisher, C.H., N. Karabatsos, J.S. Lazuick, T.P. Monath, K.L. Wolff. Revaluation of the western equine encephalitis antigenic complex of alphaviruses (family Togaviridae) as determined by neutralization tests. Am J Trop Med Hyg 38:447-452, 1988.

Casals, J., D.H. Clarke, Arboviruses: Group A. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1975.

Centro Panamericano de Zoonosis. Informe encefalomielitis (Argentina). Comunicaciones Epidemiológicas 3, May 1983.

Chamberlain, R.W. Arbovirus infections of North America. In: Sanders, M., M. Schaeffer, eds. Viruses Affecting Man and Animals. St. Louis: Green; 1971.

Downs, W.G. Arboviruses. In: A.S. Evans, ed. Viral Infections of Humans: Epidemiology and Control. New York: Plenum; 1976.

Fulhorst, C.F., J.L. Hardy, B.F. Eldridge, S.B. Presser, W.C. Reeves. Natural vertical transmission of western equine encephalomyelitis virus in mosquitoes. *Science* 263(5147): 676–678, 1994.

Gebhardt, L.P., G.J. Stanton, D.W. Hill, C.G. Collet. Natural overwintering hosts of the virus of western equine encephalitis. New Engl J Med 271:172–177, 1964.

Gebhardt, L.P., S.C. Jeor, G.J. Stanton, D.A. Stringfellow. Ecology of western encephalitis virus. Proc Soc Exp Biol Med 142:731-733, 1973.

Gutekunst, D.E., M.J. Martin, P.H. Langer. Immunization against equine eocephalomyelitis with a new tissue culture origin vaccine. Vet Med Anim Clin 61:348–351, 1966.

Hardy, J.L., W.C. Reeves, W.A. Rush, Y.D. Nir. Experimental infection with western encephalomyelitis virus in wild rodents indigenous to Kern County, California. Infect Immun 10:553–564, 1974.

Hardy, J.L., W.C. Reeves, J.P. Bruen, S.B. Presser. Vector competence of Culex tarsalis and other mosquito species for western equine encephalomyelitis virus. In: Kurstak, E., ed. Arctic and Tropical Arboviruses. New York: Academic Press; 1979.

Hayes, R.O., L.C. LaMotte, P. Holden. Ecology of arboviruses in Hale County, Texas during 1965. Am J Trop Med Hyg 16:675-687, 1967.

Hayes, C.G., R.C. Wallis. Ecology of western equine encephalomyelitis in the eastern United States. Adv Virus Res 21:37–83, 1977.

Holden, P., D.B. Francy, C.J. Mitchell, R.O. Hayes, J.S Lazuick, T.B. Hughes. House-sparrows, Passer domesticus (L.), as hosts of arboviruses in Hale County, Texas. 1. Field studies, 1965–1969. Am J Trop Med Hyg 22:244–253, 1973.

Hughes, J.P., H.N. Johnson. A field trial of a live-virus western encephalitis vaccine. J Am Ver Med Assoc 150:167–171, 1967.

Karabatsos, N., A.L. Lewis, C.H. Calisher, A.R. Hunt, J.T. Roehrig. Identification of Highlands J virus from a Florida horse. Am J Trop Med Hyg 39:603–606, 1988.

Monath, T.P. Arthropod-borne encephalitides in the Americas. Bull World Health Organ 57:513–533, 1979.

Monath, T.P., D.W. Trent. Togoviral diseases of domestic animals. In: Kurstak, E., C. Kurstak, eds. Comparative Diagnosis of Viral Diseases. New York: Academic Press; 1981.

Sirivanakarn, S., W.L. Jakob. Notes on the distribution of Culex (Melanoconion) mosquitoes in northeastern Argentina (Diptera: Culicidae). Mosq Syst 13:195–200, 1981.

Theiler, M., W.G. Downs. The Arthropod-borne Viruses of Vertebrutes. New Haven: Yale University Press; 1973.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Neurotropic Viral Diseases Surveillance. Annual Summary, 1972. Atlanta: CDC: 1974. (DHEW Publ. CDC 75–8252).

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC), Current trends in arboviral diseases. United States, August 1974. MMWR Morb Mortal Wkly Rep 23:293-294, 1974.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Arboviral infections in the United States. MMWR Morb Mortal Wkly Rep 25:116, 1976.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Encephalitis Surveillance. Annual Summary 1978. Atlanta: CDC; 1981.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Arboviral encephalitis: United States, 1982. MMWR Morb Mortal Willy Rep 31:433–435, 1982.

Walton, T.E. Arboviral encephalomyelitis of livestock in the western hemisphere. J Am Vet Med Assoc 200:1385–1389, 1992.

Work, T.H. Western equine encephalomyelitis. In: Beeson, P.B., W. McDermott, J.B. Wyngaarden, eds. Cecil Textbook of Medicine, 15th ed. Philadelphia: Saunders; 1979.

| | WEST NII | LE FEV | ER Ø | | |
|--------|----------|--------|-----------|---|--------------------------------|
| | | ICD-10 | A92.3 | | |
| | .4(| |) | | : .Flavivirus |
| | | 53 | | Ô | |
| Eg 101 | | 4: | | | 5 |
| | • | | | | |
| | | | · | • | .(Morvan <i>et al.</i> , 1990) |
| 1 WN | 2 WN | | .lineages | | |
| | | | | | enzootic |
| 1996 | | Ô | | | :1 WN |
| | | В | _ | | 4 |

```
.1998
                                                               (ROM96)
                    .ROM96 Ô
         .(Isr98) 2000
                        1997
                                                                  NY99
                                          NY99
                                                                  Ô
                                           .(Petersen and Roehring, 2001)
      1999
                        Ô
Nash et al.,)
                                                                 .(2001
   900
                                                      .2000
                                                                     12
                                                   .(Marfin et al., 2001)
.(Tesh, 1982)
```

```
Ô
             .1974
                                        %55
                        .(McIntosh et al., 1976)
                                                               %16
1.168
                %61
                                         .(Taylor et al., 1956)
                237
                   %55
                                                1983
                          %50
           156
                  %13
                                  %8
                                                      1985
                                  .Culex tritaeniorhynchus
Sugamata et al.,)
                                                               .(1988
           183)
   375
                6 – 3
        6
```

| | | : Ô·· |
|-----------------------|------------------|------------------------------|
| .%25 | %10 | 1964 – 1962 |
| | . ((| Corvus corone sardonius) |
| | Ô | : |
| | : (32) | Гaylor <i>et al.</i> , 1956) |
| | : | |
| . Corvus corone) | .(Calumba livia) | |
| (Sylvietta rufescens) | crombec | . (sardonius |
| .() | (Streptopelia tu | · |
| | | |
| .Culex | · | |
| ·Cuiex | | univittatus |

```
vishnui
              .molestus
argasid
                          Aedes anopheles
                                                             .ixodid
                                                             Ô
                                                   univittatus
                                               sentinel
                              Aedes albopictus
Abassy et al.,)
                                 (Baqar et al., 1993) tritaeniorhyncus
(Abassy et al., 1993)
                                      Argas arboreus
                                                                     .(1993)
                                                                  .1999
corvids
                 (Corvus brachyrhnchus)
                  %100 Ô
            1955
                                   .NY99
Passer)
                          (Corvus corone)
               .101
                                                                (domesticus
              2000
                         1999
                                       5
                                            2000
                                                                     14
                                    .(nucleic
        pipiens
                                                                   restuans
```

()


Cx. salinarius

.

.Culex

.

•



.(Porter et al., 1993)





Abassy, M.A., M. Osman, A.S. Marzouk. West Nile virus (Flaviviridae: Flavivirus) in experimentally infected Argus ticks (Acari: Argasidae). Am J Trop Med Hyg 48:726-737, 1993.

Andrewes, C.H., H.G. Pereira. Viruses of Vertebrates, 3rd ed. Baltimore: Williams & Wilkins: 1972.

Baqar, S., C.G. Hayes, J.R. Murphy, D.M. Watts. Vertical transmission of West Nile virus by Culex and Aedes species mosquitoes. Am J Trop Med Hyg 48:757-762, 1993.

Clarke, D.H., J. Casals. Arboviruses: Group B. In: Horsfall, F.L., I. Tamm, eds. Viral and Rickettsial Infections of Man, 4th ed. Philadelphia: Lippincott; 1965.

Eidson, M., N. Komar, F. Sorbage, R. Nelson, T. Talbot, F. Mostashari, et al. Crow deaths: A sentinel surveillance system for West Nile virus in the northeastern United States. Emerg Inf Dis 7:748-750, 2001.

Goldblum, N. Group B arthropod-borne viral disease. In: van der Hoeden, I., ed. Zoonoses. Amsterdam: Elsevier; 1964.

Jouber, L., J. Oudart. La meningoencefalitis equina por el virus del Nilo occidental en la zona mediterránea de Francia. Bull Soc Sci Vet Med Comp 76:255, 1974. Summary Sel Vet 16:675, 1975.

Marfin, A.A., L.R. Petersen, M. Eidson, J. Miller, J. Hadler, C. Farello, et al. Widespread West Nile virus activity, eastern United States, 2000. Emerg Infect Dis 7:730–735, 2001.

McIntosh, B.M., J.H. Gear, Mosquito-borne arboviruses, primarily in the Eastern Hemisphere. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

McIntosh, B.M., P.G. Jupp, I. dos Santos, G.M. Meenehan. Epidemics of West Nile and Sindbis viruses in South Africa with Culex univitatus Theobald as vector. S Afr J Sci 72:295–300, 1976.

Morvan, J., D. Fontenille, T.G. Besselear, P. Coulanges. Utilisation des anticorps monoclonaux pour l'analyse antigénique des souches de virus West Nile isolée a Madagascar. Apport pour la compréhension du cycle épidémiologique. Arch Inst Pasteur Madagascar 57:167-181, 1990.

Morvan, J., L.H. Chin, D. Fontenille, I. Rakotoarivony, P. Coulanges. Prevalence des anticorps anti-virus West Nile chez les jeunes de 5 à 20 ans a Madagancar. Bull Soc Pathol Exot 84:225–234, 1991. Nash, D., F. Motashari, A. Fine, J. Miller, D. O'Leary, K. Murray, et al. Outbreak of West Nile virus infection, New York City area, 1999. N Engl J Med. 344:1807–1814, 2001.

Nir, Y., R. Golwasser, Y. Lasowski, A. Avivi. Isolation of arboviruses from wild birds in Israel. Am J Epidemiol 86:372–378, 1967.

Petersen, L.R., J.T. Rochrig, West Nile virus: A reemerging global pathogen. Emerg Infect Dix 7:611–614, 2001.

Porter, K.R., P.L. Summers, D. Dubois, et al. Detection of West Nile virus by the polymerase chain reaction and analysis of nucleotide sequence variation. Am J Trop Med Hyg 48:440–446, 1993.

Sugamata, M., A. Ahmed, T. Miura, et al. Seroepidemiological study of infection with West Nile virus in Karachi, Pakistan, in 1983 and 1985. J Med Virol 26:243–247, 1988.

Taylor, R.M., T.H. Work, H.S. Hurblut, F. Rizk. A study of the ecology of West Nile virus in Egypt. Am J Trop Med Hyg 5:579-620, 1956.

Tesh, R.B. West Nile fever. In: Wyngaarden, J.B., L.H. Smith, Jr., eds. Vol. 2: Cecil Testbook of Medicine, 16th ed. Philadelphia: Saunders; 1982.

YELLOW FEVER

| | | | A95.1 | | | ICD-1 | 0 A95.0 |
|-------|--------|------------|--------------|------------------|-------|----------|---------|
| | ICD-10 | A95.0 Sylv | vatic yellow | fever; A95.1 Urb | an Yo | ellow Fe | ever |
| | | | | .Black vomit | | : | |
| | | | | | | : | |
| | .5(| | | В |) | Flavivir | rus |
| | • | | | Flaviviridae | | | |
| | (|) | | | | | |
| | | | | 40 | | | |
| | | | | | | | |
| | | | | | | : | |
| 4edes | | | | | | | |
| | 5 | | | | (|) | aegypt |
| | , | | | | | | |
| | | | | В | | | |

```
:1950
 Ô
.(1954
                                   ) .1942
    Ô
200.000
 %90
                     . 30.000
                     2.252 .(Mutebi and Barrett, 2002)
1983 1965
                      304 1966
   183
            368
                         .(%49.7
                                           ) 1982 – 1981
                         1981
```

```
%70
                                   211
                                           235
                                                  1987
                                                 179 - 170
                                                 .(WHO, 1989)
               ) 88 .1989 ( 191 ) 237
 ) 175 1992 ( 81 ) 119 1991 ( 90 ) 151 1990
                                .(WHO, 1995) 1993
                                                      79
                             Ô
              1:9
1973 - 1972
                           71
Pinheiro et al.,)
                44
                                                       .(1978
                        В
                 Ô
                                                        Ô
                                         39 - 20
                        .Haemagogus
   1998
Vasconcelos et al.,)
                             8
                                    24
                                            8
                                                   23
                                                        1999
           77
                 2000
                                                      .(2001b
                 .(Vasconcelos et al., 2001a) 39
```

```
1960
             .1947
         12
                                            %80
                         Ô
           (2
                                      (1:
                                      (3
              .(Woodall, 1981)
                          (Groot, 1980) (
 inactivity
                               1979 - 1978
                      30
                                   1981
                                               . 19
                                               1979 – 1978
                             Ô·
%96.4
                                              5
                                                       10
```

```
.(CDC, 1980; PAHO, 1983b)
(WHO, 1993)
                                              33
                                    100.000
                                                   :1962 - 1960
                   .1969
                                                     .1965
2.561 .1990 ( 341 ) 4.248 .1989 ( 618 ) 3.270
.1993 ( 38 ) 218 .1992 ( 21 ) 176 .1991 ( 661 )
WHO,) 1.518
                                          10.207
                                                        .(1995
             (1:
        africanus
                                                   (2 .simpsoni
                                        Ô
.(Varma, 1989)
                   15
                       .(Mutebi and Barrett, 2002)
.(Alouatta
               %90
```

```
6 – 3
WHO,)
                                                              .(1985
                  ) Faget
                                                                 Ô
                              prostration
                                       4 - 3
       Ô
                          Ô
                                               .(
                                                      decompensation
              Ô
```

```
10
                        .(WHO, 1985)
                            %5
                                Ô
                   mottled
                                   .metamorphosis
- Councilman
    .%20
            %10
                                                30 25
              .(Monath, 1987; PAHO, 1987)
                 Ô
```

```
6
           .(Aotus
           .(Cebus
                                                  .(Alouatta
       (Callithrix
                    ) (marmoset
                                                    .(Ateles
                                             .(Saimiri
                                                   (Macaca
                  24
36 - 24
                  Ô
                     :(33
                                .jungle
                                              urban
    12 - 10
    Ô
                   Ô
```

•

| | • | |
|-----------------------|---------------------|------------|
| • | | • |
| | : | |
| h. spegazzini | H. Janthinomys | Haemagogus |
| | spegazzi | . ' |
| Sabethes chloropterus | Aedes leucocelaenus | <i>.</i> : |
| Sabethes chlor- | | |
| | | . opterus |
| | | • |
| • | Ο | |
| | | |
| | | |
| | | |
| | | |
| .contiguous | | |
| | | |
| . (Ceb | us) | |
| . – | _ | |
| | | |

```
(Potos flavus) (
                                                                   ) kinkajou
   (Bassaricyon gabbii) olingo
.(Strano et al., 1975)
                         .(Woodall, 1981)
          100.000
                           1962 - 1960
                                                                     30.000
                                                          Ô
furcifer-taylori
                                               opok
                                         .luteocephalus
                                .Amblyomma variegatum
```

•


.(WHO, 1985) 1979 – 1978

(Cercopithecus)

Colobus (Papia) .(Erythrocebus patas) patas

Seymour and Yuill,) (Galago) bushbabies (Colobus)

.(1981



.(WHO, 1985)

4 - 3Ô () M Monath and Nystrom,) à .(1984 .(Deubel et al., 1983) 4 – 3) 17D .(Rice et al., 1985) Ô .(De Brito et al., 1992) 17D 10

.lyophilized

```
1989
                       :1993
    .(WHO, 1993)
                                            %11
                                         6
                   .1960 1940
                    17D
                                   .(WHO, 1986)
                                                              .(Brés, 1986)
                      .1966
                                17D
                                                      250
                                               39
                                                      (P-16065)
P16065
                      .17D-204
                                                                   epitope
.(Jennings et al., 1994)
                                                             neuroinvasive
                                              virulent
                    quality
reversion
                                           .virulent
                :2001
                         :2001
                                                 .(Chan et al., 2001)
               7
                                               viscerotropic
  17D
```

(Cetron *et al.*, 2002)

CDC,)

update

.(2002)

ÔÔ

Benenson, A.S., ed. Control of Communicable Diseases in Man, 15th ed. Official report of the American Public Health Association. Washington, D.C.: APHA; 1990.

Brés, P.L. A century of progress in combating yellow fever. Bull World Health Organ 64:775-786, 1986.

Cetron, M.S., A.A. Marfin, K.G. Julian, D.J. Gubler, D.J. Sharp, et al. Yellow fever vaccine. Recommendations of the Advisory Committee on Immunization Practices (ACEP), 2002. MMWR Marb Mortal Willy Rep 51(RR-17):1–11, 2002.

Chan, R.C., D.J. Penney, D. Little, et al. Hepatitis and death following vaccination with 17D-204 yellow fever vaccine. Lancer 358:121–122, 2001.

Clark, D.H., J. Casals. Arboviruses: Group B. In: Horsfall, F.L., I. Tamm, eds. Viral and Bickettsial Infections of Man. 4th ed. Philadelphia: Lippincott; 1965.

De Brito, T., S.A. Siqueira, R.T. Santos, E.S. Nassar, T.L. Coimbra, V.A. Alves, Human fatal yellow fever. Immunohistochemical detection of viral antigens in the liver, kidney and heart. Pathol Res Pract 188:177–181, 1992.

Deubel, V., V. Mouly, J.J. Salaun, C. Adam, M.M. Diop, J.P. Digoutte. Comparison of the enzyme-linked immunosorbent assay (ELISA) with standard tests used to detect yellow fever virus antibodies. Am J Trop Med Hyg 32:565–568, 1983.

Groot, H. The reinvasion of Colombia by Aedes aegypti: Aspects to remember. Am J Trop Med Hyg 29:330–338, 1980.

Jennings, A.D., C.A. Gibson, B.R. Miller, et al. Analysis of a yellow fever virus isolated from a fatal case of vaccine-associated human encephalitis. J Infect Dis 169:512–518, 1994.

Johnson, K.M. Yellow fever. In: Hubbert, W.T., W.F. McCulloch, P.R. Schnurrenberger, eds. Diseases Transmitted from Animals to Man, 6th ed. Springfield: Thomas; 1975.

Kerr, J.A. (revised by W.S. Downs). Yellow fever. In: Practice of Medicine. Hagerstown, Maryland: Harper and Row; 1975.

Monath, T.P., R.R. Nystrom. Detection of yellow fever virus in serum by enzyme immunoassay. Am J Trop Med Hyg 33:151-157, 1984.

Munz, E. Afrikanisch virusbedingte Zoonosen. Munch Med Wochenschr 115:1–9, 1973.

Mutebi, J.P., A.D. Barrett. The epidemiology of yellow fever in Africa. Microbes Infect 4(14):1459–1468, 2002.

Pan American Health Organization (PAHO). First Meeting of the PAHO Scientific Advisory Committee on Dengue, Yellow Fever, and Aedes argypti. Panama City, March 1976. Document presented at the XXIV Meeting of the Directing Council of PAHO, Mexico City, September-October 1976.

Pan American Health Organization (PAHO). Quadrennial Report of the Director, 1978–1981. Washington, D.C.: PAHO; 1982. (Official Document 131.)

Pan American Health Organization (PAHO), Yellow fever in the Americas, 1981-1982. Epidemiol Bull 4(1):1-5, 1983a.

Pan American Health Organization (PAHO). Yellow fever vaccination in the Americas. Epidemiol Bull 4(6):7-11, 1983b.

Pan American Health Organization (PAHO). Situación actual de la fiebre amarilla. Memorándum de una reunión de la OPS. Bol Of Sanit Panam 102:385–411, 1987.

Pinheiro, F.P., A.P. Travassos da Rosa, M.A. Moraes, J.C. Almeida Neto, S. Camargo, J.P. Filgueiras. An epidemic of yellow fever in central Brazil, 1972–1973. I. Epidemiological stud-

ies. Am J Trop Med Hyg 27(1 Pt 1):125-132, 1978.

Prías-Landínez, E., C. Bernal-Cúbides, S.V. de Torres, M. Romero-León. Encuesta serológica de virus transmitidos por artrópodos. Bol Of Sanit Panam 68:134–141, 1970.

Rice, C.M., E.M. Lenches, S.R. Eddy, S.J. Shin, R.L. Sheets, J.H. Strauss. Nucleotide sequence of yellow fever virus: Implications for flavivirus gene expression and evolution. *Science* 229:726–733, 1985.

Ruch, T.C. Diseases of Laboratory Primates. Philadelphia: Saunders; 1959.

Seymur, C., T.M. Yuill. Arboviruses. In: Davis, J.W., L.H. Karstad, D.O. Trainer, eds. Infectious Diseases of Wild Mammals, 2nd ed. Ames, Iowa: Iowa State University Press; 1981.

Strano, A.J., J.R. Dooley, K.G. Ishak. Syllabus—Yellow Fever and Its Histopathologic Differential Diagnosis. Washington, D.C.: American Registry of Pathology, Armed Forces Institute of Pathology; 1974.

Trapido, H., P. Galindo. Parasitological reviews: The epidemiology of yellow fever in Middle America. Exp. Parasitol 5:285–323, 1956.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). MMWR Morb Mortal Wkly Rep 22:326, 1973.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Follow-up on yellow fever: Trinidad. MMWR Morb Mortal Wkly Rep 29:52, 1980.

United States of America, Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). Adverse events associated with 17D-derived yellow fever vaccination—United States, 2001–2002. MMWR Morb Mortal Wkly Rep 51(44):989-993, 2002.

Varma, M.G. Yellow fever (YF) (Urban yellow fever, sylvatic or jungle yellow fever). In: World Health Organization, Vector Biology and Control Division, Geographical Distribution of Arthropod-Borne Diseases and Their Principal Vectors. Geneva: WHO; 1989. (WHO/VBC/89,67).

Vasconcelos, P.F., Z.G. Costa, E.S. Travassos da Rosa, E. Luna, S.G. Rodrigues, V.L. Barros, J.P. Dias, et al. Epidemic of jungle yellow fever in Brazil, 2000: Implications of climatic alterations in disease spread. J Med Virol 65(3):598–604, 2001a.

Vasconcelos, P.F., A.P. Rosa, S.G. Rodrigues, E.S. Rosa, H.A. Monteiro, A.C. Cruz, et al. Yellow fever in Pará State, Amazon region of Brazil, 1998–1999: Entomologic and epidemiologic findings. Emerg Infect Dis 7(3 Suppl):565–569, 2001b.

Woodall, J.P. Summary of a symposium on yellow fever. J Infect Dis 144:87-91, 1981.

World Health Organization (WHO). Yellow fever in Africa. WHO Chronicle 21:460-463, 1967.

World Health Organization (WHO). Expert Committee on Yellow Fever. Third Report of the WHO Expert Committee. Geneva: WHO: 1971. (Technical Report Series 479.)

World Health Organization (WHO). Jungle yellow fever. Wkly Epidemiol Rec 48:367, 1976.

World Health Organization (WHO). Virul Haemorrhagic Fevers. Report of a WHO Expert Committee. Geneva: WHO; 1985. (Technical Report Series 721.)

World Health Organization (WHO). Prevention and Control of Yellow Fever in Africa. Geneva: WHO; 1986.

World Health Organization (WHO). Yellow fever in 1987. Wkly Epidemiol Rec 64:37-43, 1989.

World Health Organization (WHO). Yellow fever in 1991. Wkly Epidemiol Rec 68:209-215, 1993.

World Health Organization (WHO). Yellow fever in 1992 and 1993. Wkly Epidemiol Rec-70(10):65–70, 1995.

ZOONOSESAND COMMUNICABLE DISEASES COMMON TO MAN AND ANIMALS

Third edition

إن هذه الطبعة الثالثة من كتاب " الأمراض الحيوانية المصدر والأمراض السارية المشتركة بين الإنسان و الحيوانات" تتكون من ثلاثة أجزاء الجزء الأول: الأمراض الناجمة عن الجراثيم والفطريات الجزء الثانى: الأمراض الناجمة عن المتدثرات والريكتسيات، والفيروسات

الجزء الثاني: الأمراض الناجمة عن المنظرات والريطسيات، والعيروسات الجزء الثالث: الأمراض الطفيلية

ونحن على ثقة أن هذا الكتاب ذو فائدة عظيمة للأطباء وطلبة كليات الطب والصحة العامة، والطب البيطري، ومعاهدها والباحثين وكل المهتمين بهذا الموضوع،

ومن المؤكد أن هذا الكتاب سيساهم في وضع المعارف موضع التنفيذ والاستفاده من المصادر العلمية البيطرية للوقاية وتحسين صحة الإنسان.